

# CCA Health California

## CCA Medicare Excel (HMO)

Các quận San Joaquin, Merced, và Stanislaus (**Chương trình 001**)

Quận Santa Clara (**Chương trình 002**)

# Danh Mục Thuốc 2024 (Danh Mục Thuốc Được Bao Trữ)



**VUI LÒNG ĐỌC: TÀI LIỆU NÀY CHỨA THÔNG TIN VỀ CÁC LOẠI THUỐC CHÚNG TÔI  
BAO TRẢ TRONG CHƯƠNG TRÌNH NÀY**

**H1426\_24\_LOCD\_C | HPMS Approved Formulary File Submission ID 00024328, Phiên bản số 12**

Danh mục thuốc này đã được cập nhật vào 05/01/2024. Để biết thêm thông tin gần đây hoặc các câu hỏi khác, vui lòng liên hệ với Dịch vụ Hội viên CCA Medicare Excel theo số 866-333-3530 (TTY 711), 8 giờ sáng đến 8 giờ tối, 7 ngày trong tuần, từ 1 tháng 10 đến 31 tháng 3. (từ 1 tháng 4 đến 30 tháng 9: 8 giờ sáng đến 8 giờ tối, thứ Hai đến thứ Sáu), hoặc truy cập [www.ccahealthca.org](http://www.ccahealthca.org).

**Lưu ý cho hội viên hiện tại:** Danh mục thuốc này đã thay đổi kể từ năm ngoái. Vui lòng xem lại tài liệu này để đảm bảo rằng danh mục thuốc vẫn chứa các loại thuốc quý vị dùng.

CCA Medicare Excel (HMO) là một chương trình bảo hiểm y tế có hợp đồng với Medicare. Ghi danh tùy thuộc vào việc gia hạn hợp đồng.

Khi danh sách thuốc (danh mục thuốc) này đề cập đến “chúng tôi, hoặc “củ a chúng tôi thì có nghĩa là CCA Health of California. Khi tài liệu này đề cập đến “chương trình” hoặc “chương trình củ a chúng tôi thì có nghĩa là CCA Medicare Excel (HMO).

Tại tiểu bang California, CCA Health Plans of California, Inc. hoạt động với tên gọi CCA Health California.

Tài liệu này bao gồm danh sách các loại thuốc (danh mục thuốc) dành cho chương trình mà chúng tôi hiện hành kể từ 05/01/2024. Để có danh mục thuốc cập nhật, vui lòng liên hệ với chúng tôi. Thông tin liên hệ củ a chúng tôi, cùng với ngày chúng tôi cập nhật danh mục thuốc lần cuối, có trên các trang bìa trước và sau.

Thông thường, quý vị phải sử dụng các nhà thuốc trong mạng lưới để sử dụng quyền lợi thuốc theo toa củ a mình. Các quyền lợi, danh mục thuốc, mạng lưới nhà thuốc và/hoặc tiền đồng thanh toán/tiền đồng bảo hiểm có thể thay đổi vào ngày 1 tháng 1 năm 2024 và đôi khi là trong năm.

**ATENCIÓN:** Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 866-333-3530 (TTY 711), de 8am a 8pm, los 7 días de la semana, del 1 de octubre al 31 de marzo. (Del 1 de abril al 30 de septiembre: de 8 am a 8pm, de lunes a viernes). La llamada es gratis.

Quý vị có thể nhận tài liệu này miễn phí ở các định dạng khác, như bản in cỡ chữ lớn, chữ nổi Braille hoặc âm thanh. Gọi 866-333-3530 (TTY 711), 8 giờ sáng đến 8 giờ tối, 7 ngày một tuần, từ 1 tháng 10 đến 31 tháng 3. (1 tháng 4 đến 30 tháng 9: 8 giờ sáng đến 8 giờ tối, thứ Hai đến thứ Sáu). Cuộc gọi được miễn phí.

Chúng tôi sẽ lưu giữ yêu cầu củ a quý vị về các định dạng thay thế và ngôn ngữ đặc biệt trong hồ sơ để gửi thư trong tương lai. Vui lòng liên hệ với Dịch vụ Hội viên để thay đổi yêu cầu củ a quý vị về ngôn ngữ và/hoặc định dạng ưa thích.

## Dịch Vụ Thông Dịch Đa Ngôn Ngữ

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-866-333-3530 (TTY 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-866-333-3530 (TTY 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-866-333-3530 (TTY 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-866-333-3530 (TTY 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-866-333-3530 (TTY 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-866-333-3530 (TTY 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-866-333-3530 (TTY 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-866-333-3530 (TTY 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-866-333-3530 (TTY 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-866-333-3530 (телетайп 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-866-333-3530 (رقم هاتف الصم والبكم 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-866-333-3530 (TTY 711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-866-333-3530 (TTY 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-866-333-3530 (TTY 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-866-333-3530 (TTY 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-866-333-3530 (TTY 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-866-333-3530 (TTY 711) にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

**Gujarati:** અમારી આરોગ્ય અથવા દવાની યોજના વિશે તમને હોય તેવા કોઈપણ પ્રશ્નોના જવાબ આપવા માટે અમારી પાસે મફત દુભાષિયા સેવાઓ છે. દુભાષિયા મેળવવા માટે, અમને ફક્ત 1-866-333-3530 (TTY 711) પર કોલ કરો. અંગ્રેજી/ગુજરાતી બોલતી વ્યક્તિ તમને મદદ કરી શકે છે. આ એક મફત સેવા છે.

**Lao/Laotian:** ພວກເຮົາມີບໍລິການລ່າມແປພາສາໂດຍບໍ່ເສຍຄ່າເພື່ອຕອບທຸກຄໍາຖາມທີ່ທ່ານອາດມີກ່ຽວກັບແຜນສຸຂະພາບ ຫຼື ແຜນຢາຂອງພວກເຮົາ. ເພື່ອຂໍລ່າມແປພາສາ, ພຽງໃຫ້ຫາພວກເຮົາທີ່ເບີ 1-866-333-3530 (TTY 711). ຈະມີຜູ້ທີ່ເວົ້າພາສາອັງກິດ/ລາວຊ່ວຍທ່ານໄດ້. ນີ້ແມ່ນການບໍລິການບໍ່ເສຍຄ່າ.

**Cambodian:** យើងមានសេវាកម្មប្រែប្រួលមាត់ដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរណាមួយដែលអ្នកអាចមានអំពីគម្រោងសុខភាព ឬផ្លូវរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែផ្លូវមាត់សូមហៅទូរស័ព្ទមកយើងតាមរយៈលេខ 1-866-333-3530 (TTY 711)។ នរណាម្នាក់ដែលនិយាយភាសាអង់គ្លេស/ភាសាខ្មែរអាចជួយអ្នកបាន។ នេះគឺជាសេវាកម្មដែលឥតគិតថ្លៃ។

## Thông Báo Không Phân Biệt Đối Xử

CCA Health California tuân thủ luật dân quyền hiện hành của Liên bang và không phân biệt đối xử trên cơ sở hoặc loại trừ mọi người hoặc đối xử khác biệt với họ vì tình trạng sức khỏe, tình trạng sức khỏe, việc tiếp nhận các dịch vụ y tế, yêu cầu kinh nghiệm, tiền sử y tế, khuyết tật (bao gồm suy giảm tâm thần), tình trạng hôn nhân, tuổi tác, giới tính (bao gồm định kiến giới tính và bản dạng giới), khuynh hướng tính dục, nguồn gốc quốc gia, chủng tộc, màu da, tôn giáo, tín ngưỡng, trợ giúp công cộng hoặc nơi cư trú. CCA Health California:

- Cung cấp hỗ trợ và dịch vụ miễn phí cho người khuyết tật để giao tiếp hiệu quả với chúng tôi, chẳng hạn như:
  - Phiên dịch viên ngôn ngữ ký hiệu có trình độ
  - Thông tin bằng văn bản ở các định dạng khác (chữ in lớn, âm thanh, định dạng điện tử có thể truy cập, các định dạng khác)
- Cung cấp dịch vụ ngôn ngữ miễn phí cho những người có ngôn ngữ chính không phải là tiếng Anh, chẳng hạn như:
  - Phiên dịch viên có trình độ
  - Thông tin được viết bằng các ngôn ngữ khác

Nếu quý vị cần những dịch vụ này, hãy liên hệ với bộ phận Dịch vụ Hội viên.

Nếu quý vị tin rằng CCA Health California đã không cung cấp những dịch vụ này hoặc phân biệt đối xử theo cách khác dựa trên cơ sở bệnh trạng, tình trạng sức khỏe, việc tiếp nhận các dịch vụ y tế, lịch sử yêu cầu bồi thường, tiền sử y tế, khuyết tật (bao gồm suy giảm tâm thần), tình trạng hôn nhân, tuổi tác, giới tính (bao gồm định kiến giới tính và bản dạng giới), khuynh hướng tính dục, nguồn gốc quốc gia, chủng tộc, màu da, tôn giáo, tín ngưỡng, trợ giúp công cộng hoặc nơi cư trú, quý vị có thể nộp đơn khiếu nại tới Điều phối viên Dân quyền qua đường bưu điện tại địa chỉ:

CCA Health Plans of California, Inc.  
Member Services Department (Complaints)  
18000 Studebaker Road, Suite 150  
Cerritos, CA 90703  
Điện thoại: 866-333-3530 (TTY 711) Fax: 866-207-6672

Quý vị có thể nộp đơn khiếu nại trực tiếp, qua đường bưu điện hoặc fax. Nếu quý vị cần trợ giúp nộp đơn khiếu nại, Điều phối viên Dân quyền luôn sẵn sàng hỗ trợ quý vị. Để được trợ giúp liên hệ với Điều phối viên Dân quyền, hãy gọi cho bộ phận Dịch vụ Hội viên.

Quý vị cũng có thể nộp đơn khiếu nại về dân quyền lên Bộ Y tế và Dịch vụ Nhân sinh Hoa Kỳ, Văn phòng Dân quyền, bằng phương thức điện tử thông qua Cổng thông tin Khiếu nại của Văn phòng Dân quyền, có tại [ocrportal.hhs.gov/ocr/portal/lobby.jsf](http://ocrportal.hhs.gov/ocr/portal/lobby.jsf), hoặc qua thư tín hoặc điện thoại tại địa chỉ:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
Điện thoại: 800-368-1019, 800-537-7697 (TDD)

Biểu mẫu khiếu nại có tại [www.hhs.gov/ocr/office/file/index.html](http://www.hhs.gov/ocr/office/file/index.html).

## Danh Mục Thuốc CCA Medicare Excel là gì?

Danh mục thuốc là danh sách các loại thuốc được bao trả được CCA Medicare Excel (HMO) lựa chọn với sự tư vấn của một nhóm các nhà cung cấp dịch vụ chăm sóc sức khỏe, đại diện cho các liệu pháp thuốc theo toa được tin tưởng là một phần cần thiết của chương trình điều trị chất lượng. CCA Medicare Excel thường sẽ bao trả cho các loại thuốc được liệt kê trong danh mục thuốc của chúng tôi, miễn là loại thuốc đó cần thiết về mặt y tế, toa thuốc được mua tại nhà thuốc trong mạng lưới CCA Medicare Excel và tuân thủ các quy định khác của chương trình. Để biết thêm thông tin về cách mua thuốc theo toa, vui lòng xem lại Chứng từ Bảo hiểm của quý vị.

Để biết danh sách đầy đủ về tất cả các loại thuốc theo toa được CCA Medicare Excel bao trả, vui lòng truy cập trang web của chúng tôi hoặc gọi cho chúng tôi. Thông tin liên hệ của chúng tôi, cùng với ngày chúng tôi cập nhật danh mục thuốc lần cuối, có trên các trang bìa trước và sau.

## Danh Mục Thuốc (danh sách thuốc) có thể thay đổi không?

Hầu hết các thay đổi về bảo hiểm thuốc diễn ra vào ngày 1 tháng 1, nhưng CCA Medicare Excel có thể thêm vào hoặc bỏ đi các loại thuốc trong Danh Sách Thuốc trong năm, chuyển các loại thuốc đó sang các bậc chia sẻ chi phí khác nhau hoặc thêm các hạn chế mới. Chúng tôi phải tuân theo các quy định của Medicare khi thực hiện những thay đổi này.

**Những thay đổi có thể ảnh hưởng đến quý vị trong năm nay:** Trong các trường hợp dưới đây, quý vị sẽ bị ảnh hưởng bởi những thay đổi về bảo hiểm trong năm:

- **Các loại thuốc gốc mới.** Chúng tôi có thể bỏ một loại thuốc biệt dược ra khỏi Danh Sách Thuốc của mình ngay lập tức nếu chúng tôi thay thế loại thuốc đó bằng một loại thuốc gốc mới có cùng mức chia sẻ chi phí hoặc thấp hơn và có cùng hoặc ít hạn chế hơn. Ngoài ra, khi thêm loại thuốc gốc mới, chúng tôi có thể quyết định giữ loại thuốc biệt dược trong Danh Sách Thuốc của mình nhưng ngay lập tức chuyển loại thuốc biệt dược đó sang bậc chia sẻ chi phí khác hoặc thêm các hạn chế mới. Nếu quý vị hiện đang dùng thuốc biệt dược đó, chúng tôi có thể không thông báo trước cho quý vị trước khi thực hiện thay đổi đó nhưng sau đó chúng tôi sẽ cung cấp cho quý vị thông tin về (các) thay đổi cụ thể mà chúng tôi đã thực hiện.
  - Nếu chúng tôi những thực hiện thay đổi như vậy, quý vị hoặc người kê toa của quý vị có thể yêu cầu chúng tôi chấp nhận trường hợp ngoại lệ và tiếp tục bao trả loại thuốc biệt dược cho quý vị. Thông báo mà chúng tôi cung cấp cho quý vị cũng sẽ bao gồm thông tin về cách yêu cầu chấp nhận trường hợp ngoại lệ và quý vị có thể tìm thấy thông tin trong phần dưới đây có tiêu đề “Làm cách nào để yêu cầu một trường hợp ngoại lệ đối với Danh Mục Thuốc CCA Medicare Excel?”
- **Các loại thuốc đưa ra khỏi thị trường.** Nếu Cục Quản lý Thực phẩm và Dược phẩm cho rằng một loại thuốc trong danh mục thuốc của chúng tôi là không an toàn hoặc nhà sản

xuất thuốc đưa loại thuốc đó ra khỏi thị trường, chúng tôi sẽ ngay lập tức bỏ loại thuốc đó ra khỏi danh mục thuốc của mình và thông báo cho các hội viên đang dùng loại thuốc đó.

- **Các thay đổi khác.** Chúng tôi có thể thực hiện những thay đổi khác ảnh hưởng đến các hội viên hiện đang dùng thuốc. Ví dụ: chúng tôi có thể thêm một loại thuốc gốc không phải là thuốc mới trên thị trường để thay thế thuốc biệt dược hiện có trong danh mục thuốc hoặc thêm các hạn chế mới cho loại thuốc biệt dược đó hoặc chuyển loại thuốc đó sang bậc chia sẻ chi phí khác hoặc cả hai. Hoặc chúng tôi có thể thực hiện thay đổi dựa trên các hướng dẫn lâm sàng mới. Nếu chúng tôi bỏ thuốc ra khỏi danh mục thuốc của mình hoặc thêm yêu cầu về cho phép trước, giới hạn số lượng và/hoặc hạn chế trị liệu từng bước đối với một loại thuốc hoặc chuyển một loại thuốc sang bậc chia sẻ chi phí cao hơn, chúng tôi phải thông báo cho các hội viên bị ảnh hưởng về thay đổi này ít nhất 30 ngày trước khi thay đổi có hiệu lực hoặc vào thời điểm hội viên yêu cầu mua thêm thuốc, lúc đó hội viên sẽ nhận được lượng thuốc đủ dùng trong 30 ngày.
  - Nếu chúng tôi những thực hiện thay đổi khác này, quý vị hoặc người kê toa của quý vị có thể yêu cầu chúng tôi chấp nhận trường hợp ngoại lệ và tiếp tục bao trả loại thuốc biệt dược cho quý vị. Thông báo mà chúng tôi cung cấp cho quý vị cũng sẽ bao gồm thông tin về cách yêu cầu một trường hợp ngoại lệ và quý vị cũng có thể tìm thấy thông tin trong phần dưới đây có tiêu đề “Làm cách nào để yêu cầu một trường hợp ngoại lệ đối với Danh Mục Thuốc CCA Medicare Excel?”

**Các thay đổi sẽ không ảnh hưởng đến quý vị nếu quý vị đang dùng thuốc.** Nói chung, nếu quý vị đang dùng một loại thuốc trong danh mục thuốc năm 2024 của chúng tôi đã được bao trả vào đầu năm, chúng tôi sẽ không ngừng hoặc giảm mức bao trả của loại thuốc đó trong năm bảo hiểm 2024 ngoại trừ trường hợp được mô tả ở trên. Điều này có nghĩa là những loại thuốc này sẽ vẫn được cung cấp với mức chia sẻ chi phí như cũ và không có hạn chế mới nào đối với những hội viên sử dụng chúng trong thời gian còn lại của năm bảo hiểm. Quý vị sẽ không nhận được thông báo trực tiếp trong năm nay về những thay đổi không ảnh hưởng đến quý vị. Tuy nhiên, vào ngày 1 tháng 1 năm sau những thay đổi đó sẽ ảnh hưởng đến quý vị và điều quan trọng là phải kiểm tra Danh Sách Thuốc cho năm quyền lợi mới để biết bất kỳ thay đổi nào về thuốc.

Danh mục thuốc sẽ được cập nhật kể từ 05/01/2024. Để nhận thông tin cập nhật về các loại thuốc được CCA Medicare Excel bao trả, vui lòng liên hệ với chúng tôi. Thông tin liên hệ của chúng tôi có trên trang [bìa trước](#) và [bìa sau](#).

## Cách sử dụng Danh Mục Thuốc?

Chỉ có hai cách để tìm loại thuốc của quý vị trong danh mục thuốc:

## **Tình trạng bệnh lý**

Danh mục thuốc bắt đầu ở trang 3. Các loại thuốc trong danh mục thuốc này được nhóm thành các loại tùy thuộc vào loại tình trạng bệnh lý mà chúng được sử dụng để điều trị. Ví dụ, các loại thuốc dùng để điều trị bệnh tim được liệt kê trong danh mục Thuốc tim mạch. Nếu quý vị biết mục đích sử dụng của loại thuốc của mình, hãy tìm tên danh mục trong danh sách bắt đầu ở trang 3. Sau đó nhìn vào tên danh mục cho loại thuốc của quý vị.

## **Danh sách theo thứ tự bảng chữ cái**

Nếu không chắc chắn nên xem danh mục nào, quý vị nên tìm thuốc của mình trong bảng Chỉ mục bắt đầu ở trang I-1. Bảng Chỉ mục này cung cấp danh sách theo thứ tự bảng chữ cái của tất cả các loại thuốc có trong tài liệu này. Cả thuốc biệt dược và thuốc gốc đều được liệt kê trong bảng Chỉ mục. Xem bảng Chỉ mục và tìm loại thuốc của quý vị. Bên cạnh loại thuốc của mình, quý vị sẽ thấy số trang nơi quý vị có thể tìm thấy thông tin bảo hiểm. Chuyển sang trang được liệt kê trong bảng Chỉ mục và tìm tên thuốc của quý vị ở cột đầu tiên của danh sách.

## **Thuốc gốc là gì?**

CCA Medicare Excel bao trả cả thuốc biệt dược và thuốc gốc. Thuốc gốc được FDA phê duyệt là có cùng thành phần hoạt chất với thuốc biệt dược. Thông thường, thuốc gốc có giá thấp hơn thuốc biệt dược.

## **Có bất kỳ hạn chế nào đối với khoản bao trả của tôi không?**

Một số loại thuốc được bao trả có thể có các yêu cầu hoặc giới hạn bổ sung về bao trả. Những yêu cầu và giới hạn này có thể bao gồm:

- **Cho phép trước:** CCA Medicare Excel yêu cầu quý vị hoặc nhà cung cấp dịch vụ chăm sóc sức khỏe của quý vị phải có được sự cho phép trước đối với một số loại thuốc. Điều này có nghĩa là quý vị sẽ cần phải được CCA Medicare Excel phê duyệt thì mới có thể mua thuốc theo toa của mình. Nếu không được phê duyệt, CCA Medicare Excel có thể không bao trả cho loại thuốc đó.
- **Giới hạn về số lượng:** Đối với một số loại thuốc nhất định, CCA Medicare Excel giới hạn số lượng thuốc mà CCA Medicare Excel sẽ bao trả. Ví dụ: CCA Medicare Excel cung cấp 30 viên nén cho mỗi toa thuốc đủ dùng trong 30 ngày đối với Rabeprazole 20MG. Đây có thể là sự bổ sung cho lượng thuốc tiêu chuẩn đủ dùng cho một tháng hoặc ba tháng.
- **Trị liệu từng bước:** Trong một số trường hợp, CCA Medicare Excel yêu cầu quý vị trước tiên phải thử một số loại thuốc nhất định để điều trị tình trạng bệnh lý của mình trước khi



chúng tôi bao trả một loại thuốc khác cho tình trạng bệnh lý đó. Ví dụ: nếu Thuốc A và Thuốc B đều điều trị tình trạng bệnh lý của quý vị, CCA Medicare Excel có thể không bao trả cho Thuốc B trừ khi quý vị thử Thuốc A trước. Nếu Thuốc A không có tác dụng với quý vị, CCA Medicare Excel sẽ bao trả cho Thuốc B.

Quý vị có thể tìm hiểu xem thuốc của mình có bất kỳ yêu cầu hoặc giới hạn bổ sung nào hay không bằng cách xem danh mục thuốc bắt đầu ở trang 3. Quý vị cũng có thể biết thêm thông tin về các hạn chế áp dụng cho các loại thuốc được bao trả cụ thể bằng cách truy cập trang web của chúng tôi tại địa chỉ [ccahealthca.org](http://ccahealthca.org). Chúng tôi đã đăng các tài liệu trực tuyến giải thích các hạn chế về cho phép trước và liệu pháp từng bước của chúng tôi. Quý vị cũng có thể yêu cầu chúng tôi gửi cho quý vị một bản sao. Thông tin liên hệ của chúng tôi, cùng với ngày chúng tôi cập nhật danh mục thuốc lần cuối, có trên các trang bìa trước và sau.

Quý vị có thể yêu cầu CCA Medicare Excel chấp nhận trường hợp ngoại lệ đối với những hạn chế hoặc giới hạn này hoặc để có danh sách các loại thuốc tương tự khác có thể điều trị tình trạng bệnh lý của quý vị. Xem phần “Làm cách nào để yêu cầu một trường hợp ngoại lệ đối với Danh Mục Thuốc CCA Medicare Excel?” ở trang XI để biết thông tin về cách yêu cầu chấp nhận trường hợp ngoại lệ.

## **Thuốc không kê đơn (OTC) là gì?**

Thuốc OTC là thuốc không kê đơn thường không được Chương trình Thuốc Theo toa của Medicare bao trả. CCA Medicare Excel chi trả cho một số loại thuốc OTC nhất định. CCA Medicare Excel sẽ cung cấp miễn phí các loại thuốc OTC này cho quý vị. Chi phí của các loại thuốc OTC tính cho CCA Medicare Excel này sẽ không được tính vào tổng chi phí thuốc Phần D của quý vị (nghĩa là chi phí của thuốc OTC không được tính vào giai đoạn khoảng trống bao trả)

<b>Các loại thuốc OTC được CCA Medicare Excel bao trả</b>	<b>LIỀU LƯỢNG</b>	<b>DẠNG BÀO CHẾ</b>
CETIRIZINE HCL	10 MG	VIÊN NANG
CETIRIZINE HCL	5 MG	VIÊN NHAI
CETIRIZINE HCL	10 MG	VIÊN NHAI
CETIRIZINE HCL	5 MG	VIÊN NÉN
CETIRIZINE HCL	10 MG	VIÊN NÉN

<b>Các loại thuốc OTC được CCA Medicare Excel bao trả</b>	<b>LIỀU LƯỢNG</b>	<b>DẠNG BÀO CHẾ</b>
CETIRIZINE HCL/PSEUDOEPHEDRINE	5 MG - 120 MG	VIÊN NÉN TÁC DỤNG TRONG 12 GIỜ
FEXOFENADINE HCL	30 MG/5 ML	HỖN DỊCH UỐNG
FEXOFENADINE HCL	180 MG	VIÊN NÉN
FEXOFENADINE/PSEUDOEPHEDRINE	60 MG - 120 MG	VIÊN NÉN TÁC DỤNG TRONG 12 GIỜ
FEXOFENADINE/PSEUDOEPHEDRINE	180 MG - 240 MG	VIÊN NÉN TÁC DỤNG TRONG 24 GIỜ
KETOTIFEN FUMARATE	0.03%	THUỐC NHỎ
LORATADINE	5 MG/5 ML	DUNG DỊCH
LORATADINE	5 MG	VIÊN NHAI
LORATADINE	10 MG	VIÊN NÉN GIẢI PHÓNG NHANH
LORATADINE	10 MG	VIÊN NÉN
LORATADINE/PSEUDOEPHEDRINE	5 MG - 120 MG	VIÊN NÉN TÁC DỤNG TRONG 12 GIỜ
LORATADINE/PSEUDOEPHEDRINE	10 MG - 240 MG	VIÊN NÉN TÁC DỤNG TRONG 24 GIỜ
OLOPATADINE HCL	0.70 %	THUỐC NHỎ
MIẾNG DÁN NICOTINE	21-14-7 MG	MIẾNG DÁN DYSQ
MIẾNG DÁN NICOTINE	14 MG/24 GIỜ	MIẾNG DÁN TD24
MIẾNG DÁN NICOTINE	21 MG/24 GIỜ	MIẾNG DÁN TD24

<b>Các loại thuốc OTC được CCA Medicare Excel bao trả</b>	<b>LIỀU LƯỢNG</b>	<b>DẠNG BÀO CHẾ</b>
MIẾNG DÁN NICOTINE	7 MG/24 GIỜ	MIẾNG DÁN TD24
KẸO CAO SU NICOTINE	2 MG	KẸO CAO SU
KẸO CAO SU NICOTINE	4 MG	KẸO CAO SU
KẸO NGẬM NICOTINE	2 MG	VIÊN NGẬM
KẸO NGẬM NICOTINE	4 MG	VIÊN NGẬM
OLOPATADINE HCL	0.20 %	THUỐC NHỎ
OLOPATADINE HCL	0.10 %	THUỐC NHỎ

## **Nếu thuốc của tôi không có trong Danh Mục Thuốc thì sao?**

Nếu thuốc của quý vị không có trong danh mục thuốc này (danh sách thuốc được bao trả), trước tiên quý vị nên liên hệ với Dịch vụ Hội viên và hỏi xem thuốc của quý vị có được bao trả hay không. Để biết thêm thông tin, vui lòng liên lạc với chúng tôi. Thông tin liên hệ của chúng tôi, cùng với ngày chúng tôi cập nhật danh mục thuốc lần cuối, có trên các trang bìa trước và sau.

Nếu quý vị biết rằng CCA Medicare Excel không bao trả cho thuốc của quý vị, quý vị có hai lựa chọn:

- Quý vị có thể yêu cầu Dịch vụ Hội viên cung cấp danh sách các loại thuốc tương tự được CCA Medicare Excel bao trả. Khi nhận được danh sách này, hãy đưa danh sách đó cho nhà cung cấp dịch vụ chăm sóc sức khỏe của quý vị và yêu cầu họ kê một loại thuốc tương tự được CCA Medicare Excel bao trả.
- Quý vị có thể yêu cầu CCA Medicare Excel chấp nhận trường hợp ngoại lệ và bao trả cho thuốc của quý vị. Xem phần dưới đây để biết thông tin về cách yêu cầu một trường hợp ngoại lệ.

## **Làm cách nào để yêu cầu một trường hợp ngoại lệ đối với Danh Mục Thuốc CCA Medicare Excel?**

Quý vị có thể yêu cầu CCA Medicare Excel chấp nhận trường hợp ngoại lệ đối với quy tắc bảo hiểm của chúng tôi. Có một số dạng trường hợp ngoại lệ mà quý vị có thể yêu cầu chúng tôi chấp nhận.

- Quý vị có thể yêu cầu chúng tôi bao trả một loại thuốc ngay cả khi loại thuốc đó không có trong danh mục thuốc của chúng tôi. Nếu được phê duyệt, loại thuốc này sẽ được bao trả ở mức chia sẻ chi phí được xác định trước và quý vị sẽ không thể yêu cầu chúng tôi cung cấp thuốc ở mức chia sẻ chi phí thấp hơn.
- Quý vị có thể yêu cầu chúng tôi bao trả thuốc trong danh mục thuốc ở mức chia sẻ chi phí thấp hơn. Nếu được phê duyệt, điều này sẽ làm giảm số tiền quý vị phải chi trả cho thuốc của mình.
- Quý vị có thể yêu cầu chúng tôi bỏ các hạn chế hoặc giới hạn bảo hiểm đối với thuốc của quý vị. Ví dụ, đối với một số loại thuốc nhất định, CCA Medicare Excel giới hạn số lượng thuốc mà chúng tôi sẽ bao trả. Nếu loại thuốc của quý vị có giới hạn số lượng, quý vị có thể yêu cầu chúng tôi miễn giới hạn đó và bao trả số tiền lớn hơn.

Nói chung, CCA Medicare Excel sẽ chỉ phê duyệt yêu cầu trường hợp ngoại lệ của quý vị nếu các loại thuốc thay thế có trong danh mục thuốc của chương trình, thuốc chia sẻ chi phí thấp hơn hoặc các hạn chế sử dụng bổ sung sẽ không hiệu quả trong việc điều trị tình trạng của quý vị và/hoặc sẽ gây ra tác dụng phụ về mặt y tế cho quý vị.

Quý vị nên liên hệ với chúng tôi để yêu cầu chúng tôi đưa ra quyết định bảo hiểm ban đầu đối với trường hợp ngoại lệ về hạn chế sử dụng, bậc hoặc danh mục thuốc. **Khi yêu cầu một trường hợp ngoại lệ đối với danh mục thuốc, bậc thuốc hoặc hạn chế sử dụng, quý vị nên gửi một bản xác nhận từ người kê toa hoặc nhà cung cấp dịch vụ chăm sóc sức khỏe để hỗ trợ cho yêu cầu của quý vị.** Nói chung, chúng tôi phải đưa ra quyết định trong vòng 72 giờ kể từ khi nhận được xác nhận của người kê toa cho quý vị. Quý vị có thể yêu cầu chấp nhận trường hợp ngoại lệ cấp tốc (nhanh) nếu quý vị hoặc nhà cung cấp dịch vụ chăm sóc sức khỏe của quý vị tin rằng sức khỏe của quý vị có thể bị tổn hại nghiêm trọng nếu phải chờ tới 72 giờ để đưa ra quyết định. Nếu yêu cầu cấp tốc của quý vị được chấp thuận, chúng tôi phải đưa ra quyết định cho quý vị muộn nhất là 24 giờ sau khi chúng tôi nhận được xác nhận từ nhà cung cấp của quý vị hoặc người kê toa khác.

## **Tôi phải làm gì trước khi có thể nói chuyện với nhà cung cấp dịch vụ chăm sóc sức khỏe của mình về việc thay đổi thuốc hoặc yêu cầu một trường hợp ngoại lệ?**

Là hội viên mới hoặc hội viên tiếp tục tham gia chương trình của chúng tôi, quý vị có thể đang dùng các loại thuốc không có trong danh mục thuốc của chúng tôi. Hoặc, quý vị có thể đang dùng một loại thuốc có trong danh mục thuốc của chúng tôi nhưng khả năng quý vị mua được loại thuốc đó bị hạn chế. Ví dụ: quý vị có thể cần chúng tôi cho phép trước thì mới có thể mua thuốc theo toa của mình. Quý vị nên nói chuyện với nhà cung cấp của mình để quyết định xem quý vị có nên chuyển sang loại thuốc thích hợp mà chúng tôi bao trả hay yêu cầu chấp nhận trường hợp ngoại

lệ trong danh mục thuốc để chúng tôi bao trả cho loại thuốc mà quý vị đang dùng. Trong khi nói chuyện với nhà cung cấp của mình để xác định hướng hành động phù hợp cho quý vị, chúng tôi có thể bao trả cho thuốc của quý vị trong một số trường hợp nhất định trong 90 ngày đầu tiên quý vị là hội viên chương trình của chúng tôi.

Đối với mỗi loại thuốc của quý vị không có trong danh mục thuốc của chúng tôi hoặc nếu khả năng mua thuốc của quý vị bị hạn chế, chúng tôi sẽ bao trả lượng thuốc đủ dùng tạm thời trong 30 ngày. Nếu đơn thuốc của quý vị được kê cho số ngày ít hơn, chúng tôi sẽ cho phép mua thêm thuốc để cung cấp lượng thuốc đủ dùng tối đa cho 30 ngày. Sau khi bao trả lượng thuốc đủ dùng trong 30 ngày đầu tiên của quý vị, chúng tôi sẽ không chi trả cho những loại thuốc này, ngay cả khi quý vị là hội viên của chương trình dưới 90 ngày.

Nếu quý vị thường trú trong một cơ sở chăm sóc dài hạn và cần một loại thuốc không có trong danh mục thuốc của chúng tôi hoặc nếu khả năng mua thuốc của quý vị bị hạn chế nhưng quý vị đã là hội viên chương trình của chúng tôi trong hơn 90 ngày đầu tiên, chúng tôi sẽ bao trả cho lượng thuốc đủ dùng khẩn cấp trong 31 ngày của loại thuốc đó trong khi quý vị chờ chấp nhận trường hợp ngoại lệ về danh mục thuốc.

Chúng tôi sẽ cung cấp lượng thuốc đủ dùng chuyển tiếp trong ít nhất 31 ngày (trừ khi đơn thuốc được kê cho số ngày ít hơn) cho tất cả các loại thuốc không có trong danh mục thuốc, bao gồm cả những loại thuốc có thể có các yêu cầu về trị liệu từng bước hoặc cho phép trước để thay đổi mức độ chăm sóc ngoài kế hoạch. Cấp độ chuyển tiếp chăm sóc ngoài kế hoạch có thể là bất kỳ trường hợp nào sau đây:

- xuất hoặc nhập cơ sở chăm sóc dài hạn
- xuất hoặc nhập viện, hoặc
- thay đổi cấp độ chuyên môn của cơ sở điều dưỡng.

## **Để biết thêm thông tin**

Để biết thêm thông tin chi tiết về bảo hiểm thuốc theo toa CCA Medicare Excel của quý vị, vui lòng xem lại Chứng từ Bảo hiểm của quý vị và các tài liệu khác của chương trình.

Nếu có thắc mắc về CCA Medicare Excel, vui lòng liên hệ với chúng tôi. Thông tin liên hệ của chúng tôi, cùng với ngày chúng tôi cập nhật danh mục thuốc lần cuối, có trên các trang bìa trước và sau.

Nếu quý vị có thắc mắc chung về bảo hiểm thuốc theo toa của Medicare, vui lòng gọi cho Medicare theo số 1-800-MEDICARE (1-800-633-4227) 24 giờ một ngày/7 ngày một tuần. Người dùng TTY vui lòng gọi 1-877-486-2048. Hoặc truy cập <http://www.medicare.gov>.

## Danh Mục Thuốc CCA Medicare Excel

Danh mục thuốc bắt đầu ở trang 3 cung cấp thông tin bảo hiểm về các loại thuốc được CCA Medicare Excel bao trả. Nếu quý vị gặp khó khăn khi tìm loại thuốc của mình trong danh sách, hãy chuyển sang bảng Chỉ mục bắt đầu ở trang I-1.

Cột đầu tiên của bảng liệt kê tên thuốc. Thuốc biệt dược được viết hoa (ví dụ: ENTRESTO) và thuốc gốc được liệt kê bằng chữ in nghiêng viết thường (ví dụ: *cephalexin*).

Thông tin trong cột Yêu cầu/Giới hạn cho biết liệu CCA Medicare Excel có bất kỳ yêu cầu đặc biệt nào đối với việc bao trả thuốc của quý vị hay không.

**Mức chia sẻ chi phí với Nhà thuốc CCA Medicare Excel (HMO) –  
Các quận San Joaquin, Merced, và Stanislaus (Chương trình 001)**

<b>Tiền khấu trừ</b>	<b>\$ 0</b>	
<b>Tiền đồng thanh toán</b>	Mức chia sẻ chi phí cho các nhà thuốc bán lẻ và đặt hàng qua đường bưu điện <b>trong mạng lưới</b> <b>Lượng thuốc đủ dùng 30 ngày</b>	Mức chia sẻ chi phí cho các nhà thuốc bán lẻ và đặt hàng qua đường bưu điện <b>trong mạng lưới</b> <b>Lượng thuốc đủ dùng 100 ngày</b>
<b>Bậc 1</b>	\$0	\$0
<b>Bậc 2</b>	\$0	\$0
<b>Bậc 3</b>	\$30	\$60
<b>Bậc 4</b>	\$100	\$200
<b>Bậc 5</b>	33%	Không áp dụng
<b>Các sản phẩm Insulin</b>	\$0	\$0
<b>Tiền đồng thanh toán</b>	<b>Nhà thuốc ngoài mạng lưới (lượng thuốc đủ dùng 30 ngày) và chăm sóc dài hạn (lượng thuốc đủ dùng 31 ngày)</b>	<b>Nhà thuốc ngoài mạng lưới và chăm sóc dài hạn</b> <b>Lượng thuốc đủ dùng 100 ngày</b>
<b>Bậc 1</b>	\$0	Không áp dụng
<b>Bậc 2</b>	\$0	Không áp dụng
<b>Bậc 3</b>	\$30	Không áp dụng
<b>Bậc 4</b>	\$100	Không áp dụng
<b>Bậc 5</b>	33%	Không áp dụng
<b>Các sản phẩm Insulin</b>	\$0	Không áp dụng
<b>Giai đoạn Khoảng trống Bao trả</b> Sau khi tổng chi phí thuốc theo toa của quý vị đạt <b>\$5,030</b> và cho đến khi số tiền thanh toán của quý vị đạt <b>\$8,000</b> , quý vị trả:	<ul style="list-style-type: none"> <li>• Riêng đối với bậc 1 (thuốc gốc ưu tiên) và bậc 2 (thuốc gốc), tiền đồng thanh toán của quý vị là <b>\$0</b> đến hết giai đoạn khoảng trống bao trả.</li> <li>• Đối với bậc 3 (thuốc biệt dược ưu tiên), bậc 4 (thuốc không ưu tiên) và bậc 5 (thuốc đặc trị): <ul style="list-style-type: none"> <li>• 25% chi phí cho thuốc gốc Phần D</li> <li>• 25% chi phí cho biệt dược Phần D</li> </ul> </li> </ul>	
<b>Giai đoạn Bảo hiểm Tai ương</b> Sau giai đoạn khoảng trống bao trả, khi số tiền thanh toán của quý vị lớn hơn <b>\$8,000</b> , quý vị trả:	Chia sẻ chi phí: \$0	

**Mức chia sẻ chi phí với Nhà thuốc CCA Medicare Excel (HMO) –  
Quận Santa Clara (Chương trình 002)**

<b>Tiền khấu trừ</b>	<b>\$ 0</b>	
<b>Tiền đồng thanh toán</b>	Mức chia sẻ chi phí cho các nhà thuốc bán lẻ và đặt hàng qua đường bưu điện <b>trong mạng lưới Lượng thuốc đủ dùng 30 ngày</b>	Mức chia sẻ chi phí cho các nhà thuốc bán lẻ và đặt hàng qua đường bưu điện <b>trong mạng lưới Lượng thuốc đủ dùng 100 ngày</b>
<b>Bậc 1</b>	\$0	\$0
<b>Bậc 2</b>	\$0	\$0
<b>Bậc 3</b>	\$30	\$60
<b>Bậc 4</b>	\$100	\$200
<b>Bậc 5</b>	33%	Không áp dụng
<b>Các sản phẩm Insulin</b>	\$0	\$0
<b>Tiền đồng thanh toán</b>	<b>Nhà thuốc ngoài mạng lưới (lượng thuốc đủ dùng 30 ngày) và chăm sóc dài hạn (lượng thuốc đủ dùng 31 ngày)</b>	<b>Nhà thuốc ngoài mạng lưới và chăm sóc dài hạn Lượng thuốc đủ dùng 100 ngày</b>
<b>Bậc 1</b>	\$0	Không áp dụng
<b>Bậc 2</b>	\$0	Không áp dụng
<b>Bậc 3</b>	\$30	Không áp dụng
<b>Bậc 4</b>	\$100	Không áp dụng
<b>Bậc 5</b>	33%	Không áp dụng
<b>Các sản phẩm Insulin</b>	\$0	Không áp dụng
<b>Giai đoạn Khoảng trống Bao trả</b> Sau khi tổng chi phí thuốc theo toa của quý vị đạt <b>\$5,030</b> và cho đến khi số tiền thanh toán của quý vị đạt <b>\$8,000</b> , quý vị trả:	<ul style="list-style-type: none"> <li>• Riêng đối với bậc 1 (thuốc gốc ưu tiên) và bậc 2 (thuốc gốc), tiền đồng thanh toán của quý vị là \$0 đến hết giai đoạn khoảng trống bao trả.</li> <li>• Đối với bậc 3 (thuốc biệt dược ưu tiên), bậc 4 (thuốc không ưu tiên) và bậc 5 (thuốc đặc trị): <ul style="list-style-type: none"> <li>• 25% chi phí cho thuốc gốc Phần D</li> <li>• 25% chi phí cho biệt dược Phần D</li> </ul> </li> </ul>	
<b>Giai đoạn Bảo hiểm Tai ương</b> Sau giai đoạn khoảng trống bao trả, khi số tiền thanh toán của quý vị lớn hơn <b>\$8,000</b> , quý vị trả:	Chia sẻ chi phí: \$0	



## Bao trả của CCA Medicare Excel đối với các loại thuốc bị Medicare loại trừ

Loại thuốc theo toa này thường không được bao trả trong Chương trình Thuốc theo toa của Medicare. Số tiền quý vị trả khi mua thuốc theo toa này không được tính vào tổng chi phí thuốc của quý vị (nghĩa là số tiền quý vị trả không giúp quý vị đủ điều kiện hưởng bảo hiểm tai ương). Ngoài ra, nếu quý vị đang nhận được trợ giúp bổ sung để chi trả tiền thuốc theo toa, quý vị sẽ không nhận được bất kỳ trợ giúp bổ sung nào để chi trả cho loại thuốc này.

<b>Tên thuốc</b>	<b>Bậc thuốc</b>	<b>Yêu cầu/Giới hạn</b>
<i>sildenafil viên uống 100 mg</i> (Viagra)	2	Giới hạn số lượng (tối đa 6 viên mỗi 30 ngày)
<i>sildenafil viên uống 50 mg</i> (Viagra)	2	Giới hạn số lượng (tối đa 6 viên mỗi 30 ngày)
<i>sildenafil viên uống 25 mg</i> (Viagra)	2	Giới hạn số lượng (tối đa 6 viên mỗi 30 ngày)

## Danh Sách Từ Viết Tắt

**CB: Capped Benefit (Quyền lợi tối đa):** Thuốc này có quyền lợi tối đa.

**EA: Each (Mỗi).**

**EX: Excluded Part D Drug (Thuốc Phần D bị loại trừ):** Loại thuốc theo toa này thường không được bao trả trong Chương trình Thuốc theo toa của Medicare. Số tiền quý vị trả khi mua thuốc theo toa này không được tính vào tổng chi phí thuốc của quý vị (nghĩa là số tiền quý vị trả không giúp quý vị đủ điều kiện hưởng bảo hiểm tai ương). Ngoài ra, nếu quý vị đang nhận được trợ giúp bổ sung để chi trả tiền thuốc theo toa, quý vị sẽ không nhận được bất kỳ trợ giúp bổ sung nào để chi trả cho loại thuốc này.

**GC: Gap Coverage (Bao trả cho khoảng trống bảo hiểm).** Chúng tôi bao trả thêm cho loại thuốc theo toa này trong giai đoạn khoảng trống bao trả. Vui lòng tham khảo Chứng từ Bảo hiểm của chúng tôi để biết thêm thông tin về khoản bao trả này.

**GM: Grams (gam)**

**ML: Milliliters (mililit)**

**NEDS: Non-Extended Day Supply (Lượng thuốc đủ dùng theo ngày không gia hạn).** Quý vị có thể nhận được nhiều hơn lượng thuốc đủ dùng trong 1 tháng của hầu hết các loại thuốc trong Danh mục thuốc CCA Medicare Excel thông qua nhà thuốc bán lẻ hoặc đặt hàng qua đường bưu điện. Các loại thuốc có ghi “NEDS” được giới hạn ở lượng thuốc đủ dùng trong 1 tháng cho cả nhà thuốc Bán lẻ và Đặt hàng qua đường bưu điện.

**PA: Prior approval (hoặc prior authorization) (phê duyệt trước hoặc cho phép trước).** Đối với một số loại thuốc, quý vị hoặc bác sĩ của quý vị hoặc người kê toa khác phải được CCA Medicare Excel phê duyệt thì quý vị mới có thể mua thuốc theo toa. Nếu không được phê duyệt, CCA Medicare Excel có thể không bao trả cho loại thuốc đó.

**BvD: Prior Authorization Restriction for Part B vs Part D Determination (Hạn chế về Cho phép trước để quyết định giữa Phần B với Phần D):** Loại thuốc này có thể đủ điều kiện được thanh toán theo Medicare Phần B hoặc Medicare Phần D. Quý vị hoặc nhà cung cấp của quý vị phải được CCA Medicare Excel cho phép trước để xác định rằng loại thuốc này được bao trả theo Medicare Phần D thì quý vị mới có thể mua loại thuốc theo toa này. Nếu không có sự phê duyệt trước, CCA Medicare Excel có thể không bao trả loại thuốc này.

**PA\_NSO: Prior Authorization Restriction for New Starts Only (Hạn chế về Cho phép trước đối với riêng trường hợp mới sử dụng).** Nếu quý vị sử dụng loại thuốc này lần đầu, quý vị (hoặc bác sĩ của quý vị) phải được CCA Medicare Excel cho phép trước thì quý vị mới có thể mua loại thuốc theo toa này. Nếu không có sự phê duyệt trước, CCA Medicare Excel có thể không bao trả loại thuốc này.

**QL: Quantity Limit (Giới hạn về số lượng).** Đối với một số loại thuốc, CCA Medicare Excel giới hạn số lượng thuốc mà quý vị có thể mua. Ví dụ: CCA Medicare Excel cung cấp 30 viên nén cho mỗi toa thuốc đủ dùng trong 30 ngày đối với Rabeprazole 20MG.

**ST: Step Therapy (Trị liệu từng bước).** Đối với một số loại thuốc, CCA Medicare Excel yêu cầu quý vị thực hiện trị liệu từng bước. Điều này có nghĩa là quý vị sẽ phải thử dùng thuốc theo một thứ tự nhất định tùy theo tình trạng bệnh lý của mình. Quý vị có thể phải thử một loại thuốc trước khi chúng tôi chi trả cho một loại thuốc khác. Nếu nhà cung cấp dịch vụ chăm sóc sức khỏe của quý vị cho rằng loại thuốc đầu tiên không có tác dụng với quý vị thì chúng tôi sẽ bao trả cho loại thuốc thứ hai.

**ST\_NSO: Step Therapy for New Starts Only (Trị liệu từng bước cho riêng trường hợp mới sử dụng).** Nếu mới dùng loại thuốc này, quý vị được yêu cầu trước tiên phải thử một số loại thuốc nhất định để điều trị tình trạng bệnh lý của mình trước khi chúng tôi bao trả một loại thuốc khác cho tình trạng bệnh lý đó.

## **Bảng Chỉ Mục Các Loại Thuốc**

## Table of Contents

Analgesics.....	3
Anesthetics.....	8
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	11
Anticancer Agents.....	18
Anticonvulsants.....	34
Antidementia Agents.....	39
Antidepressants.....	39
Antidiabetic Agents.....	42
Antifungals.....	48
Antigout Agents.....	50
Antihistamines.....	50
Anti-Infectives (Skin And Mucous Membrane).....	51
Antimigraine Agents.....	51
Antimycobacterials.....	53
Antinausea Agents.....	53
Antiparasite Agents.....	55
Antiparkinsonian Agents.....	56
Antipsychotic Agents.....	57
Antivirals (Systemic).....	64
Blood Products/Modifiers/Volume Expanders.....	70
Caloric Agents.....	75
Cardiovascular Agents.....	77
Central Nervous System Agents.....	89
Contraceptives.....	93
Dental And Oral Agents.....	102
Dermatological Agents.....	103
Devices.....	108
Enzyme Replacement/Modifiers.....	152
Eye, Ear, Nose, Throat Agents.....	154
Gastrointestinal Agents.....	158
Genitourinary Agents.....	162
Heavy Metal Antagonists.....	163
Hormonal Agents, Stimulant/Replacement/Modifying.....	163
Immunological Agents.....	169

Inflammatory Bowel Disease Agents.....	181
Metabolic Bone Disease Agents.....	182
Miscellaneous Therapeutic Agents.....	184
Ophthalmic Agents.....	186
Replacement Preparations.....	187
Respiratory Tract Agents.....	189
Skeletal Muscle Relaxants.....	194
Sleep Disorder Agents.....	194
Vasodilating Agents.....	195
Vitamins And Minerals.....	196

Drug Name	Drug Tier	Requirements/Limits	
<b>Analgesics</b>			
<b>Analgesics, Miscellaneous</b>			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	2	GC; NEDS; QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	GC; NEDS; QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	GC; NEDS; QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	3	NEDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> 0.3 mg/ml	2	GC	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	GC	
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg	(Esgic)	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg		3	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg		2	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg		2	GC; NEDS; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	3	NEDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg	(oxycodone-acetaminophen)	2	GC; NEDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	GC; NEDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg	(oxycodone-acetaminophen)	2	GC; NEDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg		5	PA; NEDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 200 mcg		3	PA; NEDS; QL (120 per 30 days)
<i>fentanyl transdermal patch</i> 72 hour 100 mcg/hr		3	NEDS; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fentanyl transdermal patch 72 hour 12 mcg/1hr, 25 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr</i>	2	GC; NEDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	3	NEDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	GC; NEDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; NEDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg</i>	4	NEDS; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 5- 200 mg, 7.5-200 mg</i>	2	GC; NEDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	GC; NEDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 (Dilaudid) mg, 8 mg</i>	2	GC; NEDS; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; NEDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; NEDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; NEDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; NEDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg (methadone)</i>	2	GC; NEDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; NEDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; NEDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; NEDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MORPHINE ORAL TABLET 15 MG	4	NEDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NEDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	GC; NEDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	GC; NEDS; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	3	NEDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	3	NEDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; NEDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	GC; NEDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; NEDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	GC; NEDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	GC; NEDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	GC; NEDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NEDS; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	3	NEDS; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	3	NEDS; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	3	NEDS; QL (60 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 40 mg</i>	5	NEDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tramadol oral tablet 50 mg</i>	1	GC; NEDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; NEDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NEDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NEDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	5	NEDS; QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Aleve (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NEDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	GC
<i>ec-naproxen oral tablet,delayed release (drlec) 500 mg</i> (naproxen)	4	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	GC; QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	GC; QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	GC; QL (60 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet,delayed release (drlec) 375 mg</i> (EC-Naprosyn)	3	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 2% 40 mg/2 ml ampule outer,p/f,sdv 20 mg/ml (2 %)</i> (Xylocaine-MPF)	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine)	2	GC
<i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
<b>KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION</b>	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml</i>	3	
<i>naloxone injection syringe 1 mg/ml</i>	2	GC
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	GC; QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
<b>NICOTROL INHALATION CARTRIDGE 10 MG</b>	4	ST; QL (2688 per 365 days)
<b>NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML</b>	4	ST; QL (240 per 180 days)
<i>varenicline oral tablet 0.5 mg</i>	3	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	3	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	3	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; NEDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; NEDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; NEDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	4	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	3	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>lorazepam 2 mg/ml vial 25's, outer</i> (Ativan)	1	GC
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	GC
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	2	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; NEDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; NEDS; QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; NEDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NEDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NEDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NEDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	3	
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	3	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NEDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	5	NEDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NEDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	3	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	3	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	3	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	3	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	3	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	4	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NEDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	3	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	3	
<i>cefazolin injection recon soln 1 gram, 10 gram</i>	3	
<i>cefazolin injection recon soln 500 mg</i>	2	GC
<i>cefazolin intravenous recon soln 3 gram</i>	4	
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	3	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram</i>	3	
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	4	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 (Tazicef) gram, 2 gram, 6 gram</i>	3	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	3	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NEDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln (Zithromax) 500 mg</i>	3	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	3	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	3	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<b>DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML</b>	5	NEDS; QL (136 per 10 days)
<b>DIFICID ORAL TABLET 200 MG</b>	5	NEDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)</i>	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)</i>	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NEDS
<i>ertapenem injection recon soln 1 gram</i>	3	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	3	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	3	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	3	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	3	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	3	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	3	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	3	
<i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i>	3	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	4	
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	3	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	3	
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	2	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i>	3	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	4	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	3	
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	
<i>levofloxacin oral solution 250 mg/10 ml</i>	3	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin 400 mg/250 ml bag</i>	3	
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	3	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	3	
<i>sulfamethoxazole-trimethoprim 400-80 mg/5 ml iv vial outer, suv</i>	4	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	3	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	3	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	3	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NEDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NEDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NEDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD; GC
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NEDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NEDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NEDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NEDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NEDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NEDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NEDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NEDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NEDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NEDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NEDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NEDS
BENDAMUSTINE (Bendeka) INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS
BENDEKA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	5	PA NSO; NEDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NEDS
<i>bexarotene topical gel 1%</i> (Targretin)	5	PA NSO; NEDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	5	PA NSO; NEDS
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NEDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NEDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NEDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NEDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NEDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NEDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NEDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NEDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NEDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NEDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NEDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NEDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NEDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclophosphamide intravenous solution 200 mg/ml, 500 mg/ml</i>	5	PA BvD; NEDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	3	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NEDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NEDS; QL (120 per 28 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NEDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NEDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NEDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NEDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	5	PA NSO; NEDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NEDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NEDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NEDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NEDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NEDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NEDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NEDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NEDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	3	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NEDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NEDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NEDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NEDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NEDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NEDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NEDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NEDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NEDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NEDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NEDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NEDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NEDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NEDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NEDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NEDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NEDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NEDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NEDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NEDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NEDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NEDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 560 MG	5	NEDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NEDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NEDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NEDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NEDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (120 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NEDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NEDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NEDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NEDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NEDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NEDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NEDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NEDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NEDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NEDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NEDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NEDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NEDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NEDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NEDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NEDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NEDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NEDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LEUKERAN ORAL TABLET 2 MG	5	NEDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	3	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NEDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NEDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NEDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NEDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NEDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NEDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NEDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NEDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NEDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NEDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NEDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NEDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NEDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	5	PA NSO; NEDS; QL (140 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS
MATULANE ORAL CAPSULE 50 MG	5	NEDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NEDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NEDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NEDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NEDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NEDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NEDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NEDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NEDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NEDS
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NEDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NEDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NEDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NEDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NEDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NEDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NEDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NEDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NEDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NEDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NEDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NEDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	5	NEDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NEDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NEDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NEDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NEDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NEDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NEDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NEDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NEDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NEDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NEDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NEDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NEDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NEDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NEDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NEDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NEDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NEDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NEDS; QL (224 per 28 days)
SCSEMBLIX ORAL TABLET 20 MG	5	PA NSO; NEDS; QL (60 per 30 days)
SCSEMBLIX ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NEDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NEDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NEDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NEDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NEDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NEDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NEDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NEDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NEDS; QL (900 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NEDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NEDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NEDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NEDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NEDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NEDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NEDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NEDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NEDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NEDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NEDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NEDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NEDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NEDS; QL (64 per 28 days)
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NEDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NEDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NEDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NEDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NEDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NEDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	5	PA NSO; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NEDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NEDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NEDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NEDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml</i>	3	
<i>vinorelbine intravenous solution 50 mg/5 ml</i>	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NEDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NEDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NEDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NEDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NEDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NEDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NEDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NEDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NEDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NEDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NEDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NEDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NEDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NEDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NEDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NEDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NEDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NEDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NEDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NEDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NEDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NEDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NEDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NEDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NEDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NEDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NEDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	3	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	3	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	3	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NEDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NEDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NEDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NEDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NEDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	3	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	3	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	3	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NEDS
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NEDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NEDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NEDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	3	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	3	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	3	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
<i>methsuximide oral capsule 300 mg</i> (Celontin)	3	
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	3	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	4	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NEDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	3	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NEDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NEDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NEDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	3	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NEDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NEDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NEDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NEDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NEDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NEDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NEDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	3	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	3	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	3	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	3	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg</i>	4	
<i>amoxapine oral tablet 50 mg</i>	2	GC
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	3	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	4	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NEDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	3	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NEDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	GC; QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NEDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NEDS; QL (14 per 14 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NEDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA NSO; QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA NSO; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	GC; QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	GC; QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NEDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NEDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, (dapaglifloz propaned- IR - ER, BIPHASIC 24HR 10- metformin) 1,000 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, (dapaglifloz propaned- IR - ER, BIPHASIC 24HR 5-1,000 metformin) MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> (Novolog Mix 70-30FlexPen U-100)	2	GC; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> (Novolog Mix 70-30 U-100 Insuln)	2	GC; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> (Novolog PenFill U-100 Insulin)	2	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-100 Insulin)	2	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> (Novolog U-100 Insulin aspart)	2	GC; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	3	QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	3	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 (insulin glargine u-300 SOLOSTAR SUBCUTANEOUS conc) INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 (insulin glargine u-300 INSULIN SUBCUTANEOUS conc) INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg, 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	1	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	1	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	3	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	5	PA BvD; NEDS
<i>casposfungin intravenous recon soln 50 mg</i> (Cancidas)	3	
<i>casposfungin intravenous recon soln 70 mg</i> (Cancidas)	5	NEDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	3	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	3	
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NEDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	4	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	3	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NEDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NEDS
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NEDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NEDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	4	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	GC; QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	PA; GC; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	4	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	3	
<i>hydroxyzine 100 mg/2 ml vial sdv 50 mg/ml</i>	3	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml</i>	3	
<i>hydroxyzine hcl intramuscular solution 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	4	
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole) (37.5mg/5 gram)	4	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	3	
<i>terconazole vaginal suppository 80 mg</i>	4	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NEDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NEDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i>	3	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/lactuation</i>	3	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	3	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	4	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	4	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NEDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	3	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	3	PA BvD; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule 80 mg</i> (Emend)	3	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	3	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	3	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	5	PA BvD; NEDS; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	3	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	3	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	3	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg	2	GC
<i>prochlorperazine rectal suppository</i> (Compro) 25 mg	3	
<i>promethazine injection solution</i> 25 (Phenergan) mg/ml	3	
<i>promethazine injection solution</i> 50 (Phenergan) mg/ml	3	
<i>promethazine oral tablet</i> 12.5 mg, 25 mg, 50 mg	1	GC
<i>promethazine rectal suppository</i> (Promethegan) 12.5 mg, 25 mg	3	
<i>promethazine rectal suppository</i> 50 (Promethegan) mg	4	
<i>promethegan rectal suppository</i> 12.5 (promethazine) mg, 25 mg	3	
<i>scopolamine base transdermal patch</i> (Transderm-Scop) 3 day 1 mg over 3 days	4	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet</i> 200 mg	5	NEDS
<i>atovaquone oral suspension</i> 750 (Mepron) mg/5 ml	3	
<i>atovaquone-proguanil oral tablet</i> (Malarone) 250-100 mg	2	GC
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	GC
<i>chloroquine phosphate oral tablet</i> 250 mg, 500 mg	2	GC
COARTEM ORAL TABLET 20- 120 MG	4	
<i>hydroxychloroquine oral tablet</i> 200 (Plaquenil) mg	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NEDS; QL (84 per 28 days)
<i>ivermectin oral tablet</i> 3 mg (Stromectol)	3	
KRINTAFEL ORAL TABLET 150 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NEDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	3	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NEDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; GC; QL (42 per 7 days)
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NEDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	4	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	2	GC
<i>entacapone oral tablet 200 mg</i>	3	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NEDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NEDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NEDS
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
<i>aripiprazole oral solution 1 mg/ml</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	GC
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NEDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NEDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NEDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NEDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	5	NEDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	3	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NEDS; QL (30 per 30 days)
<i>chlorpromazine 25 mg/ml amp 25's, outer</i>	3	
<i>chlorpromazine injection solution 25 mg/ml</i>	2	GC
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 150 mg	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	5	ST; NEDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NEDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> solution 25 mg/ml	2	GC
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	3	
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	4	
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	4	
<i>fluphenazine hcl oral tablet</i> 1 mg, 10 mg, 2.5 mg, 5 mg	4	
<i>haloperidol decanoate intramuscular</i> (Haldol Decanoate) solution 100 mg/ml	3	
<i>haloperidol decanoate intramuscular</i> solution 100 mg/ml (1 ml)	2	GC
<i>haloperidol decanoate intramuscular</i> (Haldol Decanoate) solution 50 mg/ml	2	GC
<i>haloperidol decanoate intramuscular</i> solution 50 mg/ml (1ml)	3	
<i>haloperidol lactate injection solution</i> 5 mg/ml	3	
<i>haloperidol lactate intramuscular</i> syringe 5 mg/ml	2	GC
<i>haloperidol lactate oral concentrate</i> 2 mg/ml	2	GC
<i>haloperidol oral tablet</i> 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NEDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NEDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NEDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NEDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NEDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NEDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NEDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NEDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NEDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NEDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	5	NEDS; QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	5	NEDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NEDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NEDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NEDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	GC
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NEDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	GC
<i>quetiapine oral tablet 150 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	GC
REXULTI ORAL TABLET 0.25 MG	5	ST; NEDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NEDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NEDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> (Risperdal Consta)	3	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta)	5	NEDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	GC
<i>risperidone oral tablet 0.25 mg</i>	2	GC
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	GC
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NEDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	5	NEDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML	5	NEDS; QL (0.35 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NEDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NEDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NEDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NEDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NEDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NEDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NEDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NEDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NEDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	3	
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NEDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NEDS
<i>atazanavir oral capsule 150 mg</i>	3	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	3	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NEDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NEDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NEDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NEDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300- 300 MG	5	NEDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NEDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NEDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NEDS
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	3	
DOVATO ORAL TABLET 50-300 MG	5	NEDS
EDURANT ORAL TABLET 25 MG	5	NEDS
<i>efavirenz oral capsule 200 mg</i>	3	
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	3	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NEDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NEDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NEDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NEDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NEDS
EVOTAZ ORAL TABLET 300-150 MG	5	NEDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NEDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NEDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NEDS
INTELENCE ORAL TABLET 25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVIRASE ORAL TABLET 500 MG	5	NEDS
ISENTRESS HD ORAL TABLET 600 MG	5	NEDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NEDS
ISENTRESS ORAL TABLET 400 MG	5	NEDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NEDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NEDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i>	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	3	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NEDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	4	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	3	
NORVIR ORAL POWDER IN PACKET 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NEDS
PIFELTRO ORAL TABLET 100 MG	5	NEDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NEDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NEDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NEDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NEDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NEDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NEDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NEDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NEDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NEDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NEDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NEDS
TEMIXYS ORAL TABLET 300-300 MG	5	NEDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NEDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NEDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NEDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NEDS
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NEDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NEDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NEDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NEDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NEDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NEDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	4	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	3	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	3	QL (48 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	3	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	3	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	3	\$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NEDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NEDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NEDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	3	
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NEDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NEDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NEDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NEDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NEDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NEDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NEDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NEDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NEDS; QL (28 per 28 days)
<b>Interferons</b>		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NEDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NEDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	3	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	3	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	3	
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	3	
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	4	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	3	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	3	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) <i>mg/0.3 ml</i>	3	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) <i>mg/0.4 ml</i>	3	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) <i>mg/0.6 ml</i>	3	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NEDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 5 mg/0.4 ml	5	NEDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NEDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	GC
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	GC
<i>heparin sodium 1,000 unit/ml vial</i> <i>sdv, outer</i>	3	
<i>heparin sodium 10,000 unit/ml vial</i> <i>mdv, outer</i>	3	
<i>heparin sodium 5,000 unit/ml vial</i> <i>suv, outer</i>	3	
<i>heparin, porcine (pf) injection</i> <i>solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection</i> <i>syringe 5,000 unit/0.5 ml</i>	2	GC
<i>heparin, porcine (pf) injection</i> <i>syringe 5,000 unit/ml</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NEDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NEDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NEDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NEDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NEDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NEDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NEDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NEDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NEDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NEDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NEDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NEDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NEDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NEDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NEDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NEDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NEDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NEDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NEDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NEDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 6 MG/0.6 ML	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NEDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NEDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NEDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NEDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	3	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	3	
<i>dextrose 5%-water iv soln single use</i>	3	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NEDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	GC
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	GC
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	GC
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	3	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	3	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	3	
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	GC
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	GC
<i>diltiazem 25 mg/5 ml vial sdv, inner 5 mg/ml</i>	3	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i> (Taztia XT)	2	GC
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin)	3	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	3	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	3	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	3	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NEDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	GC; QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NEDS; QL (18 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	GC
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	4	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	GC
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bumetanide 2.5 mg/10 ml vial mdiv, inner 0.25 mg/ml</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>toremide oral tablet 20 mg (Soaanz)</i>	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral (Maxzide-25mg) tablet 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral (Maxzide) tablet 75-50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	1	GC
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	GC; QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	GC
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	4	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	GC
<i>colestipol oral packet 5 gram</i>	3	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(drlec) 135 mg, 45 mg</i> (Trilipix)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	1	GC; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	1	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	5	PA; NEDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NEDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium)	2	GC; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i> (niacin)	4	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	3	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	GC
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	3	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	3	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	3	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NEDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NEDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NEDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	5	PA; NEDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NEDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NEDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NEDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NEDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NEDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NEDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NEDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	GC; QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg</i> (Zenzedi)	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi)	4	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 5 mg</i> (Zenzedi)	2	GC; QL (90 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/lec) 120 mg</i> (Tecfidera)	5	PA; NEDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/lec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NEDS
<i>dimethyl fumarate oral capsule, delayed release (dr/lec) 240 mg</i> (Tecfidera)	5	PA; NEDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NEDS; QL (30 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
<b>GILENYA ORAL CAPSULE 0.25 MG</b>	5	PA; NEDS; QL (60 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NEDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NEDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NEDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NEDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NEDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NEDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NEDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i>	3	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	3	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	3	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	3	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NEDS; QL (20 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NEDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NEDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NEDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NEDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	5	PA; NEDS; QL (30 per 30 days)
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NEDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NEDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NEDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estradiol)	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estradiol)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	GC
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desogestrel-ethinyl estradiol/e.estradiol)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	GC	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Enskyce)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<b>ELLA ORAL TABLET 30 MG</b>		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	3	QL (1 per 28 days)
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	GC; QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Mili)	2	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	GC
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (norethindrone-e.estradiol-iron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		4	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	GC
<b>KOURZEQ DENTAL PASTE 0.1 %</b>	(triamcinolone acetonide)	2	GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide dental paste</i> (Kourzeq) 0.1 %	2	GC
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>accutane oral capsule</i> 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)	2	GC
<i>acitretin oral capsule</i> 10 mg, 17.5 mg, 25 mg	3	
<i>acyclovir topical ointment</i> 5 % (Zovirax)	4	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL PREP PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL SWABS TOPICAL PADS, MEDICATED (Alcohol Pads)	1	GC
ALCOHOL WIPES TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>ammonium lactate topical cream</i> 12 %	2	GC
<i>ammonium lactate topical lotion</i> 12 % (Skin Treatment)	2	GC
BD ALCOHOL SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>calcipotriene scalp solution</i> 0.005 %	3	QL (120 per 30 days)
<i>calcipotriene topical cream</i> 0.005 %	3	QL (120 per 30 days)
<i>calcipotriene topical ointment</i> 0.005 %	3	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL PREP PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NEDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %</i>	2	GC
<i>fluorouracil topical solution 5 %</i>	4	
HEB INCONTROL ALCOHOL (alcohol swabs) 70% PADS	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
IV PREP WIPES TOPICAL (alcohol swabs) PADS, MEDICATED	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NEDS
PANRETIN TOPICAL GEL 0.1 %	5	NEDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS TOPICAL PADS, MEDICATED	1	GC
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	GC
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	GC
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NEDS
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	GC
<i>zenatane oral capsule 10 mg</i> (isotretinoin)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
zenatane oral capsule 20 mg, 30 mg, 40 mg (isotretinoin)	3	
<b>Dermatological Antibacterials</b>		
clindamycin phosphate topical solution 1 %	2	GC; QL (180 per 30 days)
clindamycin phosphate topical swab 1 % (Clindacin ETZ)	2	GC
clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 % (Neuac)	2	GC
ery pads topical swab 2 % (erythromycin with ethanol)	2	GC
erythromycin with ethanol topical gel 2 % (Erygel)	4	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %	2	GC; QL (180 per 30 days)
gentamicin topical cream 0.1 %	2	GC; QL (120 per 30 days)
gentamicin topical ointment 0.1 %	2	GC; QL (120 per 30 days)
metronidazole topical cream 0.75 % (Rosadan)	2	GC
metronidazole topical gel 0.75 % (Rosadan)	2	GC
metronidazole topical gel 1 % (Metrogel)	4	
metronidazole topical lotion 0.75 % (MetroLotion)	4	
mupirocin topical ointment 2 % (Centany)	1	GC; QL (220 per 30 days)
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml	2	GC
rosadan topical cream 0.75 % (metronidazole)	2	GC
selenium sulfide topical lotion 2.5 %	2	GC
silver sulfadiazine topical cream 1 % (SSD)	2	GC
ssd topical cream 1 % (silver sulfadiazine)	4	
sulfacetamide sodium (acne) topical suspension 10 % (Klaron)	3	
<b>Dermatological Anti-Inflammatory Agents</b>		
ala-cort topical cream 1 % (hydrocortisone)	2	GC
alclometasone topical cream 0.05 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	GC
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	3	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<i>desoximetasone topical ointment 0.25 %</i> (Topicort)	3	QL (120 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream</i>	1	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	4	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>hydrocortisone-min oil-wht pet topical ointment 1 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	3	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	4	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	3	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	3	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	3	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	4	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	4	
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC; QL (60 per 30 days)
<b>Devices</b>		
<b>Devices</b>		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2"	2	GC
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8"	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC
BD INSULIN SYR 1 ML (Comfort EZ Insulin 28GX1/2" (OTC) 1 ML 28 Syringe) GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INSULIN SYRINGE 1 ML W/O NEEDLE (insulin syringe needleless)	2	GC
BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	GC
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	2	GC
CARETOUCH SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
CLICKFINE 31G X 5/16" (pen needle, diabetic) NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	2	GC
CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	GC
CLICKFINE UNIVERSAL 31G (pen needle, diabetic) X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	GC
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	GC	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	GC
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GAUZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	GC
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety) 2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety) 2	GC
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	GC
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	GC
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 5MM 30 GAUGE X 3/16"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 8MM 30 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
EQL INSULIN 0.3 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 0.3 Syringe) ML 30	2	GC
EQL INSULIN 0.5 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 1/2 Syringe) ML 30 GAUGE	2	GC
EQL INSULIN 1 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 1 ML 30 Syringe) GAUGE X 7/16"	2	GC
EXEL INSULIN SYRINGE 27G- (insulin syringe-needle 1 ML 1 ML 27 GAUGE X 1/2" u-100)	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	GC
FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	2	GC
FIFTY50 PEN 31G X 3/16" (pen needle, diabetic) NEEDLE (OTC) 31 GAUGE X 3/16"	2	GC
FP INSULIN 1 ML SYRINGE 1 (Ultra Comfort Insulin ML 28 GAUGE Syringe)	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle 30GX5/16 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle 31GX5/16 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
FREESTYLE PREC 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16	2	GC
FREESTYLE PREC 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	GC
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	2	GC
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes) 2	GC
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe) 2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100) 2	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100) 2	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok) 2	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16"	(Advocate Syringes) 2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE-NEEDLE (Monoject Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	GC
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	GC
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	GC
INSUPEN 32G 6MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4"	2	GC
INSUPEN 32G 8MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 5/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	GC
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML u-100) 29 , 1/2 ML 30 GAUGE	2	GC
LITE TOUCH INSULIN 1 ML (insulin syringe-needle SYR 1 ML 28 GAUGE, 1 ML 30 u-100) GAUGE X 7/16"	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	GC
LITE TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100)	2	GC
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	GC
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	2	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)	2	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE	2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G 5MM (Embrace Pen Needle) OUTER 30 GAUGE X 3/16"	2	GC
PEN NEEDLE 30G 8MM (CareFine Pen Needle) INNER 30 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	GC
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	GC
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	GC
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	GC
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	GC
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle)	2	GC
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	GC
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELI-ON INSULIN 0.5 ML SYR (Ultilet Insulin Syringe) 1/2 ML 29	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	2	GC
RELION NEEDLES NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4"	2	GC
RELION PEN NEEDLES (pen needle, diabetic) NEEDLE 32 GAUGE X 5/32"	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)	2	GC
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	GC
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	GC
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	2	GC
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	2	GC
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8" (Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	2	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	2	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	GC
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE CMFT SFTY PEN NDL (pen needle, diabetic, 31G 5MM 31 GAUGE X 3/16" safety)	2	GC
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
TRUE COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 5MM 33 GAUGE X 3/16"	2	GC
TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	GC
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 1 ML 28GX1/2" (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML u-100) 31 GAUGE X 5/16"	2	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML u-100) 31 GAUGE X 5/16"	2	GC
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100)	2	GC
ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC
ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2" u-100)	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X 5/16" u-100)	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X 5/16" u-100)	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100)	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	GC
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	GC
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE INS SYR 1 ML 29G (insulin syringe-needle 1/2" 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	GC
VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE SYRING 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	GC
VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NEDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NEDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NEDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NEDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NEDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NEDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NEDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NEDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NEDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	5	PA; NEDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	GC
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	GC
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	5	PA; NEDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	4	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	4	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	GC
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bacitracin-polymyxin b ophthalmic (Polycin)</i> <i>(eye) ointment 500-10,000</i> <i>unit/gram</i>	2	GC
<i>ciprofloxacin hcl ophthalmic (eye)</i> <i>drops 0.3 %</i>	2	GC
<i>ciprofloxacin-dexamethasone otic</i> <i>(ear) drops,suspension 0.3-0.1 %</i>	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye)</i> <i>ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops</i> <i>0.5 %</i>	3	
<i>gentak ophthalmic (eye) ointment</i> <i>0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops</i> <i>0.3 %</i>	2	GC
<i>hydrocortisone-acetic acid otic</i> <i>(ear) drops 1-2 %</i>	3	
<i>levofloxacin ophthalmic (eye) drops</i> <i>0.5 %</i>	4	
<i>moxifloxacin ophthalmic (eye)</i> (Vigamox) <i>drops 0.5 %</i>	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc</i> (Neo-Polycin HC) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit/g-1%</i>	3	
<i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit-unit/g</i>	3	
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) drops,suspension</i> <i>3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5</i> <i>mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc) 2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin) 2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox) 2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b) 2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<i>bromfenac ophthalmic (eye) drops</i> (Prolensa) 0.07 %	3	
<i>bromfenac ophthalmic (eye) drops</i> (BromSite) 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>diclofenac sodium ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>difluprednate ophthalmic (eye) drops</i> 0.05 % (Durezol)	4	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)	4	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops</i> 0.01 % (DermOtic Oil)	3	
<i>fluorometholone ophthalmic (eye) drops,suspension</i> 0.1 % (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops</i> 0.03 %	2	GC
<i>fluticasone propionate nasal spray,suspension</i> 50 mcg/lactuation (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops</i> 0.5 % (Acular)	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel</i> 0.5 % (Lotemax)	4	QL (10 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	3	ST; QL (10 per 25 days)
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i> (Nasonex 24hr Allergy)	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
RESTASIS MULTIDOSE OPTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	GC; QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 20 mg</i> (Nexium)	2	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 40 mg</i> (Nexium)	2	GC; QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	3	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	3	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i> (Acid Reducer (lansoprazole))	1	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i> (Prevacid)	1	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	GC
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	GC
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NEDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	3	
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	3	
<i>dicyclomine oral tablet 20 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	GC
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NEDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	GC
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	4	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NEDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NEDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	3	
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NEDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i> (peg 3350-electrolytes)	3	
<i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i> (peg 3350-electrolytes)	3	
<i>peg-electrolyte soln oral recon soln 420 gram</i>	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	3	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg</i>	3	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
<i>tropium oral tablet 20 mg</i>	2	GC
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NEDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NEDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	3	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	3	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NEDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NEDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	5	PA; NEDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NEDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NEDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NEDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	3	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	3	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i>	(Vogelxo)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i>	(AndroGel)	4	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i>	(AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>		4	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>		3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	GC; QL (8 per 28 days)
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>		3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01% (0.1 mg/gram)</i>	(Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	4	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)	3	
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	4	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	GC
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	GC
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone 200 mg/5 ml muv 40 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone 400 mg/5 ml muv 80 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	3	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablet 32 mg</i>	2	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	GC
<i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	GC
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NEDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NEDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	3	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	4	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	3	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NEDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NEDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NEDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NEDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NEDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	3	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml</i>	3	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>500 mcg/ml</i>	5	NEDS
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	3	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NEDS
ORILISSA ORAL TABLET 150 MG	5	PA; NEDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NEDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NEDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NEDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NEDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NEDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NEDS; QL (0.3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NEDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	PA; NEDS
<b>Progestins</b>		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	4	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	4	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NEDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NEDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NEDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NEDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NEDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NEDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NEDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NEDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NEDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NEDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	3	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	3	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NEDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NEDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NEDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NEDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NEDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NEDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NEDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75</i> <i>mg, 1 mg</i>	5	PA BvD; NEDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NEDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NEDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NEDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NEDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NEDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	3	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NEDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NEDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NEDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NEDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NEDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NEDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NEDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NEDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NEDS
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	5	PA; NEDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NEDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NEDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NEDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NEDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	2	PA BvD; GC
<i>mycophenolate sodium oral</i> (Myfortic) <i>tablet, delayed release (drlec) 180</i> <i>mg, 360 mg</i>	4	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NEDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NEDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NEDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NEDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NEDS
OTEZLA ORAL TABLET 30 MG	5	PA; NEDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NEDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NEDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NEDS
RIDAURA ORAL CAPSULE 3 MG	5	NEDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NEDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NEDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	3	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NEDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NEDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NEDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NEDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NEDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NEDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NEDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NEDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NEDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NEDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NEDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NEDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NEDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NEDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NEDS
<b>Vaccines</b>		
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	
AREXVY ANTIGEN COMPONENT 120 MCG	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IXCHIQ INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	3	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NEDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/lactation</i> (Uceris)	3	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NEDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	3	
<i>mesalamine oral capsule (with delayed release tablets) 400 mg</i> (Delzicol)	4	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	4	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i>	4	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	3	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	3	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	3	QL (120 per 30 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	4	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NEDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	4	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	3	QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NEDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	4	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	GC; QL (100 per 300 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NEDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NEDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NEDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NEDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NEDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg	1	GC
<i>hydroxyzine pamoate oral capsule 50 mg</i>	1	GC
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leucovorin calcium injection solution 10 mg/ml</i>	3	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	GC
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	GC
MESNEX ORAL TABLET 400 MG	5	NEDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	3	QL (30 per 30 days)
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NEDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	4	
<i>pyridostigmine bromide oral tablet 30 mg</i>	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W) (nitroglycerin)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NEDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NEDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NEDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NEDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NEDS; QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
AZOPT OPHTHALMIC (EYE) (brinzolamide) DROPS,SUSPENSION 1 %	2	GC
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %</i>	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	GC
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	4	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	3	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	3	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	3	
<i>electrolyte-148 intravenous parenteral solution</i> (Plasma-Lyte 148)	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>	2	GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	2	GC
<i>magnesium sulfate injection solution 500 mg/ml (50%)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50%)</i>	2	GC
<b>NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet extended release 10 meq (Klor-Con 10)</i>	2	GC
<i>potassium chloride oral tablet extended release 20 meq (K-Tab)</i>	2	GC
<i>potassium chloride oral tablet extended release 8 meq (Klor-Con 8)</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq (Klor-Con M15)</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	GC
<i>potassium cl 10 meq/5 ml conc sdv,plf,outer 2 meq/ml</i>	2	PA BvD; GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	3	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	3	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	3	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyina inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)	2	GC; QL (30.9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcglactuation, 80-4.5 mcglactuation</i> (Breyna)	2	GC; QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcglactuation</i>	2	GC; QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcglactuation</i>	2	GC; QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcglactuation</i>	2	GC; QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	2	GC; QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	4	
<b>Bronchodilators</b>		
<b>AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION</b>	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (Ventolin HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020983)</i>	2	GC; QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	3	
<i>theophylline oral solution 80 mg/15 ml</i>	3	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20%)</i>	2	GC
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NEDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NEDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	5	PA; NEDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NEDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NEDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KALYDECO ORAL TABLET 150 MG	5	PA; NEDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NEDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NEDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150- 188 MG, 75-94 MG	5	PA; NEDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	5	PA; NEDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NEDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NEDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NEDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NEDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NEDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NEDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	GC; QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	GC; QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NEDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D)/150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NEDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NEDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NEDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NEDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 50 mg</i>	4	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	4	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; GC; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NEDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	5	PA; NEDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NEDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NEDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; LA; NEDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NEDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	2	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NEDS; QL (112 per 28 days)
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NEDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NEDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UPTRAVI ORAL TABLET 200 MCG	5	PA; NEDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NEDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	GC
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	GC
<i>folivane-ob capsule 85-1 mg</i>	2	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	GC
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	GC
<i>mynatal oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	2	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	GC
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	2	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	GC
<i>pnv prenatal plus multivit tab (pnv,calcium 72-iron-gluten-free (rx) 27 mg iron- 1 mg folic acid)</i>	2	GC
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	GC
<i>pnv-omega softgel 28-1-300 mg</i>	2	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	GC
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	GC
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	GC
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	GC
<i>prenatabs fa tablet 29-1 mg</i>	2	GC
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	GC
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	GC
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg (pnv,calcium 72-iron,carb-folic)</i>	2	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	GC
<i>prenatal-u capsule 106.5-1 mg</i>	2	GC
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	GC
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>	2	GC
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC
<i>taron-c dha capsule 35-1-200 mg</i>	2	GC
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	GC
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	GC
<i>vinate care oral tablet, chewable 40 mg iron- 1 mg</i>	2	GC
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	GC
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	GC
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	GC
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	GC
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	2	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	GC
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	GC
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

1ST TIER UNIFINE PENTIPS.....	108, 109	ADVOCATE PEN NEEDLE .....	110	<i>amiloride</i> .....	84
1ST TIER UNIFINE PENTIPS PLUS.....	109	ADVOCATE SYRINGES .....	109, 110	<i>amiloride-hydrochlorothiazide</i> ..	84
<i>abacavir</i> .....	64	<i>afirmelle</i> .....	93	<i>amiodarone</i> .....	79
<i>abacavir-lamivudine</i> .....	64	AIRSUPRA.....	190	<i>amitriptyline</i> .....	39
ABELCET.....	48	AJOVY AUTOINJECTOR....	51	<i>amlodipine</i> .....	84
<i>abiraterone</i> .....	18	AJOVY SYRINGE.....	51	<i>amlodipine-atorvastatin</i> .....	86
ABOUTTIME PEN NEEDLE.....	109	AKEEGA.....	18	<i>amlodipine-benazepril</i> .....	84
ABRAXANE.....	18	AKYNZEO (FOSNETUPITANT).....	53	<i>amlodipine-olmesartan</i> .....	84
ABRYSVO.....	175	AKYNZEO (NETUPITANT).....	53	<i>amlodipine-valsartan</i> .....	84
<i>acamprosate</i> .....	8	<i>ala-cort</i> .....	105	<i>amlodipine-valsartan-hcthiazyd</i> ..	84
<i>acarbose</i> .....	42	<i>albendazole</i> .....	55	<i>ammonium lactate</i> .....	103
<i>accutane</i> .....	103	<i>albuterol sulfate</i> .....	190, 191	<i>amoxapine</i> .....	39
<i>acebutolol</i> .....	80	<i>alclometasone</i> .....	105, 106	<i>amoxicillin</i> .....	15
<i>acetaminophen-codeine</i> .....	3	ALCOHOL PADS.....	103	<i>amoxicillin-pot clavulanate</i> ..	15, 16
<i>acetazolamide</i> .....	186	ALCOHOL PREP PADS.....	103	<i>amphotericin b</i> .....	48
<i>acetazolamide sodium</i> .....	186	ALCOHOL SWABS.....	103	<i>amphotericin b liposome</i> .....	48
<i>acetic acid</i> .....	154	ALCOHOL WIPES.....	103	<i>ampicillin</i> .....	16
<i>acetylcysteine</i> .....	192	ALECENSA.....	19	<i>ampicillin sodium</i> .....	16
<i>acitretin</i> .....	103	<i>alendronate</i> .....	182	<i>ampicillin-sulbactam</i> .....	16
ACTEMRA.....	170	<i>alfuzosin</i> .....	162	<i>anagrelide</i> .....	74
ACTEMRA ACTPEN.....	169	<i>aliskiren</i> .....	88	<i>anastrozole</i> .....	19
ACTHAR.....	167	<i>allopurinol</i> .....	50	ANORO ELLIPTA.....	191
ACTHIB (PF).....	176	<i>alosectron</i> .....	181	<i>apomorphine</i> .....	56
ACTIMMUNE.....	184	<i>alprazolam</i> .....	9	APONVIE.....	53
<i>acyclovir</i> .....	70, 103	<i>altavera (28)</i> .....	93	<i>apraclonidine</i> .....	154
<i>acyclovir sodium</i> .....	70	ALTRENO.....	108	<i>aprepitant</i> .....	53, 54
ADACEL(TDAP ADOLESN/ADULT)(PF)....	176	ALUNBRIG.....	19	APRETUDE.....	64
<i>adapalene</i> .....	108	<i>alyacen 1/35 (28)</i> .....	93	<i>apri</i> .....	94
<i>adefovir</i> .....	70	<i>alyacen 7/7/7 (28)</i> .....	93	APTIOM.....	34
ADEMPAS.....	195	<i>alyq</i> .....	195	APTIVUS.....	64
<i>adrucil</i> .....	18	<i>amabelz</i> .....	164	AQINJECT PEN NEEDLE..	110
ADVAIR HFA.....	189	<i>amantadine hcl</i> .....	56	<i>aranelle (28)</i> .....	94
		<i>ambrisentan</i> .....	195	ARCALYST.....	170
		<i>amethia</i> .....	94	AREXVY (PF).....	176
				AREXVY ANTIGEN COMPONENT.....	176
				<i>aripiprazole</i> .....	57, 58
				ARISTADA.....	58

ARISTADA INITIO .....	58	AYVAKIT .....	19	BD ULTRA-FINE MINI	
<i>armodafinil</i> .....	194	<i>azacitidine</i> .....	19	PEN NEEDLE .....	112
ARNUITY ELLIPTA .....	189	<i>azathioprine</i> .....	170	BD ULTRA-FINE NANO	
<i>ascomp with codeine</i> .....	3	<i>azathioprine sodium</i> .....	170	PEN NEEDLE .....	112
<i>asenapine maleate</i> .....	58	<i>azelastine</i> .....	154	BD ULTRA-FINE ORIG	
<i>ashlyna</i> .....	94	<i>azithromycin</i> .....	14	PEN NEEDLE .....	112
<i>aspirin-dipyridamole</i> .....	74	AZOPT .....	186	BD ULTRA-FINE SHORT	
ASSURE ID DUO PRO		<i>aztreonam</i> .....	15	PEN NEEDLE .....	113
SFTY PEN NDL .....	110	<i>azurette (28)</i> .....	94	BD VEO INSULIN SYR	
ASSURE ID DUO-SHIELD	110	<i>bacitracin</i> .....	154	(HALF UNIT) .....	113
ASSURE ID INSULIN		<i>bacitracin-polymyxin b</i> .....	155	BD VEO INSULIN	
SAFETY .....	110, 111	<i>baclofen</i> .....	194	SYRINGE UF .....	113
ASSURE ID PEN NEEDLE	110	<i>bal-care dha</i> .....	196	BELSOMRA .....	194
ASSURE ID PRO PEN		<i>bal-care dha essential</i> .....	196	<i>benazepril</i> .....	78
NEEDLE .....	110	<i>balsalazide</i> .....	181	<i>benazepril-hydrochlorothiazide</i> .....	78
ASTAGRAF XL .....	170	BALVERSA .....	19	<i>bendamustine</i> .....	19
<i>atazanavir</i> .....	64	<i>balziva (28)</i> .....	94	BENDAMUSTINE .....	19
<i>atenolol</i> .....	80	BCG VACCINE, LIVE (PF)	176	BENDEKA .....	19
<i>atenolol-chlorthalidone</i> .....	80	BD ALCOHOL SWABS .....	103	BENLYSTA .....	170
<i>atomoxetine</i> .....	89	BD AUTOSHIELD DUO		<i>benztropine</i> .....	56
<i>atorvastatin</i> .....	86	PEN NEEDLE .....	111	BESREMI .....	170
<i>atovaquone</i> .....	55	BD ECLIPSE LUER-LOK ...	111	<i>betaine</i> .....	184
<i>atovaquone-proguanil</i> .....	55	BD INSULIN SYRINGE .....	111	<i>betamethasone acet, sod phos</i> ..	165
<i>atropine</i> .....	154	BD INSULIN SYRINGE		<i>betamethasone dipropionate</i> ...	106
ATROVENT HFA .....	191	(HALF UNIT) .....	111	<i>betamethasone valerate</i> .....	106
<i>aubra eq</i> .....	94	BD INSULIN SYRINGE		<i>betamethasone, augmented</i> .....	106
AUGTYRO .....	19	SLIP TIP .....	112	BETASERON .....	89
<i>aurovela 1.5/30 (21)</i> .....	94	BD INSULIN SYRINGE U-		<i>betaxolol</i> .....	80
<i>aurovela 1/20 (21)</i> .....	94	500 .....	111	<i>bethanechol chloride</i> .....	162
<i>aurovela 24 fe</i> .....	94	BD INSULIN SYRINGE		<i>bexarotene</i> .....	19
<i>aurovela fe 1.5/30 (28)</i> .....	94	ULTRA-FINE .....	111	BEXSERO .....	176
<i>aurovela fe 1-20 (28)</i> .....	94	BD NANO 2ND GEN PEN		<i>bicalutamide</i> .....	19
AUSTEDO .....	89	NEEDLE .....	112	BICILLIN L-A .....	16
AUSTEDO XR .....	89	BD SAFETYGLIDE		BIKTARVY .....	64
AUSTEDO XR		INSULIN SYRINGE .....	112	<i>bisoprolol fumarate</i> .....	80
TITRATION KT(WK1-4) .....	89	BD SAFETYGLIDE		<i>bisoprolol-hydrochlorothiazide</i> ..	80
AUVELITY .....	39	SYRINGE .....	112	<i>bleomycin</i> .....	19
<i>aviane</i> .....	94	BD ULTRA-FINE MICRO		<i>blisovi 24 fe</i> .....	94
AVONEX .....	89	PEN NEEDLE .....	112	<i>blisovi fe 1.5/30 (28)</i> .....	94
<i>ayuna</i> .....	94			<i>blisovi fe 1/20 (28)</i> .....	94

<b>BOOSTRIX TDAP</b> .....	176	<b>CALQUENCE</b>	<i>cefuroxime axetil</i> .....	13
<b>BORDERED GAUZE</b> .....	113	( <b>ACALABRUTINIB MAL</b> )... 20	<i>cefuroxime sodium</i> .....	13, 14
<i>bortezomib</i> .....	19, 20	<i>camila</i> .....	<i>celecoxib</i> .....	6
<i>bosentan</i> .....	195	<i>candesartan</i> .....	<i>cephalexin</i> .....	14
<b>BOSULIF</b> .....	20	<i>candesartan-</i>	<b>CERDELGA</b> .....	152
<b>BRAFTOVI</b> .....	20	<i>hydrochlorothiazid</i> .....	<i>cevimeline</i> .....	102
<b>BREO ELLIPTA</b> .....	189	<b>CAPLYTA</b> .....	<i>chateal eq (28)</i> .....	95
<i>breylna</i> .....	189	<b>CAPRELSA</b> .....	<i>chloramphenicol sod succinate</i> ..	11
<b>BREZTRI AEROSPHERE</b> ..	191	<i>captopril</i> .....	<i>chlordiazepoxide hcl</i> .....	9
<i>brillyn</i> .....	94	<i>carbamazepine</i> .....	<i>chlorhexidine gluconate</i> .....	102
<b>BRILINTA</b> .....	74	<i>carbidopa-levodopa</i> .....	<i>chloroquine phosphate</i> .....	55
<i>brimonidine</i> .....	186	<i>carbidopa-levodopa-</i>	<i>chlorothiazide sodium</i> .....	85
<i>brimonidine-timolol</i> .....	186	<i>entacapone</i> .....	<i>chlorpromazine</i> .....	58
<b>BRIVIACT</b> .....	34	<b>CAREFINE PEN NEEDLE</b>	<i>chlorthalidone</i> .....	85
<i>bromfenac</i> .....	157	<b>PREP PAD</b> .....	<i>chlorzoxazone</i> .....	194
<i>bromocriptine</i> .....	56	<b>CARETOUCH ALCOHOL</b>	<i>cholestyramine (with sugar)</i> .....	86
<b>BRONCHITOL</b> .....	192	<b>PREP PAD</b> .....	<i>cholestyramine light</i> .....	86
<b>BRUKINSA</b> .....	20	<b>CARETOUCH INSULIN</b>	<i>ciclopirox</i> .....	48
<i>budesonide</i> .....	181, 190	<b>SYRINGE</b> .....	<i>cilostazol</i> .....	74
<i>budesonide-formoterol</i> .....	190	<b>CARETOUCH PEN</b>	<b>CIMDUO</b> .....	64
<i>bumetanide</i> .....	85	<b>NEEDLE</b> .....	<i>cimetidine hcl</i> .....	158
<i>buprenorphine hcl</i> .....	3, 8	<i>carglumic acid</i> .....	<i>cinacalcet</i> .....	182
<i>buprenorphine-naloxone</i> .....	9	<i>carteolol</i> .....	<b>CINQAIR</b> .....	192
<i>bupropion hcl</i> .....	40	<i>cartia xt</i> .....	<b>CINRYZE</b> .....	72
<i>bupropion hcl (smoking deter)</i> ... 9		<i>carvedilol</i> .....	<i>ciprofloxacin</i> .....	17
<i>bupirone</i> .....	184	<i>caspofungin</i> .....	<i>ciprofloxacin hcl</i> .....	16, 155
<i>butalbital-acetaminophen-caff</i> ... 3		<b>CAYSTON</b> .....	<i>ciprofloxacin in 5 % dextrose</i> ... 17	
<i>butalbital-aspirin-caffeine</i> ..... 3		<i>caziant (28)</i> .....	<i>ciprofloxacin-dexamethasone</i> .. 155	
<b>CABENUVA</b> .....	64	<i>cefaclor</i> .....	<i>cialopram</i> .....	40
<i>cabergoline</i> .....	56	<i>cefadroxil</i> .....	<i>clarithromycin</i> .....	14
<b>CABLIVI</b> .....	74	<i>cefazolin</i> .....	<b>CLENPIQ</b> .....	161
<b>CABOMETYX</b> .....	20	<i>cefazolin in dextrose (iso-os)</i> ... 13	<b>CLICKFINE PEN NEEDLE</b>	
<i>cabotegravir</i> .....	64	<i>cefdinir</i> .....	.....	114
<i>caffeine citrate</i> .....	89	<i>cefepime</i> .....	<i>clindamycin hcl</i> .....	11
<i>calcipotriene</i> .....	103	<i>cefixime</i> .....	<i>clindamycin in 5 % dextrose</i> ..... 11	
<i>calcitonin (salmon)</i> .....	182	<i>cefotaxime</i> .....	<i>clindamycin pediatric</i> .....	11
<i>calcitriol</i> .....	182	<i>cefoxitin</i> .....	<i>clindamycin phosphate</i> 11, 51, 105	
<i>calcium acetate (phosphat</i>		<i>cefpodoxime</i> .....	<i>clindamycin-benzoyl peroxide</i> .. 105	
<i>bind)</i> .....	161	<i>cefprozil</i> .....	<b>CLINIMIX 5%/D15W</b>	
<i>calcium chloride</i> .....	187	<i>ceftazidime</i> .....	<b>SULFITE FREE</b> .....	75
		<i>ceftriaxone</i> .....		

CLINIMIX 4.25%/D10W SULF FREE.....	75	<i>codeine sulfate</i> .....	3	<i>cyclophosphamide</i> .....	20, 21
CLINIMIX 4.25%/D5W SULFIT FREE.....	75	<i>codeine-butalbital-asa-caff</i> .....	3	<i>cyclosporine</i> .....	170, 171
CLINIMIX 5%- D20W(SULFITE-FREE).....	75	<i>colchicine</i> .....	50	<i>cyclosporine modified</i> .....	170, 171
CLINIMIX 6%-D5W (SULFITE-FREE).....	75	<i>colesevelam</i> .....	86	<i>cyproheptadine</i> .....	50
CLINIMIX 8%- D10W(SULFITE-FREE).....	75	<i>colestipol</i> .....	86	<b>CYRAMZA</b> .....	21
CLINIMIX 8%- D14W(SULFITE-FREE).....	75	<i>colistin (colistimethate na)</i> .....	11	<i>cyred eq</i> .....	95
CLINIMIX E 2.75%/D5W SULF FREE.....	75	<b>COMBIVENT RESPIMAT</b> ..	191	<b>CYSTARAN</b> .....	154
CLINIMIX E 4.25%/D10W SUL FREE.....	75	<b>COMETRIQ</b> .....	20	<i>d5 % and 0.9 % sodium chloride</i> .....	187
CLINIMIX E 4.25%/D5W SULF FREE.....	75	<b>COMFORT EZ INSULIN SYRINGE</b> .....	114, 115, 116	<i>d5 %-0.45 % sodium chloride</i> ..	187
CLINIMIX E 5%/D15W SULFIT FREE.....	76	<b>COMFORT EZ PEN NEEDLES</b> .....	115, 116	<i>dabigatran etexilate</i> .....	70
CLINIMIX E 5%/D20W SULFIT FREE.....	76	<b>COMFORT EZ PRO SAFETY PEN NDL</b> .....	116	<i>dalfampridine</i> .....	90
CLINIMIX E 8%-D10W SULFITEFREE.....	76	<b>COMFORT TOUCH PEN NEEDLE</b> .....	116, 117	<i>danazol</i> .....	163
CLINIMIX E 8%-D14W SULFITEFREE.....	76	<b>COMPLERA</b> .....	64	<i>dantrolene</i> .....	194
<i>clobazam</i> .....	34	<i>completenate</i> .....	196	<b>DANYELZA</b> .....	21
<i>clobetasol</i> .....	106	<i>compro</i> .....	54	<i>dapsone</i> .....	53
<i>clobetasol-emollient</i> .....	106	<i>constulose</i> .....	159	<b>DAPTACEL (DTAP PEDIATRIC) (PF)</b> .....	176
<i>clomipramine</i> .....	40	<b>COPAXONE</b> .....	89	<i>daptomycin</i> .....	11
<i>clonazepam</i> .....	10	<b>COPIKTRA</b> .....	20	<i>darunavir</i> .....	64
<i>clonidine</i> .....	77	<b>CORLANOR</b> .....	83	<i>dasetta 1135 (28)</i> .....	95
<i>clonidine hcl</i> .....	77	<b>CORTROPHIN GEL</b> .....	167	<i>dasetta 71717 (28)</i> .....	95
<i>clopidogrel</i> .....	74	<b>COSENTYX</b> .....	170, 184	<b>DAURISMO</b> .....	21
<i>clorazepate dipotassium</i> .....	10	<b>COSENTYX (2 SYRINGES)</b> .....	170	<i>daysee</i> .....	95
<i>clotrimazole</i> .....	48	<b>COSENTYX PEN (2 PENS)</b>	170	<i>deblitane</i> .....	95
<i>clotrimazole-betamethasone</i> .....	48	<b>COSENTYX UNOREADY PEN</b> .....	170	<i>decitabine</i> .....	21
<i>clozapine</i> .....	58, 59	<b>COTELLIC</b> .....	20	<i>deferasirox</i> .....	163
<i>c-nate dha</i> .....	196	<b>CREON</b> .....	153	<i>deferiprone</i> .....	163
<b>COARTEM</b> .....	55	<i>cromolyn</i> .....	154, 159, 192	<b>DELSTRIGO</b> .....	64
		<i>cryselle (28)</i> .....	95	<b>DENG VAXIA (PF)</b> .....	177
		<b>CURAD GAUZE PAD</b> .....	117	<i>denta 5000 plus</i> .....	102
		<b>CURITY ALCOHOL SWABS</b> .....	103	<i>dentagel</i> .....	102
		<b>CURITY GAUZE</b> .....	117	<b>DEPO-SUBQ PROVERA</b> 104.....	169
		<i>cyclobenzaprine</i> .....	194	<b>DERMACEA</b> .....	117
		<i>cyclopentolate</i> .....	154	<b>DERMACEA NON- WOVEN</b> .....	117
				<b>DESCOVY</b> .....	65
				<i>desipramine</i> .....	40
				<i>desmopressin</i> .....	167



<i>desog-e.estradiolle.estradiol</i> .....	95	<i>disulfiram</i> .....	9	<i>dutasteride</i> .....	162
<i>desogestrel-ethinyl estradiol</i> .....	95	<i>divalproex</i> .....	35	EASY COMFORT	
<i>desoximetasone</i> .....	106	<i>dofetilide</i> .....	79	ALCOHOL PAD.....	103
<i>desvenlafaxine succinate</i> .....	40	<i>donepezil</i> .....	39	EASY COMFORT	
<i>dexamethasone</i> .....	165, 166	DOPTELET (10 TAB PACK)	72	INSULIN SYRINGE....	120, 121
<i>dexamethasone sodium phos</i>		DOPTELET (15 TAB PACK)	72	EASY COMFORT PEN	
<i>(pf)</i> .....	166	DOPTELET (30 TAB PACK)	72	NEEDLES.....	121
<i>dexamethasone sodium</i>		<i>dorzolamide</i> .....	186	EASY COMFORT SAFETY	
<i>phosphate</i> .....	157, 166	<i>dorzolamide-timolol</i> .....	186	PEN NEEDLE.....	120
<i>dexmethylphenidate</i> .....	90	<i>dotti</i> .....	164	EASY GLIDE INSULIN	
<i>dextroamphetamine sulfate</i> .....	90	DOVATO.....	65	SYRINGE.....	121, 122
<i>dextroamphetamine-</i>		<i>doxazosin</i> .....	77	EASY GLIDE PEN	
<i>amphetamine</i> .....	90	<i>doxepin</i> .....	40	NEEDLE.....	122
<i>dextrose 10 % in water (d10w)</i>	76	<i>doxorubicin</i> .....	21	EASY TOUCH.....	123, 124
<i>dextrose 5 % in water (d5w)</i> ....	76	<i>doxorubicin, peg-liposomal</i> .....	21	EASY TOUCH ALCOHOL	
DIACOMIT.....	34	<i>doxy-100</i> .....	17	PREP PADS.....	103
<i>diazepam</i> .....	10, 35	<i>doxycycline hyclate</i> .....	18	EASY TOUCH FLIPLOCK	
<i>diazepam intensol</i> .....	10	<i>doxycycline monohydrate</i> .....	18	INSULIN.....	123
<i>diazoxide</i> .....	184	DRIZALMA SPRINKLE.....	40	EASY TOUCH FLIPLOCK	
<i>diclofenac potassium</i> .....	6	<i>dronabinol</i> .....	54	SYRINGE.....	122
<i>diclofenac sodium</i> .....	6, 157	<i>droperidol</i> .....	54	EASY TOUCH INSULIN	
<i>diclofenac-misoprostol</i> .....	6, 7	DROPLET INSULIN		SAFETY SYR.....	122
<i>dicloxacillin</i> .....	16	SYR(HALF UNIT).....	117, 118	EASY TOUCH INSULIN	
<i>dicyclomine</i> .....	159	DROPLET INSULIN		SYRINGE.....	122, 123, 124
<i>didanosine</i> .....	65	SYRINGE.....	117, 118, 119	EASY TOUCH LUER	
DIFICID.....	14	DROPLET MICRON PEN		LOCK INSULIN.....	123
<i>difluprednate</i> .....	157	NEEDLE.....	119	EASY TOUCH PEN	
<i>digitek</i> .....	83	DROPLET PEN NEEDLE..	119	NEEDLE.....	123
<i>digox</i> .....	83	DROPSAFE ALCOHOL		EASY TOUCH SAFETY	
<i>digoxin</i> .....	83	PREP PADS.....	103	PEN NEEDLE.....	124
<i>dihydroergotamine</i> .....	51	DROPSAFE INSULIN		EASY TOUCH	
<i>diltiazem hcl</i> .....	82	SYRINGE.....	119, 120	SHEATHLOCK INSULIN	
<i>dilt-xr</i> .....	82	DROPSAFE PEN NEEDLE	120	.....	122, 123
<i>dimenhydrinate</i> .....	54	<i>drospirenone-ethinyl estradiol</i> ...95		EASY TOUCH UNI-SLIP... 124	
<i>dimethyl fumarate</i> .....	90	DROXIA.....	74	<i>ec-naproxen</i> .....	7
DIPENTUM.....	181	<i>droxidopa</i> .....	77	<i>econazole</i> .....	48
<i>diphenhydramine hcl</i> .....	50	DUAVEE.....	164	EDARBI.....	77
<i>diphenoxylate-atropine</i> .....	160	<i>duloxetine</i> .....	40	EDARBYCLOR.....	77
<i>dipyridamole</i> .....	74	DUPIXENT PEN.....	171	EDURANT.....	65
<i>disopyramide phosphate</i> .....	79	DUPIXENT SYRINGE.....	171	<i>efavirenz</i> .....	65

<i>efavirenz-emtricitabin-tenofov</i> ..	65	<i>enskyce</i> .....	95	<i>etravirine</i> .....	65
<i>efavirenz-lamivu-tenofov disop</i> ..	65	<i>entacapone</i> .....	57	EUCRISA.....	106
EGRIFTA SV.....	167	<i>entecavir</i> .....	70	<i>everolimus (antineoplastic)</i> .....	22
<i>electrolyte-148</i> .....	187	ENTRESTO.....	77	<i>everolimus</i>	
ELIGARD.....	21	<i>enulose</i> .....	160	<i>(immunosuppressive)</i> .....	171
ELIGARD (3 MONTH).....	21	EPCLUSA.....	69	EVOTAZ.....	65
ELIGARD (4 MONTH).....	21	EPIDIOLEX.....	35	EVRYSDI.....	184
ELIGARD (6 MONTH).....	21	<i>epinastine</i> .....	154	EXEL INSULIN.....	125
<i>elinst</i> .....	95	<i>epinephrine</i> .....	83	<i>exemestane</i> .....	22
ELIQUIS.....	70	<i>epitol</i> .....	35	EXKIVITY.....	22
ELIQUIS DVT-PE TREAT		EPIVIR HBV.....	65	EYSUVIS.....	157
30D START.....	70	EPKINLY.....	22	<i>ezetimibe</i> .....	86
ELLA.....	95	<i>eplerenone</i> .....	88	<i>ezetimibe-simvastatin</i> .....	86
ELMIRON.....	184	EPRONTIA.....	35	<i>falmina (28)</i> .....	96
ELREXFIO.....	21	ERBITUX.....	22	<i>famciclovir</i> .....	70
<i>eluryng</i> .....	95	<i>ergoloid</i> .....	39	<i>famotidine</i> .....	159
EMBRACE PEN NEEDLE		ERIVEDGE.....	22	<i>famotidine (pf)</i> .....	159
.....	124, 125	ERLEADA.....	22	<i>famotidine (pf)-nacl (iso-os)</i>	159
EMCYT.....	21	<i>erlotinib</i> .....	22	FANAPT.....	59
EMEND.....	54	<i>errin</i> .....	95	FARXIGA.....	42
EMGALITY PEN.....	51	<i>ertapenem</i> .....	15	FARYDAK.....	22
EMGALITY SYRINGE.....	51	<i>ery pads</i> .....	105	FASENRA.....	192
EMSAM.....	40	<i>erythromycin</i> .....	14, 155	FASENRA PEN.....	192
<i>emtricitabine</i> .....	65	<i>erythromycin ethylsuccinate</i> .....	14	<i>febuxostat</i> .....	50
<i>emtricitabine-tenofovir (tdf)</i> ....	65	<i>erythromycin with ethanol</i> .....	105	<i>felbamate</i> .....	35
EMTRIVA.....	65	<i>escitalopram oxalate</i> .....	40, 41	FEMRING.....	165
<i>enalapril maleate</i> .....	78	<i>esomeprazole magnesium</i> .....	158	<i>fenofibrate</i> .....	86
<i>enalaprilat</i> .....	79	<i>esomeprazole sodium</i> .....	158	<i>fenofibrate micronized</i> .....	86
<i>enalapril-hydrochlorothiazide</i> ...	79	<i>estarylla</i> .....	96	<i>fenofibrate nanocrystallized</i> .....	86
ENBREL.....	171	<i>estradiol</i> .....	164	<i>fenofibric acid (choline)</i> .....	86
ENBREL MINI.....	171	<i>estradiol valerate</i> .....	164	<i>fentanyl</i> .....	3, 4
ENBREL SURECLICK.....	171	<i>estradiol-norethindrone acet</i> ...	165	<i>fentanyl citrate</i> .....	3
ENDARI.....	184	<i>eszopiclone</i> .....	194	FERRIPROX.....	163
<i>endocet</i> .....	3	<i>ethambutol</i> .....	53	FERRIPROX (2 TIMES A	
ENGERIX-B (PF).....	177	<i>ethosuximide</i> .....	35	DAY).....	163
ENGERIX-B PEDIATRIC		<i>ethynodiol diac-eth estradiol</i> ....	96	<i>fesoterodine</i> .....	162
(PF).....	177	<i>etodolac</i> .....	7	FETZIMA.....	41
<i>enilloring</i> .....	95	<i>etonogestrel-ethinyl estradiol</i> ....	96	FIASP FLEXTOUCH U-100	
<i>enoxaparin</i> .....	71	ETOPOPHOS.....	22	INSULIN.....	45
<i>enpresse</i> .....	95	<i>etoposide</i> .....	22		

FIASP PENFILL U-100	<i>fosinopril-hydrochlorothiazide</i> .. 79	<i>glatiramer</i> ..... 90, 91
INSULIN ..... 45	<i>fosphenytoin</i> ..... 35	<i>glatopa</i> ..... 91
FIASP U-100 INSULIN ..... 45	FOTIVDA ..... 23	GLEOSTINE ..... 23
<i>finasteride</i> ..... 162	FREESTYLE PRECISION .. 125	<i>glimepiride</i> ..... 47
<i> fingolimod</i> ..... 90	FRUZAQLA ..... 23	<i>glipizide</i> ..... 47
FINTEPLA ..... 35	FULPHILA ..... 72	<i>glipizide-metformin</i> ..... 47
FIRMAGON KIT W	<i>fulvestrant</i> ..... 23	<i>glyburide</i> ..... 47
DILUENT SYRINGE ..... 22	<i>furosemide</i> ..... 85	<i>glyburide micronized</i> ..... 47
FLEBOGAMMA DIF ..... 171	FUZEON ..... 65	<i>glyburide-metformin</i> ..... 47
<i>flecainide</i> ..... 80	FYARRO ..... 23	<i>glycopyrrolate</i> ..... 160
<i>floxuridine</i> ..... 23	<i>fyavolv</i> ..... 165	<i>glydo</i> ..... 8
<i>fluconazole</i> ..... 48	FYCOMPA ..... 35	GLYXAMBI ..... 42
<i>fluconazole in nacl (iso-osm)</i> ... 48	<i>gabapentin</i> ..... 35, 36	<i>granisetron (pf)</i> ..... 54
<i>flucytosine</i> ..... 48	GALAFOLD ..... 153	<i>granisetron hcl</i> ..... 54
<i>fludrocortisone</i> ..... 166	<i>galantamine</i> ..... 39	GRANIX ..... 72
<i>flumazenil</i> ..... 90	GAMIFANT ..... 171	<i>griseofulvin microsize</i> ..... 48, 49
<i>flunisolide</i> ..... 157	GAMMAGARD LIQUID... 171	<i>guanfacine</i> ..... 77, 91
<i>fluocinolone</i> ..... 106, 107	GAMMAGARD S-D (IGA < 1 MCG/ML) ..... 171	GVOKE ..... 184
<i>fluocinolone acetonide oil</i> ..... 157	GAMMAPLEX ..... 172	GVOKE HYPOPEN 2- PACK ..... 184
<i>fluocinonide</i> ..... 107	GAMMAPLEX (WITH SORBITOL) ..... 172	GVOKE PFS 1-PACK SYRINGE ..... 184
<i>fluocinonide-emollient</i> ..... 107	GARDASIL 9 (PF) ..... 177	GVOKE PFS 2-PACK SYRINGE ..... 184
<i>fluoride (sodium)</i> ..... 102	<i>gatifloxacin</i> ..... 155	HAEGARDA ..... 72
<i>fluorometholone</i> ..... 157	GATTEX 30-VIAL ..... 160	<i>hailey</i> ..... 96
<i>fluorouracil</i> ..... 23, 104	GAUZE PAD ..... 126	<i>hailey 24 fe</i> ..... 96
<i>fluoxetine</i> ..... 41	<i>gavilyte-c</i> ..... 161	<i>hailey fe 1.5/30 (28)</i> ..... 96
<i>fluphenazine decanoate</i> ..... 59	<i>gavilyte-g</i> ..... 161	<i>hailey fe 1/20 (28)</i> ..... 96
<i>fluphenazine hcl</i> ..... 59	GAVRETO ..... 23	<i>halobetasol propionate</i> ..... 107
<i>flurbiprofen</i> ..... 7	<i>gefitinib</i> ..... 23	<i>haloette</i> ..... 96
<i>flurbiprofen sodium</i> ..... 157	<i>gemfibrozil</i> ..... 87	<i>haloperidol</i> ..... 59
<i>fluticasone propionate</i> ..... 107, 157, 190	<i>generlac</i> ..... 160	<i>haloperidol decanoate</i> ..... 59
<i>fluticasone propion-salmeterol</i> 190	<i>gengraf</i> ..... 172	<i>haloperidol lactate</i> ..... 59
<i>fluvastatin</i> ..... 87	<i>gentak</i> ..... 155	HARVONI ..... 69
<i>fluvoxamine</i> ..... 41	<i>gentamicin</i> ..... 11, 105, 155	HAVRIX (PF) ..... 177
<i>folivane-ob</i> ..... 196	<i>gentamicin sulfate (ped) (pf)</i> ... 11	HEALTHWISE INSULIN SYRINGE ..... 126
<i>fondaparinux</i> ..... 71	<i>gentamicin sulfate (pf)</i> ..... 11	HEALTHWISE PEN NEEDLE ..... 126
<i>fosamprenavir</i> ..... 65	GENVOYA ..... 65	
<i>fosaprepitant</i> ..... 54	GILENYA ..... 90	
<i>foscarnet</i> ..... 68	GILOTRIF ..... 23	
<i>fosinopril</i> ..... 79		



HEALTHY ACCENTS	<i>hydroxychloroquine</i> .....	55	INQOVI.....	24
UNIFINE PENTIP.....	<i>hydroxyurea</i> .....	23	INREBIC.....	24
<i>heather</i> .....	<i>hydroxyzine hcl</i> .....	50	<i>insulin asp prt-insulin aspart</i> .....	46
<i>heparin (porcine)</i> .....	<i>hydroxyzine pamoate</i> .....	184	<i>insulin aspart u-100</i> .....	46
<i>heparin, porcine (pf)</i> .....	<i>ibandronate</i> .....	182	INSULIN SYR/NDL U100	
HEPLISAV-B (PF).....	IBRANCE.....	23	HALF MARK.....	127
HERCEPTIN HYLECTA.....	<i>ibu</i> .....	7	INSULIN SYRINGE.....	112
HERZUMA.....	<i>ibuprofen</i> .....	7	INSULIN SYRINGE	
HIBERIX (PF).....	<i>icatibant</i> .....	83	MICROFINE.....	111
HUMIRA.....	<i>iclevia</i> .....	96	INSULIN SYRINGE	
HUMIRA PEN.....	ICLUSIG.....	23	NEEDLELESS.....	112
HUMIRA PEN CROHNS-	IDHIFA.....	23	INSULIN SYRINGE-	
UC-HS START.....	<i>ifosfamide</i> .....	24	NEEDLE U-100	
HUMIRA PEN PSOR-	ILEVRO.....	157	111, 113, 125, 127, 128, 129, 137,	
UVEITS-ADOL HS.....	<i>imatinib</i> .....	24	141	
HUMIRA(CF).....	IMBRUVICA.....	24	INSUPEN PEN NEEDLE... 129	
HUMIRA(CF) PEDI	<i>imipenem-cilastatin</i> .....	15	INTELENCE.....	65
CROHNS STARTER.....	<i>imipramine hcl</i> .....	41	INTRALIPID.....	76
HUMIRA(CF) PEN.....	<i>imiquimod</i> .....	104	INVEGA HAFYERA.....	60
HUMIRA(CF) PEN	IMJUDO.....	24	INVEGA SUSTENNA.....	60
CROHNS-UC-HS.....	IMLYGIC.....	24	INVEGA TRINZA.....	60
HUMIRA(CF) PEN	IMOVAX RABIES		INVELTYS.....	157
PEDIATRIC UC.....	VACCINE (PF).....	177	INVIRASE.....	66
HUMIRA(CF) PEN PSOR-	IMPAVIDO.....	55	IPOL.....	177
UV-ADOL HS.....	INBRIJA.....	57	<i>ipratropium bromide</i> .....	154, 191
HUMULIN R U-500	<i>incassia</i> .....	96	<i>ipratropium-albuterol</i> .....	191
(CONC) INSULIN.....	INCONTROL ALCOHOL		<i>irbesartan</i> .....	77
HUMULIN R U-500	PADS.....	104	<i>irbesartan-hydrochlorothiazide</i> .....	78
(CONC) KWIKPEN.....	INCONTROL PEN		ISENTRESS.....	66
<i>hydralazine</i> .....	NEEDLE.....	127	ISENTRESS HD.....	66
<i>hydrochlorothiazide</i> .....	INCRELEX.....	167	<i>isibloom</i> .....	96
<i>hydrocodone-acetaminophen</i> .....	<i>indapamide</i> .....	85	ISOLYTE S PH 7.4.....	187
<i>hydrocodone-ibuprofen</i> .....	<i>indomethacin</i> .....	7	ISOLYTE-P IN 5%	
<i>hydrocortisone</i> .....	INFANRIX (DTAP) (PF)....	177	DEXTROSE.....	187
<i>hydrocortisone butyrate</i> .....	<i>infiximab</i> .....	173	ISOLYTE-S.....	187
<i>hydrocortisone valerate</i> .....	INLYTA.....	24	<i>isoniazid</i> .....	53
<i>hydrocortisone-acetic acid</i> .....	INPEN (FOR HUMALOG)		<i>isosorbide dinitrate</i> .....	88
<i>hydrocortisone-min oil-wht pet</i>	BLUE.....	127	<i>isosorbide mononitrate</i> .....	88
<i>hydromorphone</i> .....	INPEN (NOVOLOG OR		<i>isosorbide-hydralazine</i> .....	88
<i>hydromorphone (pf)</i> .....	FIASP) BLUE.....	127	<i>isradipine</i> .....	84

<i>itraconazole</i> .....	49	KEYTRUDA.....	25	<i>letrozole</i> .....	25
IV PREP WIPES.....	104	KIMMTRAK.....	25	<i>leucovorin calcium</i> .....	184, 185
<i>ivermectin</i> .....	55	KINERET.....	173	LEUKERAN.....	26
IWILFIN.....	24	KINRIX (PF).....	178	LEUKINE.....	72
IXCHIQ.....	178	KISQALI.....	25	<i>leuprolide</i> .....	26
IXIARO (PF).....	178	KISQALI FEMARA CO- PACK.....	25	<i>leuprolide (3 month)</i> .....	26
<i>jaimiess</i> .....	96	KLISYRI.....	104	<i>levetiracetam</i> .....	36
JAKAFI.....	24	<i>klor-con m10</i> .....	187	<i>levobunolol</i> .....	186
<i>jantoven</i> .....	72	<i>klor-con m15</i> .....	187	<i>levocarnitine</i> .....	185
JANUMET.....	42	<i>klor-con m20</i> .....	187	<i>levocarnitine (with sugar)</i> .....	185
JANUMET XR.....	43	KLOXXADO.....	9	<i>levocetirizine</i> .....	51
JANUVIA.....	43	KOSELUGO.....	25	<i>levofloxacin</i> .....	17, 154, 155
JARDIANCE.....	43	<i>kosher prenatal plus iron</i> .....	196	<i>levofloxacin in d5w</i> .....	17
<i>jasmiel (28)</i> .....	96	KOURZEQ.....	102	<i>levonest (28)</i> .....	97
<i>javygtor</i> .....	153	KRAZATI.....	25	<i>levonorgestrel-ethinyl estrad</i> .....	98
JAYPIRCA.....	24	KRINTAFEL.....	55	<i>levonorg-eth estrad triphasic</i> .....	98
JEMPERLI.....	25	<i>kurvelo (28)</i> .....	97	<i>levora-28</i> .....	98
<i>jencycla</i> .....	96	KYNMOBI.....	57	<i>levothyroxine</i> .....	169
JENTADUETO.....	43	<i>l norgestle.estradiol-e.estrad</i> .....	97	LEXIVA.....	66
JENTADUETO XR.....	43	<i>labetalol</i> .....	81	<i>lidocaine</i> .....	8
<i>jinteli</i> .....	165	<i>lacosamide</i> .....	36	<i>lidocaine (pf)</i> .....	8, 80
<i>juleber</i> .....	96	<i>lactulose</i> .....	160	<i>lidocaine hcl</i> .....	8
JULUCA.....	66	<i>lagevrio (eua)</i> .....	70	<i>lidocaine viscous</i> .....	8
<i>junel 1.5/30 (21)</i> .....	96	<i>lamivudine</i> .....	66	<i>lidocaine-prilocaine</i> .....	8
<i>junel 1/20 (21)</i> .....	97	<i>lamivudine-zidovudine</i> .....	66	<i>linezolid</i> .....	12
<i>junel fe 1.5/30 (28)</i> .....	97	<i>lamotrigine</i> .....	36	<i>linezolid in dextrose 5%</i> .....	11
<i>junel fe 1/20 (28)</i> .....	97	<i>lanreotide</i> .....	167	LINZESS.....	160
<i>junel fe 24</i> .....	97	<i>lansoprazole</i> .....	159	<i>liothyronine</i> .....	169
JUXTAPID.....	87	<i>lapatinib</i> .....	25	LISCO.....	129
JYNNEOS (PF).....	178	<i>larin 1.5/30 (21)</i> .....	97	<i>lisinopril</i> .....	79
<i>kalliga</i> .....	97	<i>larin 1/20 (21)</i> .....	97	<i>lisinopril-hydrochlorothiazide</i> ...	79
KALYDECO.....	192, 193	<i>larin 24 fe</i> .....	97	LITE TOUCH INSULIN PEN NEEDLES.....	129
<i>kariva (28)</i> .....	97	<i>larin fe 1.5/30 (28)</i> .....	97	LITE TOUCH INSULIN SYRINGE.....	129, 130
<i>kelnor 1/35 (28)</i> .....	97	<i>larin fe 1/20 (28)</i> .....	97	<i>lithium carbonate</i> .....	91
<i>kelnor 1-50 (28)</i> .....	97	<i>latanoprost</i> .....	186	<i>lithium citrate</i> .....	91
KERENDIA.....	88	<i>leflunomide</i> .....	173	LIVALO.....	87
KESIMPTA PEN.....	91	<i>lenalidomide</i> .....	25	<i>lojaimiess</i> .....	98
<i>ketoconazole</i> .....	49	LENVIMA.....	25	LOKELMA.....	160
<i>ketorolac</i> .....	7, 157	<i>lessina</i> .....	97		
KEVZARA.....	173				

LONSURF.....	26	<i>magnesium sulfate in d5w</i> .....	187	<i>mefenamic acid</i> .....	7
<i>loperamide</i> .....	160	<i>magnesium sulfate in water</i> .....	188	<i>mefloquine</i> .....	56
<i>lopinavir-ritonavir</i> .....	66	<i>malathion</i> .....	108	<i>megestrol</i> .....	27, 169
LOQTORZI.....	26	<i>maraviroc</i> .....	66	MEKINIST.....	27
<i>lorazepam</i> .....	10	MARGENZA.....	27	MEKTOVI.....	27
LORBRENA.....	26	<i>marlissa (28)</i> .....	98	<i>meloxicam</i> .....	7
<i>loryna (28)</i> .....	98	<i>marnatal-f</i> .....	196	<i>memantine</i> .....	39
<i>losartan</i> .....	78	MARPLAN.....	41	MENACTRA (PF).....	178
<i>losartan-hydrochlorothiazide</i> ....	78	MATULANE.....	27	MENQUADFI (PF).....	178
LOTEMAX.....	157	MAVENCLAD (10 TABLET		MENVEO A-C-Y-W-135-	
LOTEMAX SM.....	157	PACK).....	91	DIP (PF).....	178
<i>loteprednol etabonate</i> .....	157, 158	MAVENCLAD (4 TABLET		<i>mercaptopurine</i> .....	27
<i>lovastatin</i> .....	87	PACK).....	91	<i>meropenem</i> .....	15
<i>low-ogestrel (28)</i> .....	98	MAVENCLAD (5 TABLET		<i>merzee</i> .....	98
<i>loxapine succinate</i> .....	60	PACK).....	91	<i>mesalamine</i> .....	182
<i>lo-zumandimine (28)</i> .....	98	MAVENCLAD (6 TABLET		<i>mesna</i> .....	185
<i>lubiprostone</i> .....	160	PACK).....	91	MESNEX.....	185
LUMAKRAS.....	26	MAVENCLAD (7 TABLET		<i>metformin</i> .....	43
LUMIGAN.....	186	PACK).....	91	<i>methadone</i> .....	4
LUNSUMIO.....	26	MAVENCLAD (8 TABLET		<i>methadose</i> .....	4
LUPRON DEPOT.....	167	PACK).....	91	<i>methenamine hippurate</i> .....	12
LUPRON DEPOT (3		MAVENCLAD (9 TABLET		<i>methimazole</i> .....	169
MONTH).....	26, 167	PACK).....	91	<i>methocarbamol</i> .....	194
LUPRON DEPOT (4		MAXICOMFORT II PEN		<i>methotrexate sodium</i> .....	27
MONTH).....	26	NEEDLE.....	131	<i>methotrexate sodium (pf)</i> .....	27
LUPRON DEPOT (6		MAXICOMFORT INSULIN		<i>methoxsalen</i> .....	104
MONTH).....	26	SYRINGE.....	131	<i>methscopolamine</i> .....	160
<i>lurasidone</i> .....	60	MAXI-COMFORT		<i>methsuximide</i> .....	36
<i>lutera (28)</i> .....	98	INSULIN SYRINGE.....	131	<i>methyldopa</i> .....	77
LYBALVI.....	61	MAXICOMFORT SAFETY		<i>methylphenidate hcl</i> .....	92
<i>lyleq</i> .....	98	PEN NEEDLE.....	131	<i>methylprednisolone</i> .....	166
<i>lyllana</i> .....	165	MAYZENT.....	91	<i>methylprednisolone acetate</i> .....	166
LYNPARZA.....	26	MAYZENT		<i>methylprednisolone sodium</i>	
LYSODREN.....	26	STARTER(FOR 1MG		<i>succ</i> .....	166
LYTGOBI.....	26	MAINT).....	92	<i>metoclopramide hcl</i> .....	160
<i>lyza</i> .....	98	MAYZENT		<i>metolazone</i> .....	85
MAGELLAN INSULIN		STARTER(FOR 2MG		<i>metoprolol succinate</i> .....	81
SAFETY SYRNG.....	130, 131	MAINT).....	92	<i>metoprolol ta-hydrochlorothiaz</i>	81
MAGELLAN SYRINGE.....	130	<i>meclizine</i> .....	54	<i>metoprolol tartrate</i> .....	81
<i>magnesium sulfate</i> .....	188	<i>medroxyprogesterone</i> .....	169	<i>metronidazole</i> .....	12, 51, 105

<i>metronidazole in nacl (iso-os)</i> .. 12	<i>morphine concentrate</i> ..... 4	<i>neomycin-polymyxin-gramicidin</i> ..... 155
<i>metirosine</i> ..... 83	<b>MOUNJARO</b> ..... 43	<i>neomycin-polymyxin-hc</i> ..... 156
<i>mexiletine</i> ..... 80	<b>MOVANTIK</b> ..... 160	<i>neo-polycin</i> ..... 156
<i>miconazole-3</i> ..... 49	<i>moxifloxacin</i> ..... 17, 155	<i>neo-polycin hc</i> ..... 156
<b>MICRODOT INSULIN PEN</b>	<i>moxifloxacin-sod.ace,sul-water</i> 17	<b>NERLYNX</b> ..... 27
<b>NEEDLE</b> ..... 131	<i>moxifloxacin-sod.chloride(iso)</i> 17	<b>NEULASTA ONPRO</b> ..... 73
<b>MICRODOT</b>	<b>MULTAQ</b> ..... 80	<i>nevirapine</i> ..... 66
<b>READYGARD PEN</b>	<i>mupirocin</i> ..... 105	<i>newgen</i> ..... 196
<b>NEEDLE</b> ..... 131	<b>MVASI</b> ..... 27	<b>NEXLETOL</b> ..... 87
<i>microgestin fe 1/20 (28)</i> ..... 98	<i>mycophenolate mofetil</i> ..... 173	<b>NEXLIZET</b> ..... 87
<i>midodrine</i> ..... 77	<i>mycophenolate mofetil (hcl)</i> ... 173	<i>niacin</i> ..... 87
<i>mifepristone</i> ..... 43	<i>mycophenolate sodium</i> ..... 173	<i>niacor</i> ..... 87
<i>miglustat</i> ..... 153	<i>mynatal</i> ..... 196	<i>nicardipine</i> ..... 84
<i>mili</i> ..... 98	<i>mynatal advance</i> ..... 196	<b>NICOTROL</b> ..... 9
<i>mimvey</i> ..... 165	<i>mynatal plus</i> ..... 196	<b>NICOTROL NS</b> ..... 9
<b>MINI ULTRA-THIN II</b> ..... 132	<i>mynatal-z</i> ..... 196	<i>nifedipine</i> ..... 84
<i>minocycline</i> ..... 18	<i>mynate 90 plus</i> ..... 196	<i>nikki (28)</i> ..... 99
<i>minoxidil</i> ..... 88	<b>MYRBETRIQ</b> ..... 162	<i>nilutamide</i> ..... 27
<i>mirtazapine</i> ..... 41	<i>nabumetone</i> ..... 7	<b>NINLARO</b> ..... 27
<i>misoprostol</i> ..... 159	<i>nafcillin</i> ..... 16	<i>nitazoxanide</i> ..... 56
<b>MITIGARE</b> ..... 50	<i>nafcillin in dextrose iso-osm</i> .... 16	<i>nitisinone</i> ..... 153
<i>mitoxantrone</i> ..... 27	<i>naloxone</i> ..... 9	<i>nitrofurantoin macrocrystal</i> ..... 12
<b>M-M-R II (PF)</b> ..... 178	<i>naltrexone</i> ..... 9	<i>nitrofurantoin monohydr/m-cryst</i> ..... 12
<i>m-natal plus</i> ..... 196	<i>naproxen</i> ..... 7	<i>nitroglycerin</i> ..... 88, 185
<i>modafinil</i> ..... 194, 195	<i>naratriptan</i> ..... 51	<i>niva-plus</i> ..... 196
<i>moexipril</i> ..... 79	<b>NATACYN</b> ..... 155	<b>NIVESTYM</b> ..... 73
<i>molindone</i> ..... 61	<i>nateglinide</i> ..... 43	<i>nizatidine</i> ..... 159
<i>mometasone</i> ..... 107, 158	<b>NATPARA</b> ..... 183	<b>NORDITROPIN FLEXPRO</b>
<i>mondoxyne nl</i> ..... 18	<b>NAYZILAM</b> ..... 36	..... 168
<b>MONOJECT INSULIN</b>	<i>nebivolol</i> ..... 81	<i>norelgestromin-ethin.estradiol</i> .. 99
<b>SAFETY SYRING</b> ..... 132, 133	<i>necon 0.5/35 (28)</i> ..... 98	<i>norethindrone (contraceptive)</i> .. 99
<b>MONOJECT INSULIN</b>	<i>nefazodone</i> ..... 41	<i>norethindrone acetate</i> ..... 169
<b>SYRINGE</b> ..... 132, 133	<i>neomycin</i> ..... 11	<i>norethindrone ac-eth estradiol</i>
<b>MONOJECT SYRINGE</b> ..... 132	<i>neomycin-bacitracin-poly-hc</i> ... 155	..... 99, 165
<b>MONOJECT ULTRA</b>	<i>neomycin-bacitracin-polymyxin</i> ..... 155	<i>norethindrone-e.estradiol-iron</i> .. 99
<b>COMFORT INSULIN</b> ..... 147	<i>neomycin-polymyxin b gu</i> ..... 105	<i>norgestimate-ethinyl estradiol</i> .. 99
<i>mono-lynyah</i> ..... 98	<i>neomycin-polymyxin b-dexameth</i> ..... 155	<b>NORMOSOL-M IN 5%</b>
<i>montelukast</i> ..... 190		<b>DEXTROSE</b> ..... 188
<i>morphine</i> ..... 4, 5		
<b>MORPHINE</b> ..... 5		

<i>nortrel 0.5/35 (28)</i> .....	99	OCTAGAM.....	173	OMNIPOD GO PODS 20	
<i>nortrel 1/35 (21)</i> .....	99	<i>octreotide acetate</i> .....	168	UNITS/DAY.....	134
<i>nortrel 1/35 (28)</i> .....	99	ODEFSEY.....	67	OMNIPOD GO PODS 25	
<i>nortrel 7/7/7 (28)</i> .....	99	ODOMZO.....	27	UNITS/DAY.....	134
<i>nortriptyline</i> .....	41	OFEV.....	193	OMNIPOD GO PODS 30	
NORVIR.....	66, 67	<i>ofloxacin</i> .....	156	UNITS/DAY.....	134
NOVOFINE 30.....	133	OGIVRI.....	27	OMNIPOD GO PODS 40	
NOVOFINE 32.....	133	OGSIVEO.....	27	UNITS/DAY.....	134
NOVOFINE PLUS.....	133	OJJAARA.....	28	<i>ondansetron</i> .....	54
NOVOLIN 70/30 U-100		<i>olanzapine</i> .....	61	<i>ondansetron hcl</i> .....	54
INSULIN.....	46	<i>olmesartan</i> .....	78	<i>ondansetron hcl (pf)</i> .....	54
NOVOLIN 70-30 FLEXPEN		<i>olmesartan-amlodipin-</i>		ONTRUZANT.....	28
U-100.....	46	<i>hcthiazid</i> .....	78	ONUREG.....	28
NOVOLIN N FLEXPEN.....	46	<i>olmesartan-</i>		OPDIVO.....	28
NOVOLIN N NPH U-100		<i>hydrochlorothiazide</i> .....	78	OPDUALAG.....	28
INSULIN.....	46	<i>olopatadine</i> .....	154	OPSUMIT.....	195
NOVOLIN R FLEXPEN.....	46	OLUMIANT.....	173	<i>oralone</i> .....	102
NOVOLIN R REGULAR		<i>omega-3 acid ethyl esters</i> .....	87	ORENCIA.....	174
U100 INSULIN.....	46	<i>omeprazole</i> .....	159	ORENCIA (WITH	
NOVOTWIST.....	133	OMNIPOD 5 G6 INTRO		MALTOSE).....	173
NOXAFIL.....	49	KIT (GEN 5).....	133	ORENCIA CLICKJECT.....	173
NUBEQA.....	27	OMNIPOD 5 G6 PODS		ORFADIN.....	153
NUCALA.....	193	(GEN 5).....	133	ORGOVYX.....	168
NULOJIX.....	173	OMNIPOD 5 G6-G7 INTRO		ORILISSA.....	168
NUPLAZID.....	61	KT(GEN5).....	133	ORKAMBI.....	193
NURTEC ODT.....	52	OMNIPOD 5 G6-G7 PODS		ORSERDU.....	28
NUTRILIPID.....	76	(GEN 5).....	133	<i>oseltamivir</i> .....	68, 69
<i>nyamyc</i> .....	49	OMNIPOD CLASSIC PODS		OSMOLEX ER.....	57
<i>nylia 1/35 (28)</i> .....	99	(GEN 3).....	133	OTEZLA.....	174
<i>nylia 7/7/7 (28)</i> .....	100	OMNIPOD DASH INTRO		OTEZLA STARTER.....	174
<i>nymyo</i> .....	100	KIT (GEN 4).....	133	<i>oxandrolone</i> .....	163
<i>nystatin</i> .....	49	OMNIPOD DASH PDM		<i>oxazepam</i> .....	10
<i>nystatin-triamcinolone</i> .....	49	KIT (GEN 4).....	133	<i>oxcarbazepine</i> .....	36
<i>nystop</i> .....	49	OMNIPOD DASH PODS		OXLUMO.....	185
NYVEPRIA.....	73	(GEN 4).....	134	<i>oxybutynin chloride</i> .....	162
<i>obstetrix dha</i> .....	196	OMNIPOD GO PODS.....	134	<i>oxycodone</i> .....	5
<i>obstetrix dha prenatal duo</i> .....	196	OMNIPOD GO PODS 10		<i>oxycodone-acetaminophen</i> .....	5
<i>o-cal prenatal</i> .....	197	UNITS/DAY.....	134	OXYCONTIN.....	5
OICALIVA.....	160	OMNIPOD GO PODS 15		<i>oxymorphone</i> .....	5
OCREVUS.....	92	UNITS/DAY.....	134	OZEMPIC.....	44



<i>pacerone</i> .....	80	<i>perphenazine</i> .....	61	<i>potassium chloride-0.45 % nacl</i>	189
<i>paclitaxel protein-bound</i> .....	28	<b>PERSERIS</b> .....	61	.....	189
<i>paliperidone</i> .....	61	<i>pfizerpen-g</i> .....	16	<i>potassium citrate</i> .....	189
<b>PALYNZIQ</b> .....	153	<i>phenelzine</i> .....	41	<i>pr natal 400</i> .....	197
<b>PANRETIN</b> .....	104	<i>phenobarbital</i> .....	36	<i>pr natal 400 ec</i> .....	197
<i>pantoprazole</i> .....	159	<i>phenylephrine hcl</i> .....	77	<i>pr natal 430</i> .....	197
<i>paricalcitol</i> .....	183	<i>phenytoin</i> .....	36, 37	<i>pr natal 430 ec</i> .....	197
<i>paroex oral rinse</i> .....	102	<i>phenytoin sodium</i> .....	37	<b>PRALUENT PEN</b> .....	87
<i>paromomycin</i> .....	56	<i>phenytoin sodium extended</i> .....	37	<i>pramipexole</i> .....	57
<i>paroxetine hcl</i> .....	41	<i>philith</i> .....	100	<i>prasugrel</i> .....	74
<b>PAXLOVID</b> .....	69	<b>PHOSLYRA</b> .....	161	<i>pravastatin</i> .....	87
<i>pazopanib</i> .....	28	<b>PIFELTRO</b> .....	67	<i>prazosin</i> .....	77
<b>PEDIARIX (PF)</b> .....	178	<i>pilocarpine hcl</i> .....	102, 186	<i>prednicarbate</i> .....	107
<b>PEDVAX HIB (PF)</b> .....	178	<i>pimecrolimus</i> .....	107	<i>prednisolone</i> .....	166
<b>PEGASYS</b> .....	70	<i>pimozide</i> .....	61	<i>prednisolone acetate</i> .....	158
<i>peg-electrolyte soln</i> .....	161	<i>pimtreea (28)</i> .....	100	<i>prednisolone sodium phosphate</i>	158, 166
<b>PEMAZYRE</b> .....	28	<i>pindolol</i> .....	81	.....	167
<i>pemetrexed disodium</i> .....	28	<i>pioglitazone</i> .....	44	<i>prednisone</i> .....	167
<b>PEMRYDI RTU</b> .....	28	<i>pioglitazone-metformin</i> .....	44	<i>pregabalin</i> .....	37
<b>PEN NEEDLE</b> 125, 134, 135, 137		<b>PIP PEN NEEDLE</b> .....	135	<b>PREHEVBRIO (PF)</b> .....	179
<b>PEN NEEDLE, DIABETIC</b>		<i>piperacillin-tazobactam</i> .....	16	<b>PREMARIN</b> .....	165
..116, 131, 132, 134, 135, 136, 137		<b>PIQRAY</b> .....	28	<b>PREMPHASE</b> .....	165
<b>PEN NEEDLE, DIABETIC,</b>		<i>pirfenidone</i> .....	193	<b>PREMPRO</b> .....	165
<b>SAFETY</b> .....	138	<i>pirmella</i> .....	100	<i>prenal true</i> .....	197
<b>PENBRAYA (PF)</b> .....	178	<i>piroxicam</i> .....	7	<i>prenaissance</i> .....	197
<b>PENBRAYA MENACWY</b>		<b>PLASMA-LYTE A</b> .....	188	<i>prenaissance plus</i> .....	197
<b>COMPONENT(PF)</b> .....	179	<b>PLEGRIDY</b> .....	93	<i>prenatabs fa</i> .....	197
<b>PENBRAYA MENB</b>		<i>pnv 29-1</i> .....	197	<i>prenatal 19</i> .....	197
<b>COMPONENT (PF)</b> .....	179	<i>pnv-dha + docusate</i> .....	197	<i>prenatal 19 (with docusate)</i> ....	197
<i>penicillamine</i> .....	163	<i>pnv-omega</i> .....	197	<i>prenatal low iron</i> .....	197
<i>penicillin g potassium</i> .....	16	<i>podofilox</i> .....	104	<i>prenatal plus</i> .....	197
<i>penicillin g procaine</i> .....	16	<i>polycin</i> .....	156	<i>prenatal plus (calcium carb)</i> ..	197
<i>penicillin v potassium</i> .....	16	<i>polymyxin b sulfate</i> .....	12	<i>prenatal vitamin plus low iron</i> .	197
<b>PENTACEL (PF)</b> .....	179	<i>polymyxin b sulf-trimethoprim</i>	156	<i>prenatal-u</i> .....	197
<i>pentamidine</i> .....	56	<b>POMALYST</b> .....	28	<i>preplus</i> .....	197
<b>PENTIPS</b> .....	135	<i>portia 28</i> .....	100	<i>pretab</i> .....	197
<i>pentoxifylline</i> .....	74	<i>posaconazole</i> .....	49	<b>PRETOMANID</b> .....	53
<i>perindopril erbumine</i> .....	79	<i>potassium chloride</i> .....	188, 189	<i>prevalite</i> .....	87
<i>periogard</i> .....	102			<b>PREVENT DROPSAFE</b>	
<i>permethrin</i> .....	108			<b>PEN NEEDLE</b> .....	135

PREVYMIS.....	69	<i>protriptyline</i> .....	41	REPATHA SYRINGE.....	88
PREZCOBIX.....	67	PULMOZYME.....	153	RESTASIS.....	158
PREZISTA.....	67	PURE COMFORT		RESTASIS MULTIDOSE....	158
PRIFTIN.....	53	ALCOHOL PADS.....	104	RETACRIT.....	73
PRIMAQUINE.....	56	PURE COMFORT PEN		RETEVMO.....	29
<i>primidone</i> .....	37	NEEDLE.....	136	RETROVIR.....	67
PRIORIX (PF).....	179	PURE COMFORT SAFETY		<i>revonto</i> .....	194
PRIVIGEN.....	174	PEN NEEDLE.....	136	REXULTI.....	62
PRO COMFORT		PURIXAN.....	29	REYATAZ.....	67
ALCOHOL PADS.....	104	<i>pyrazinamide</i> .....	53	REZLIDHIA.....	29
PRO COMFORT INSULIN		<i>pyridostigmine bromide</i> .....	185	REZUROCK.....	174
SYRINGE.....	135, 136	<i>pyrimethamine</i> .....	56	RHOPRESSA.....	186
PRO COMFORT PEN		QINLOCK.....	29	RIABNI.....	29
NEEDLE.....	136	QUADRACEL (PF).....	179	<i>ribavirin</i> .....	70
<i>probenecid</i> .....	50	<i>quetiapine</i> .....	61, 62	RIDAURA.....	174
<i>probenecid-colchicine</i> .....	50	<i>quinapril</i> .....	79	<i>rifabutin</i> .....	53
<i>procainamide</i> .....	80	<i>quinapril-hydrochlorothiazide</i> ... 79		<i>rifampin</i> .....	53
<i>prochlorperazine</i> .....	55	<i>quinidine gluconate</i> .....	80	<i>rilpivirine</i> .....	67
<i>prochlorperazine edisylate</i> .. 54, 61		<i>quinidine sulfate</i> .....	80	<i>riluzole</i> .....	93
<i>prochlorperazine maleate</i> .....	55	<i>quinine sulfate</i> .....	56	<i>rimantadine</i> .....	69
<i>proctosol hc</i> .....	107	QULIPTA.....	52	RINVOQ.....	174
<i>proctozone-hc</i> .....	107	RABAVERT (PF).....	179	<i>risedronate</i> .....	183
PRODIGY INSULIN		<i>rabeprazole</i> .....	159	<i>risperidone</i> .....	62
SYRINGE.....	136	<i>raloxifene</i> .....	165	<i>risperidone microspheres</i> .....	62
<i>progesterone</i> .....	169	<i>ramipril</i> .....	79	<i>ritonavir</i> .....	67
<i>progesterone micronized</i> .....	169	<i>ranolazine</i> .....	84	RITUXAN HYCELA.....	29
PROGRAF.....	174	<i>rasagiline</i> .....	57	<i>rivastigmine</i> .....	39
PROLASTIN-C.....	193	RASUVO (PF).....	174	<i>rivastigmine tartrate</i> .....	39
PROLIA.....	183	RAVICTI.....	160	<i>rizatriptan</i> .....	52
PROMACTA.....	73	RAYALDEE.....	183	<i>r-natal ob</i> .....	198
<i>promethazine</i> .....	51, 55	<i>reclipsen (28)</i> .....	100	ROCKLATAN.....	187
<i>promethegan</i> .....	55	RECOMBIVAX HB (PF).....	180	<i>roflumilast</i> .....	193
<i>propafenone</i> .....	80	RECTIV.....	185	<i>ropinirole</i> .....	57
<i>proparacaine</i> .....	154	RELENZA DISKHALER....	69	<i>rosadan</i> .....	105
<i>propranolol</i> .....	81	RELEUKO.....	73	<i>rosuvastatin</i> .....	88
<i>propranolol-hydrochlorothiazid</i> 81		RELION NEEDLES.....	137	ROTARIX.....	180
<i>propylthiouracil</i> .....	169	RELION PEN NEEDLES....	137	ROTATEQ VACCINE.....	180
PROQUAD (PF).....	179	<i>repaglinide</i> .....	44	ROZLYTREK.....	29
PROSOL 20 %.....	76	REPATHA PUSHTRONEX..	87	RUBRACA.....	29
<i>protamine</i> .....	74	REPATHA SURECLICK.....	87	<i>rufinamide</i> .....	37

RUKOBIA.....	67	<i>sildenafil</i> .....	195	<i>ssd</i> .....	105
RUXIENCE.....	29	<i>sildenafil (pulm.hypertension)</i>	195	<i>stavudine</i> .....	67
RYBELSUS.....	44	<i>silver sulfadiazine</i> .....	105	STELARA.....	175
RYBREVANT.....	29	SIMBRINZA.....	187	STERILE PADS.....	138
RYDAPT.....	29	<i>simliya (28)</i> .....	100	STIOLTO RESPIMAT.....	192
SAFESNAP INSULIN		<i>simpesse</i> .....	100	STIVARGA.....	30
SYRINGE.....	137	<i>simvastatin</i> .....	88	STRENSIQ.....	153
SAFETY PEN NEEDLE.....	138	<i>sirolimus</i> .....	174	<i>streptomycin</i> .....	11
<i>sajazir</i> .....	84	SIRTURO.....	53	STRIBILD.....	67
SANTYL.....	104	SKY SAFETY PEN		STRIVERDI RESPIMAT....	192
<i>sapropterin</i> .....	153	NEEDLE.....	138	<i>subvenite</i> .....	37
SAVELLA.....	93	SKYRIZI.....	174, 175	<i>sucrafate</i> .....	159
SCSEMBLIX.....	29	<i>sodium chloride 0.45 %</i> .....	189	<i>sulfacetamide sodium</i> .....	156
<i>scopolamine base</i> .....	55	<i>sodium chloride 0.9 %</i> .....	189	<i>sulfacetamide sodium (acne)</i> ..	105
SECUADO.....	62	<i>sodium fluoride-pot nitrate</i> .....	102	<i>sulfacetamide-prednisolone</i> .....	156
SECURESAFE INSULIN		<i>sodium oxybate</i> .....	195	<i>sulfadiazine</i> .....	17
SYRINGE.....	138	<i>sodium phenylbutyrate</i> .....	160	<i>sulfamethoxazole-</i>	
SECURESAFE PEN		<i>sodium polystyrene sulfonate</i> ..	161	<i>trimethoprim</i> .....	17
NEEDLE.....	138	<i>sodium,potassium,mag sulfates</i>		<i>sulfasalazine</i> .....	182
<i>select-ob</i> .....	198	.....	161	<i>sulindac</i> .....	8
<i>select-ob (folic acid)</i> .....	198	SOLQUA 100/33.....	47	<i>sumatriptan</i> .....	52
<i>selegiline hcl</i> .....	57	SOLTAMOX.....	29	<i>sumatriptan succinate</i> .....	52
<i>selenium sulfide</i> .....	105	SOLU-CORTEF ACT-O-		<i>sumatriptan-naproxen</i> .....	52
SELZENTRY.....	67	VIAL (PF).....	167	<i>sunitinib malate</i> .....	30
SEMGLEE(INSULIN		SOMATULINE DEPOT.....	168	SUNLENCA.....	67
GLARGINE-YFGN).....	46	SOMAVERT.....	169	SUNOSI.....	195
SEMGLEE(INSULIN		<i>sorafenib</i> .....	29	SURE COMFORT	
GLARG-YFGN)PEN.....	46	<i>sorine</i> .....	81	ALCOHOL PREP PADS.....	104
<i>se-natal 19 chewable</i> .....	198	<i>sotalol</i> .....	82	SURE COMFORT INS.	
SEREVENT DISKUS.....	191	<i>sotalol af</i> .....	81	SYR. U-100.....	138
SEROSTIM.....	168	SPIRIVA RESPIMAT.....	191	SURE COMFORT	
<i>sertraline</i> .....	42	SPIRIVA WITH		INSULIN SYRINGE....	138, 139
<i>setlakin</i> .....	100	HANDIHALER.....	191	SURE COMFORT PEN	
<i>sevelamer carbonate</i> .....	162	<i>spironolactone</i> .....	85	NEEDLE.....	139
<i>sevelamer hcl</i> .....	162	SPRAVATO.....	42	SURE COMFORT SAFETY	
SEZABY.....	37	<i>sprintec (28)</i> .....	100	PEN NEEDLE.....	138
<i>sf 5000 plus</i> .....	102	SPRITAM.....	37	SURE-FINE PEN	
<i>sharobel</i> .....	100	SPRYCEL.....	30	NEEDLES.....	139
SHINGRIX (PF).....	180	<i>sps (with sorbitol)</i> .....	161	SURE-JECT INSULIN	
SIGNIFOR.....	168	<i>sronyx</i> .....	100	SYRINGE.....	139, 140



SURE-PREP ALCOHOL	TECHLITE INSULIN	<i>tigecycline</i> .....	18
PREP PADS.....	SYRINGE.....	<i>timolol maleate</i> .....	82, 187
SUTAB.....	TECHLITE INSULN	<i>tiopronin</i> .....	162
<i>syeda</i> .....	SYR(HALF UNIT).....	TIVDAK.....	31
SYMDEKO.....	TECHLITE PEN NEEDLE..	TIVICAY.....	68
SYMLINPEN 120.....	TECVAYLI.....	TIVICAY PD.....	68
SYMLINPEN 60.....	TEFLARO.....	<i>tizanidine</i> .....	194
SYMPAZAN.....	<i>telmisartan</i> .....	<i>tobramycin</i> .....	11, 156
SYMTUZA.....	<i>telmisartan-hydrochlorothiazid</i> ..	<i>tobramycin in 0.225 % nacl</i> .....	11
SYNAREL.....	<i>temazepam</i> .....	<i>tobramycin sulfate</i> .....	11
SYNJARDY.....	TEMIXYS.....	<i>tobramycin-dexamethasone</i> ....	156
SYNJARDY XR.....	TENIVAC (PF).....	<i>tolterodine</i> .....	162
SYNRIBO.....	<i>tenofovir disoproxil fumarate</i> ...	TOPCARE CLICKFINE.....	142
SYRINGE WITH NEEDLE, SAFETY.....	TEPMETKO.....	TOPCARE ULTRA COMFORT.....	142
TABLOID.....	<i>terazosin</i> .....	<i>topiramate</i> .....	37, 38
TABRECTA.....	<i>terbinafine hcl</i> .....	<i>toposar</i> .....	31
<i>tacrolimus</i> .....	<i>terbutaline</i> .....	<i>toremifene</i> .....	31
<i>tadalafil (pulm. hypertension)</i>	<i>terconazole</i> .....	<i>torseamide</i> .....	85
TAFINLAR.....	<i>teriflunomide</i> .....	TOUJEO MAX U-300	
TAGRISSO.....	<i>teriparatide</i> .....	SOLOSTAR.....	47
TAKHZYRO.....	TERUMO INSULIN	TOUJEO SOLOSTAR U-300	
TALTZ AUTOINJECTOR..	SYRINGE.....	INSULIN.....	47
TALTZ SYRINGE.....	<i>testosterone</i> .....	TRACLEER.....	195
TALVEY.....	<i>testosterone cypionate</i> .....	TRADJENTA.....	44
TALZENNA.....	<i>testosterone enanthate</i> .....	<i>tramadol</i> .....	6
<i>tamoxifen</i> .....	TETANUS,DIPHThERIA	<i>tramadol-acetaminophen</i> .....	6
<i>tamsulosin</i> .....	TOX PED(PF).....	<i>trandolapril</i> .....	79
<i>tarina 24 fe</i> .....	<i>tetrabenazine</i> .....	<i>trandolapril-verapamil</i> .....	79
<i>tarina fe 1-20 eq (28)</i> .....	<i>tetracycline</i> .....	<i>tranexamic acid</i> .....	74
<i>taron-c dha</i> .....	THALOMID.....	<i>tranylecypromine</i> .....	42
<i>taron-prex prenatal-dha</i> .....	<i>theophylline</i> .....	TRAVASOL 10 %.....	76
TASCENSO ODT.....	THINPRO INSULIN	<i>travoprost</i> .....	187
TASIGNA.....	SYRINGE.....	TRAZIMERA.....	31
<i>tasimelteon</i> .....	<i>thioridazine</i> .....	<i>trazodone</i> .....	42
<i>tazarotene</i> .....	<i>thiothixene</i> .....	TRECTOR.....	53
TAZORAC.....	<i>tiadylt er</i> .....	TRELEGY ELLIPTA.....	192
<i>taztia xt</i> .....	<i>tiagabine</i> .....	TRELSTAR.....	31
TAZVERIK.....	TIBSOVO.....	TREMFYA.....	175
TDVAX.....	TICE BCG.....	<i>tretinoin</i> .....	108
	TICOVAC.....		

<i>tretinoin (antineoplastic)</i> .....	31	TRUE COMFORT PRO	ULTILET ALCOHOL
<i>triamcinolone acetonide</i>		ALCOHOL PADS.....	SWAB.....
.....	103, 108, 167	TRUE COMFORT PRO INS	ULTILET INSULIN
<i>triamterene-hydrochlorothiazid</i>	85	SYRINGE.....	SYRINGE.....
<i>trientine</i> .....	163	TRUE COMFORT SAFETY	ULTILET PEN NEEDLE....
<i>tri-estarylla</i> .....	100	PEN NEEDLE.....	ULTRA CMFT INS SYR
<i>trifluoperazine</i> .....	62	TRUEPLUS INSULIN.	(HALF UNIT).....
<i>trifluridine</i> .....	156	TRUEPLUS PEN NEEDLE	ULTRA COMFORT
<i>trihexyphenidyl</i> .....	57	TRULICITY.....	INSULIN SYRINGE
TRIJARDY XR.....	44, 45	TRUMENBA.....	.....
TRIKAFTA.....	194	TRUQAP.....	.....
<i>tri-legest fe</i> .....	100	TRUSELTIQ.....	ULTRA FLO INSUL
<i>tri-linyah</i> .....	101	TRUXIMA.....	SYR(HALF UNIT).....
<i>tri-lo-estarylla</i> .....	101	TUKYSA.....	ULTRA FLO INSULIN
<i>tri-lo-marzia</i> .....	101	<i>tulana</i> .....	SYRINGE.....
<i>tri-lo-mili</i> .....	101	TURALIO.....	ULTRA FLO PEN NEEDLE
<i>tri-lo-sprintec</i> .....	101	<i>turqoz (28)</i> .....	.....
<i>trimethoprim</i> .....	12	TWINRIX (PF).....	ULTRA THIN PEN
<i>tri-mili</i> .....	101	<i>tyblume</i> .....	NEEDLE.....
<i>trimipramine</i> .....	42	TYBOST.....	ULTRACARE INSULIN
TRINTELLIX.....	42	TYMLOS.....	SYRINGE.....
<i>tri-nymyo</i> .....	101	TYPHIM VI.....	ULTRACARE PEN
<i>tri-sprintec (28)</i> .....	101	TYSABRI.....	NEEDLE.....
TRIUMEQ.....	68	UBRELVY.....	ULTRA-THIN II (SHORT)
TRIUMEQ PD.....	68	UDENYCA.....	INS SYR.....
<i>triveen-duo dha</i> .....	198	UDENYCA	ULTRA-THIN II (SHORT)
<i>trivora (28)</i> .....	101	AUTOINJECTOR.....	PEN NDL.....
<i>tri-vylibra</i> .....	101	UDENYCA ONBODY.....	ULTRA-THIN II INS PEN
<i>tri-vylibra lo</i> .....	101	ULTICARE.....	NEEDLES.....
TRIZIVIR.....	68	ULTICARE.....	ULTRA-THIN II INSULIN
TROGARZO.....	68	ULTICARE INSULIN	SYRINGE.....
TROPHAMINE 10 %.....	76	SYRINGE.....	UNIFINE PEN NEEDLE....
<i>trosipium</i> .....	162	ULTICARE INSULN	UNIFINE PENTIPS.....
TRUE COMFORT		SYR(HALF UNIT).....	UNIFINE PENTIPS
ALCOHOL PADS.....	104	ULTICARE PEN NEEDLE	MAXFLOW.....
TRUE COMFORT		ULTICARE SAFETY PEN	UNIFINE PENTIPS PLUS
INSULIN SYRINGE.....	143	NEEDLE.....	.....
TRUE COMFORT PEN		ULTIGUARD SAFEPACK-	UNIFINE PENTIPS PLUS
NEEDLE.....	143	INSULIN SYR.....	MAXFLOW.....
		ULTIGUARD SAFEPACK-	UNIFINE PROTECT.....
		PEN NEEDLE.....	UNIFINE SAFECONTROL

UNIFINE ULTRA PEN	VERIFINE PLUS PEN	VUMERITY.....93
NEEDLE..... 151	NEEDLE..... 152	<i>vyfemla (28)</i> ..... 102
UPTRAVI..... 195, 196	VERIFINE PLUS PEN	<i>vylibra</i> .....102
<i>ursodiol</i> ..... 161	NEEDLE-SHARP..... 152	<i>warfarin</i> ..... 72
UZEDY.....62, 63	VERQUVO.....84	WEBCOL.....104
<i>valacyclovir</i> ..... 70	VERSACLOZ.....63	WELIREG.....32
VALCHLOR..... 104	VERSALON..... 152	<i>wera (28)</i> .....102
<i>valganciclovir</i> ..... 70	VERZENIO..... 32	<i>wixela inhub</i> ..... 190
<i>valproate sodium</i> ..... 38	<i>vestura (28)</i> ..... 101	XALKORI.....32
<i>valproic acid</i> .....38	V-GO 20..... 152	XARELTO..... 72
<i>valproic acid (as sodium salt)</i> ...38	V-GO 30..... 152	XARELTO DVT-PE TREAT
<i>valsartan</i> ..... 78	V-GO 40..... 152	30D START..... 72
<i>valsartan-hydrochlorothiazide</i> .. 78	<i>vienna</i> .....101	XATMEP.....32
VALTOCO..... 38	<i>vigabatrin</i> .....38	XCOPRI..... 38
<i>vancomycin</i> ..... 12	<i>vigadrone</i> ..... 38	XCOPRI MAINTENANCE
VANFLYTA..... 31	<i>vigpoder</i> ..... 38	PACK..... 38
VANISHPOINT INSULIN	<i>vilazodone</i> .....42	XCOPRI TITRATION
SYRINGE..... 151	<i>vinate care</i> .....198	PACK..... 38
VANISHPOINT SYRINGE.151	<i>vinorelbine</i> ..... 32	XELJANZ..... 175
VAQTA (PF)..... 181	<i>viorele (28)</i> .....101	XELJANZ XR..... 175
<i>varenicline</i> ..... 9	VIRACEPT..... 68	XERMELO.....161
VARIVAX (PF)..... 181	VIREAD.....68	XGEVA..... 183
VASCEPA..... 88	<i>virt-c dha</i> .....198	XHANCE..... 158
VEGZELMA..... 31	<i>virt-nate dha</i> .....198	XIFAXAN..... 12
VELCADE..... 31	<i>virt-pn dha</i> .....198	XIGDUO XR..... 45
<i>velivet triphasic regimen (28)</i> .101	<i>virt-pn plus</i> ..... 198	XIIDRA..... 158
VELPHORO..... 162	<i>vitafol gummies</i> ..... 198	XOFLUZA..... 69
VELTASSA..... 161	<i>vitafol nano</i> ..... 198	XOLAIR..... 194
VEMLIDY..... 68	<i>vitafol-ob+dha</i> ..... 198	XOSPATA..... 32
VENCLEXTA..... 32	VITRAKVI.....32	XPOVIO..... 33
VENCLEXTA STARTING	VIZIMPRO..... 32	XTAMPZA ER..... 6
PACK..... 32	VOCABRIA..... 68	XTANDI..... 33
<i>venlafaxine</i> .....42	<i>volnea (28)</i> ..... 101	<i>xulane</i> ..... 102
<i>venlafaxine besylate</i> ..... 42	VONJO..... 32	XULTOPHY 100/3.6..... 47
<i>verapamil</i> ..... 82, 83	<i>voriconazole</i> ..... 49, 50	XYOSTED.....164
VERIFINE INSULIN	VOSEVI..... 70	<i>yargesa</i> ..... 153
SYRINGE..... 151, 152	VOWST.....185	YERVOY.....33
VERIFINE PEN NEEDLE	<i>vp-ch-pnv</i> ..... 198	YF-VAX (PF)..... 181
..... 151, 152	<i>vp-pnv-dha</i> ..... 198	YONSA..... 33
	VRAYLAR.....63	<i>yuvafem</i> ..... 165

<i>zafemy</i> .....	102
<i>zafirlukast</i> .....	190
<i>zaleplon</i> .....	195
<i>zarah</i> .....	102
ZARXIO .....	74
<i>zatean-pn dha</i> .....	198
<i>zatean-pn plus</i> .....	198
ZEGALOGUE	
AUTOINJECTOR .....	186
ZEGALOGUE SYRINGE ...	186
ZEJULA .....	33
ZELBORAF .....	33
<i>zenatane</i> .....	104, 105
ZENPEP .....	153
<i>zidovudine</i> .....	68
<i>zingiber</i> .....	198
<i>ziprasidone hcl</i> .....	63
<i>ziprasidone mesylate</i> .....	63
ZIRABEV .....	33
ZIRGAN .....	156
ZOLADEX .....	33
<i>zoledronic acid</i> .....	183
<i>zoledronic acid-mannitol-water</i> .....	183
ZOLINZA .....	33
<i>zolmitriptan</i> .....	52
<i>zolpidem</i> .....	195
ZONISADE .....	39
<i>zonisamide</i> .....	39
<i>zovia 1-35 (28)</i> .....	102
ZTALMY .....	39
ZTLIDO .....	8
<i>zumandimine (28)</i> .....	102
ZURZUVAE .....	42
ZYDELIG .....	33
ZYKADIA .....	33
ZYLET .....	157
ZYNLONTA .....	34
ZYNYZ .....	34
ZYPREXA RELPREVV .....	63

Danh mục thuốc này đã được cập nhật vào 05/01/2024. Để biết thêm thông tin gần đây hoặc các câu hỏi khác, hãy liên hệ với Dịch vụ Hội viên CCA Medicare Excel theo số 866-333-3530 (TTY 711), 8 giờ sáng đến 8 giờ tối, 7 ngày trong tuần, từ 1 tháng 10 đến 31 tháng 3. (1 tháng 4 đến 30 tháng 9: 8 giờ sáng đến 8 giờ tối, thứ Hai đến thứ Sáu). Cuộc gọi được miễn phí. Hoặc truy cập [ccahealthca.org](http://ccahealthca.org).

© 2023 CCA Health Plans of California, Inc.