

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

Durable Medical Equipment (DME)

Code-specific list of Durable Medical Equipment (DME) and other services requiring prior authorization (PA):

| Prior authorization required | Code | Description |
|------------------------------|-------|--|
| Yes | A7025 | High-frequency chest w all oscillating sys vest |
| Yes | A7026 | High-frequency chest w all oscillating sys hose |
| Yes | A8002 | Helmet, protective, soft, custom fabricated, includes all components and accessories |
| Yes | A8003 | Helmet, protective, hard, custom fabricated, includes all components and accessories |
| Yes | A8004 | Soft interface for helmet, replacement only |
| Yes | E0193 | Powered air flotation bed (low air loss therapy) |
| Yes | E0194 | Air fluidized bed |
| Yes | E0202 | Phototherapy light w ith photon |
| Yes | E0236 | Pump for water-circulating pad |
| Yes | E0239 | Hydrocullator Unit Portable |
| Yes | E0277 | Powered pressure-reducing air mattress |
| Yes | E0301 | Hospital bed, heavy duty, extra wide, w ith weight capacity greater than 350 pounds, but less than or equal to 600 pounds, w ith any type side rails, w ithout mattress |
| Yes | E0302 | Hospital bed, extra heavy duty, extra wide, w ith weight capacity greater than 600 pounds, w ith any type side rails, w ithout mattress |
| Yes | E0303 | Hospital bed, heavy duty, extra wide, w ith weight capacity greater than 350 pounds, but less than or equal to 600 pounds, w ith any type side rails, w ith mattress |
| Yes | E0304 | Hospital bed, extra heavy duty, extra wide, w ith weight capacity greater than 600 pounds, w ith any type side rails, w ith mattress |
| Yes | E0373 | Nonpowered advanced pressure-reducing mattress |
| Yes | E0431 | Portable gaseous O2 |
| Yes | E0433 | Portable liquid oxygen sys |
| Yes | E0434 | Portable liquid O2 |
| Yes | E0439 | Stationary liquid O2 |
| Yes | E0441 | Oxygen contents, gaseous |
| Yes | E0442 | Oxygen contents, liquid |
| Yes | E0443 | Portable O2 contents, gas |
| Yes | E0444 | Portable O2 contents, liquid |
| Yes | E0462 | Rocking bed w ith or w ithout side rail |
| Yes | E0465 | Pressure support ventilator w ith volume control mode, may include pressure control mode, used w ith invasive interface (e.g., tracheostomy tube) |
| Yes | E0466 | Pressure support ventilator w ith volume control mode, may include pressure control mode, used w ith noninvasive interface (e.g., mask) |
| Yes | E0467 | Home ventilator, multi-function respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components, and supplies for all functions |
| Yes | E0470 | RAD w ithout backup noninvasive interface |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | E0471 | Respiratory assist device, bi-level pressure capability, with backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) |
| Yes | E0472 | RAD with backup invasive interface |
| Yes | E0482 | Cough stimulating device, alternating positive and negative airway pressure |
| Yes | E0483 | High-frequency chest wall oscillation air-pulse generator system (includes hoses and vest), each |
| Yes | E0562 | Humidifier heated used with PAP |
| Yes | E0601 | Continuous airway pressure device |
| Yes | E0627 | Seat lift mechanism incorporated into a combination lift-chair mechanism |
| Yes | E0635 | Patient lift, electric with seat or sling |
| Yes | E0636 | Multipositional patient support system, with integrated lift, patient accessible controls |
| Yes | E0639 | Patient lift, moveable from room to room with disassembly and reassembly, includes all components/accessories |
| Yes | E0640 | Patient lift fixed system, includes all components/accessories |
| Yes | E0650 | Pneumatic compressor, non-segmental (all rentals) |
| Yes | E0651 | Pneumatic compressor, segmental home model without calibrated gradient pressure |
| Yes | E0652 | Pneumatic compressor, segmental home model with calibrated gradient pressure |
| Yes | E0655 | Pneumatic appliance half arm |
| Yes | E0656 | Segmental pneumatic appliance for use with pneumatic compressor, trunk |
| Yes | E0657 | Segmental pneumatic appliance for use with pneumatic compressor, chest |
| Yes | E0660 | Pneumatic appliance full leg |
| Yes | E0665 | Pneumatic appliance full arm |
| Yes | E0666 | Non-segmental pneumatic appliance for use with pneumatic compressor, half leg |
| Yes | E0667 | Segmental pneumatic appliance for use with pneumatic compressor, full leg |
| Yes | E0668 | Segmental pneumatic appliance full arm |
| Yes | E0669 | Segmental pneumatic appliance half leg |
| Yes | E0670 | Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk |
| Yes | E0671 | Pressure pneumatic appliance full leg |
| Yes | E0672 | Pressure pneumatic appliance full arm |
| Yes | E0673 | Segmental gradient pressure pneumatic appliance, half leg |
| Yes | E0675 | Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral or bilateral system) |
| Yes | E0691 | Ultraviolet light therapy sys panel |
| Yes | E0692 | Ultraviolet light therapy sys panel |
| Yes | E0693 | Ultraviolet light therapy sys panel |
| Yes | E0694 | Ultraviolet multidirectional light therapy sys |
| Yes | E0740 | Incontinence treatment system |
| Yes | E0744 | Neuromuscular stimulator for scoliosis |
| Yes | E0745 | Neuromuscular stimulator, electronic shock unit |
| Yes | E0748 | Osteogenesis stimulator, electrical, noninvasive, spinal applications |
| Yes | E0760 | Osteogenesis stimulator, low-intensity ultrasound, noninvasive |
| Yes | E0762 | Transcutaneous electrical joint stimulation device, includes all accessories |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | E0764 | Functional neuromuscular stimulator, transcutaneous stimulation of muscles of ambulation with computer control, used for walking |
| Yes | E0765 | FDA-approved nerve stimulator, with replaceable batteries, for treatment of nausea and vomiting |
| Yes | E0784 | External ambulatory infusion pump, insulin |
| Yes | E0983 | Manual WC power add-on to convert to motorized, joystick control |
| Yes | E0984 | Manual WC power add-on to convert to motorized tiller control |
| Yes | E0986 | Manual wheelchair accessory, push-rim activated power assist system |
| Yes | E0988 | Manual WC accessory, lever-activated wheel drive, pair |
| Yes | E1002 | Wheelchair accessory, power seating system, tilt only |
| Yes | E1003 | Wheelchair accessory, power seating system, recline only, without shear reduction |
| Yes | E1004 | Wheelchair accessory, power seating system, recline only with mechanical shear reduction |
| Yes | E1005 | Wheelchair accessory, power seating system, recline only with power shear reduction |
| Yes | E1006 | Wheelchair accessory, power seating system, recline/tilt without shear reduction |
| Yes | E1007 | Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction |
| Yes | E1008 | Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction |
| Yes | E1009 | Wheelchair accessory, addition to power seating, mechanical leg rests |
| Yes | E1010 | Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair |
| Yes | E1012 | Wheelchair accessory, addition to power seating system, center-mount power elevating leg rest/platform, complete system, any type, each |
| Yes | E1035 | Patient transfer system |
| Yes | E1036 | Multi-positional patient transfer system, extra wide with integrated seat |
| Yes | E1161 | Manual adult-size wheelchair, includes tilt in space |
| Yes | E1230 | Power-operated vehicle (three- or four-wheel non-highway), specify brand name and model number |
| Yes | E1390 | Oxygen concentrator |
| Yes | E1391 | Oxygen concentrator, dual |
| Yes | E1392 | Portable oxygen concentrator |
| Yes | E1810 | Dynamic adjustable knee extension/flexion device, includes soft interface material |
| Yes | E1811 | Static progressive stretch knee device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories |
| Yes | E1816 | Static progressive stretch ankle device, flexion and/or extension, with or without range of motion adjustment, includes all components and accessories |
| Yes | E1825 | Dynamic adjustable finger extension/flexion device, includes soft interface material |
| Yes | E1830 | Dynamic adjustable toe extension/flexion device, includes soft interface material |
| Yes | E1841 | Static progressive stretch shoulder device, with or without range of motion adjustment, includes all components and accessories |
| Yes | E2203 | Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches |
| Yes | E2227 | Manual WC accessory, gear reduction drive wheel, each |
| Yes | E2228 | Manual WC accessory, wheel braking system and lock, complete |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | E2310 | Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware |
| Yes | E2311 | Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware |
| Yes | E2312 | Remote joystick proportional, including fixed mounting hardware |
| Yes | E2313 | Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors, and mounting hardware, each |
| Yes | E2321 | Power WC accessory, hand control joystick |
| Yes | E2322 | Power WC accessory, hand control multiple mechanical switch |
| Yes | E2325 | Power WC accessory, sip and puff interface |
| Yes | E2327 | Power WC accessory, head control interface, mechanical |
| Yes | E2328 | Power WC accessory, head or extremity control interface |
| Yes | E2329 | Power WC accessory, head control interface contact switch mechanism |
| Yes | E2330 | Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware |
| Yes | E2340 | Power WC accessory, nonstandard seat frame 20–23 inches |
| Yes | E2341 | Power WC accessory, nonstandard seat frame width 24- |
| Yes | E2342 | Power WC accessory, nonstandard seat frame depth 20- |
| Yes | E2343 | Power WC accessory, nonstandard seat frame depth 24- |
| Yes | E2351 | Power WC accessory, electronic interface to operate speech-generating device |
| Yes | E2368 | Power wheelchair component, drive wheel motor, replacement only |
| Yes | E2370 | Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only |
| Yes | E2373 | Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware |
| Yes | E2374 | Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only |
| Yes | E2375 | Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only |
| Yes | E2376 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only |
| Yes | E2377 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue |
| Yes | E2378 | Power wheelchair component, actuator, replacement only |
| Yes | E2402 | Negative pressure wound therapy electrical pump, stationary or portable |
| Yes | E2500 | Speech-generating device, digitized speech, using prerecorded messages greater than or equal to 8 minutes recording time |
| Yes | E2502 | Speech-generating device, digitized speech, using prerecorded messages greater than 8 minutes but less than or equal to 20 minutes recording time |
| Yes | E2504 | Speech-generating device, digitized speech, using prerecorded messages greater than 20 minutes but less than or equal to 40 min recording time |
| Yes | E2508 | Speech-generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device |
| Yes | E2510 | Speech-generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | E2511 | Speech-generating software program, for personal computer or personal digital assistant |
| Yes | E2512 | Accessory for speech-generating device, mounting system |
| Yes | E2613 | Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware |
| Yes | E2615 | Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware |
| Yes | E2616 | Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware |
| Yes | E2620 | Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware |
| Yes | E2621 | Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware |
| Yes | K0004 | High-strength, lightweight wheelchair |
| Yes | K0005 | Ultralightweight wheelchair |
| Yes | K0006 | Heavy-duty wheelchair |
| Yes | K0009 | Other manual wheelchair/base |
| Yes | K0010 | Standard - weight frame motorized/power wheelchair |
| Yes | K0108 | Wheelchair component or accessory, not otherwise specified |
| Yes | K0606 | Automatic external defibrillator, with integrated electrocardiogram analysis, garment type |
| Yes | K0672 | Addition to lower extremity orthosis, removable soft interface, all components, replacement only, each |
| Yes | K0738 | Portable gas oxygen system |
| Yes | K0800 | Power-operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds |
| Yes | K0801 | Power-operated vehicle, group 1 heavy duty, patient weight capacity 301 to 450 pounds |
| Yes | K0802 | Power-operated vehicle, group 1 very heavy duty, patient weight capacity 451 to 600 pounds |
| Yes | K0806 | Power-operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds |
| Yes | K0807 | Power-operated vehicle, group 2 heavy duty, patient weight capacity 301 to 450 pounds |
| Yes | K0808 | 301 to 450 pounds |
| Yes | K0813 | Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds |
| Yes | K0814 | Power wheelchair, group 1 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0815 | Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds |
| Yes | K0816 | Power wheelchair, group 1 standard, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0820 | Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0821 | Power wheelchair, group 2 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0822 | Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0823 | Power wheelchair, group 2 standard, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0824 | Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0825 | Power wheelchair, group 2 heavy duty, captain's chair, patient weight capacity 301 to 450 pounds |
| Yes | K0826 | Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | K0827 | Power wheelchair, group 2 very heavy duty, captain's chair, patient weight capacity 451 to 600 pounds |
| Yes | K0828 | Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more |
| Yes | K0829 | Powered wheelchair, group 2 extra heavy-duty captain's chair capacity 601 or more |
| Yes | K0835 | Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0836 | Power wheelchair, group 2 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0837 | Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0838 | Power wheelchair, group 2 heavy duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds |
| Yes | K0839 | Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| Yes | K0840 | Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more |
| Yes | K0841 | Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0842 | Power wheelchair, group 2 standard, multiple power option, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0843 | Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0848 | Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0849 | Power wheelchair, group 3 standard, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0850 | Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0851 | Power wheelchair, group 3 heavy duty, captain's chair, patient weight capacity 301 to 450 pounds |
| Yes | K0853 | Power wheelchair, group 3 very heavy duty, captain's chair, patient weight capacity 451 to 600 pounds |
| Yes | K0854 | Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more |
| Yes | K0855 | Power wheelchair, group 3 extra heavy duty, captain's chair, patient weight capacity 601 pounds or more |
| Yes | K0856 | Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0857 | Power wheelchair, group 3 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds |
| Yes | K0858 | Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0859 | Power wheelchair, group 3 heavy duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds |
| Yes | K0860 | Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| Yes | K0861 | Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| Yes | K0862 | Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| Yes | K0863 | Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| Yes | K0864 | Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more |
| Yes | L0112 | Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated |
| Yes | L0113 | Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment |
| Yes | L0130 | Cervical, flexible, thermoplastic collar, molded to patient |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L0140 | Cervical, semi-rigid, adjustable plastic collar |
| Yes | L0150 | Cervical, semi-rigid, adjustable molded chin cup plastic collar with mandibular/occipital piece |
| Yes | L0160 | Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf |
| Yes | L0170 | Cervical collar, molded to patient model |
| Yes | L0172 | Cervical collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf |
| Yes | L0174 | Cervical collar, semi-rigid, thermoplastic foam, two piece with thoracic extension, prefabricated, off-the-shelf |
| Yes | L0180 | Cervical, multiple-post collar, occipital/mandibular supports, adjustable |
| Yes | L0190 | Cervical, multiple-post collar, occipital/mandibular supports, adjustable cervical bars (somi, guilford, taylor types) |
| Yes | L0200 | Cervical, multiple-post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension |
| Yes | L0220 | Thoracic, rib belt, custom fabricated |
| Yes | L0450 | Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf |
| Yes | L0452 | Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated |
| Yes | L0454 | Tlso flexible, provides trunk support, extends from sacrococcygeal junction to above t-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0455 | Tlso, flexible, provides trunk support, extends from sacrococcygeal junction to above t-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf |
| Yes | L0456 | Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0457 | Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf |
| Yes | L0458 | Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| Yes | L0460 | Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L0462 | Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| Yes | L0464 | Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| Yes | L0466 | Tlso, sagittal control, rigid posterior frame and flexible soft anterior apron w ith straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0467 | Tlso, sagittal control, rigid posterior frame and flexible soft anterior apron w ith straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf |
| Yes | L0468 | Tlso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron w ith straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0469 | Tlso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron w ith straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf |
| Yes | L0470 | Tlso, triplanar control, rigid posterior frame and flexible soft anterior apron w ith straps, closures and padding extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment |
| Yes | L0472 | Tlso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch w ith two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment |
| Yes | L0480 | Tlso, triplanar control, one-piece rigid plastic shell w ithout interface liner, w ith multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| Yes | L0482 | Tlso, triplanar control, one-piece rigid plastic shell w ith interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L0484 | Tlso, triplanar control, two-piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| Yes | L0486 | Tlso, triplanar control, two-piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| Yes | L0488 | Tlso, triplanar control, one-piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment |
| Yes | L0490 | Tlso, sagittal-coronal control, one-piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the t-9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment |
| Yes | L0491 | Tlso, sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| Yes | L0492 | Tlso, sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| Yes | L0622 | Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated |
| Yes | L0623 | Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0624 | Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated |
| Yes | L0627 | Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0628 | Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L0629 | Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated |
| Yes | L0630 | Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0631 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0632 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated |
| Yes | L0633 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0634 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated |
| Yes | L0635 | Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment |
| Yes | L0636 | Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated |
| Yes | L0637 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0638 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L0639 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L0640 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated |
| Yes | L0641 | Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0642 | Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0643 | Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0648 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0649 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0650 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0651 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf |
| Yes | L0700 | Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model (minerva type) |
| Yes | L0710 | Ctlso, anterior-posterior-lateral-control, molded to patient model, with interface material (minerva type) |
| Yes | L0810 | Halo procedure, cervical halo incorporated into jacket vest |
| Yes | L0820 | Halo procedure, cervical halo incorporated into plaster body jacket |
| Yes | L0830 | Halo procedure, cervical halo incorporated into milwaukee type orthosis |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L0859 | Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material |
| Yes | L0861 | Addition to halo procedure, replacement liner/interface material |
| Yes | L0970 | Tlso, corset front |
| Yes | L0972 | Lso, corset front |
| Yes | L0974 | Tlso, full corset |
| Yes | L0976 | Lso, full corset |
| Yes | L0978 | Axillary crutch extension |
| Yes | L0980 | Peroneal straps, prefabricated, off-the-shelf, pair |
| Yes | L0984 | Protective body sock, prefabricated, off-the-shelf, each |
| Yes | L1000 | Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model |
| Yes | L1001 | Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment |
| Yes | L1005 | Tension-based scoliosis orthosis and accessory pads, includes fitting and adjustment |
| Yes | L1010 | Addition to cervical-thoracic-lumbar-sacral orthosis (ctlso) or scoliosis orthosis, axilla sling |
| Yes | L1020 | Addition to ctlso or scoliosis orthosis, kyphosis pad |
| Yes | L1025 | Addition to ctlso or scoliosis orthosis, kyphosis pad, floating |
| Yes | L1030 | Addition to ctlso or scoliosis orthosis, lumbar bolster pad |
| Yes | L1050 | Addition to ctlso or scoliosis orthosis, sternal pad |
| Yes | L1060 | Addition to ctlso or scoliosis orthosis, thoracic pad |
| Yes | L1070 | Addition to ctlso or scoliosis orthosis, trapezius sling |
| Yes | L1080 | Addition to ctlso or scoliosis orthosis, outrigger |
| Yes | L1085 | Addition to ctlso or scoliosis orthosis, outrigger, bilateral with vertical extensions |
| Yes | L1090 | Addition to ctlso or scoliosis orthosis, lumbar sling |
| Yes | L1110 | Addition to ctlso or scoliosis orthosis, ring flange, plastic or leather, molded to patient model |
| Yes | L1200 | Thoracic-lumbar-sacral-orthosis (tiso), inclusive of furnishing initial orthosis only |
| Yes | L1210 | Addition to tiso (low profile), lateral thoracic extension |
| Yes | L1220 | Addition to tiso (low profile), anterior thoracic extension |
| Yes | L1230 | Addition to tiso (low profile), milwaukee type superstructure |
| Yes | L1240 | Addition to tiso (low profile), lumbar derotation pad |
| Yes | L1250 | Addition to tiso (low profile), anterior asis pad |
| Yes | L1260 | Addition to tiso (low profile), anterior thoracic derotation pad |
| Yes | L1270 | Addition to tiso (low profile), abdominal pad |
| Yes | L1280 | Addition to tiso (low profile), rib gusset (elastic), each |
| Yes | L1290 | Addition to tiso (low profile), lateral trochanteric pad |
| Yes | L1300 | Other scoliosis procedure, body jacket molded to patient model |
| Yes | L1310 | Other scoliosis procedure, post-operative body jacket |
| Yes | L1600 | Hip orthosis, abduction control of hip joints, flexible, frejka type with cover, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1610 | Hip orthosis, abduction control of hip joints, flexible, (frejka cover only), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L1620 | Hip orthosis, abduction control of hip joints, flexible, (pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1630 | Hip orthosis, abduction control of hip joints, semi-flexible (von rosen type), custom fabricated |
| Yes | L1640 | Hip orthosis, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated |
| Yes | L1650 | Hip orthosis, abduction control of hip joints, static, adjustable, (ifled type), prefabricated, includes fitting and adjustment |
| Yes | L1660 | Hip orthosis, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment |
| Yes | L1680 | Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated |
| Yes | L1685 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated |
| Yes | L1686 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment |
| Yes | L1690 | Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment |
| Yes | L1700 | Legg perthes orthosis (toronto type), custom fabricated |
| Yes | L1710 | Legg perthes orthosis (new ington type), custom fabricated |
| Yes | L1720 | Legg perthes orthosis trilateral, (tachdijan type), custom fabricated |
| Yes | L1730 | Legg perthes orthosis (scottish rite type), custom fabricated |
| Yes | L1755 | Legg perthes orthosis (patten bottom type), custom fabricated |
| Yes | L1812 | Knee orthosis, elastic with joints, prefabricated, off-the-shelf |
| Yes | L1832 | Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1833 | Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the-shelf |
| Yes | L1834 | Knee orthosis, without knee joint, rigid, custom fabricated |
| Yes | L1840 | Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated |
| Yes | L1843 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1844 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated |
| Yes | L1845 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1846 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated |
| Yes | L1847 | Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| Yes | L1848 | Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, off-the-shelf |
| Yes | L1860 | Knee orthosis, modification of supracondylar prosthetic socket, custom fabricated (sk) |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L1904 | Ankle orthosis, ankle gauntlet, custom fabricated |
| Yes | L1907 | Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated |
| Yes | L1920 | Ankle foot orthosis, single upright with static or adjustable stop (phelps or perstein type), custom fabricated |
| Yes | L1932 | Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment |
| Yes | L1940 | Ankle foot orthosis, plastic or other material, custom fabricated |
| Yes | L1945 | Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated |
| Yes | L1950 | Ankle foot orthosis, spiral (institute of rehabilitative medicine type), plastic, custom fabricated |
| Yes | L1951 | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment |
| Yes | L1960 | Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated |
| Yes | L1970 | Ankle foot orthosis, plastic with ankle joint, custom fabricated |
| Yes | L1980 | Ankle foot orthosis, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single-bar "bk" orthosis), custom fabricated |
| Yes | L1990 | Ankle foot orthosis, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double-bar "bk" orthosis), custom fabricated |
| Yes | L2000 | Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single-bar "ak" orthosis), custom fabricated |
| Yes | L2005 | Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated |
| Yes | L2010 | Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single-bar "ak" orthosis), without knee joint, custom fabricated |
| Yes | L2020 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double-bar "ak" orthosis), custom fabricated |
| Yes | L2030 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double-bar "ak" orthosis), without knee joint, custom fabricated |
| Yes | L2034 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated |
| Yes | L2036 | Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated |
| Yes | L2037 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated |
| Yes | L2038 | Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated |
| Yes | L2040 | Hip knee ankle foot orthosis, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated |
| Yes | L2050 | Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated |
| Yes | L2060 | Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball-bearing hip joint, pelvic band/ belt, custom fabricated |
| Yes | L2070 | Hip knee ankle foot orthosis, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated |
| Yes | L2080 | Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom fabricated |
| Yes | L2090 | Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, ball-bearing hip joint, pelvic band/ belt, custom fabricated |
| Yes | L2106 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated |
| Yes | L2108 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L2112 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment |
| Yes | L2114 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment |
| Yes | L2116 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment |
| Yes | L2126 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated |
| Yes | L2128 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated |
| Yes | L2132 | Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment |
| Yes | L2134 | Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment |
| Yes | L2136 | Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment |
| Yes | L2320 | Addition to lower extremity, non-molded lacer, for custom-fabricated orthosis only |
| Yes | L2330 | Addition to lower extremity lacer molded to patient model, for custom-fabricated orthosis only |
| Yes | L2340 | Addition to lower extremity, pre-tibial shell, molded to patient model |
| Yes | L2350 | Addition to lower extremity, prosthetic type (bk) socket, molded to patient model (used for "ptb" "afo" orthoses) |
| Yes | L2387 | Addition to lower extremity, polycentric knee joint, for custom-fabricated knee ankle foot orthosis, each joint |
| Yes | L2510 | Addition to lower extremity, thigh/w eight bearing, quadrilateral brim, molded to patient model |
| Yes | L2520 | Addition to lower extremity, thigh/w eight bearing, quadrilateral brim, custom fitted |
| Yes | L2525 | Addition to lower extremity, thigh/w eight bearing, ischial containment/narrow m-l brim molded to patient model |
| Yes | L2526 | Addition to lower extremity, thigh/w eight bearing, ischial containment/narrow m-l brim, custom fitted |
| Yes | L2540 | Addition to lower extremity, thigh/w eight bearing lacer, molded to patient model |
| Yes | L2627 | Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables |
| Yes | L2628 | Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables |
| Yes | L2755 | Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom-fabricated orthosis only |
| Yes | L2800 | Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom-fabricated orthosis only |
| Yes | L3002 | Foot, insert, removable, molded to patient model, plastazote or equal, each |
| Yes | L3003 | Foot, insert, removable, molded to patient model, silicone gel, each |
| Yes | L3020 | Foot, insert, removable, molded to patient model, longitudinal/ metatarsal support, each |
| Yes | L3330 | Lift, elevation, metal extension (skate) |
| Yes | L3671 | Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3674 | Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3675 | Shoulder orthosis, vest type abduction restrainer, canvas webbing type or equal, prefabricated, off-the-shelf |
| Yes | L3702 | Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3720 | Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L3730 | Elbow orthosis, double upright w ith forearm/arm cuffs, extension/ flexion assist, custom fabricated |
| Yes | L3740 | Elbow orthosis, double upright w ith forearm/arm cuffs, adjustable position lock w ith active control, custom fabricated |
| Yes | L3763 | Elbow w rist hand orthosis, rigid, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3764 | Elbow w rist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3765 | Elbow w rist hand finger orthosis, rigid, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3766 | Elbow w rist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3806 | Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3900 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal w rist extension/flexion, finger flexion/extension, w rist or finger driven, custom fabricated |
| Yes | L3901 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal w rist extension/ flexion, finger flexion/extension, cable driven, custom fabricated |
| Yes | L3904 | Wrist hand finger orthosis, external pow ered, electric, custom fabricated |
| Yes | L3905 | Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3913 | Hand finger orthosis, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3919 | Hand orthosis, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3921 | Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3933 | Finger orthosis, w ithout joints, may include soft interface, custom fabricated, includes fitting and adjustment |
| Yes | L3935 | Finger orthosis, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment |
| Yes | L3956 | Addition of joint to upper extremity orthosis, any material, per joint |
| Yes | L3960 | Shoulder elbow w rist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment |
| Yes | L3961 | Shoulder elbow w rist hand orthosis, shoulder cap design, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3962 | Shoulder elbow w rist hand orthosis, abduction positioning, erbs palsey design, prefabricated, includes fitting and adjustment |
| Yes | L3967 | Shoulder elbow w rist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3971 | Shoulder elbow w rist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3973 | Shoulder elbow w rist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3975 | Shoulder elbow w rist hand finger orthosis, shoulder cap design, w ithout joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L3976 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3977 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L3978 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| Yes | L4000 | Replacement girdle for spinal orthosis (ctls or so) |
| Yes | L4010 | Replacement trilateral socket brim |
| Yes | L4020 | Replacement quadrilateral socket brim, molded to patient model |
| Yes | L4030 | Replacement quadrilateral socket brim, custom fitted |
| Yes | L4040 | Replacement molded thigh lacer, for custom-fabricated orthosis only |
| Yes | L4045 | Replacement non-molded thigh lacer, for custom-fabricated orthosis only |
| Yes | L4050 | Replacement molded calf lacer, for custom fabricated orthosis only |
| Yes | L4055 | Replacement non-molded calf lacer, for custom-fabricated orthosis only |
| Yes | L4361 | Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated, off-the-shelf |
| Yes | L4631 | Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated |
| Yes | L5000 | Partial foot, shoe insert with longitudinal arch, toe filler |
| Yes | L5010 | Partial foot, molded socket, ankle height, with toe filler |
| Yes | L5020 | Partial foot, molded socket, tibial tubercle height, with toe filler |
| Yes | L5050 | Ankle, symes, molded socket, each foot |
| Yes | L5060 | Ankle, symes, metal frame, molded leather socket, articulated ankle/foot |
| Yes | L5100 | Below knee, molded socket, shin, each foot |
| Yes | L5105 | Below knee, plastic socket, joints and thigh lacer, each foot |
| Yes | L5150 | Knee disarticulation (or through knee), molded socket, external knee joints, shin, each foot |
| Yes | L5160 | Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, each foot |
| Yes | L5200 | Above knee, molded socket, single-axis constant friction knee, shin, each foot |
| Yes | L5210 | Above knee, short prosthesis, no knee joint ("stubbies"), with foot blocks, no ankle joints, each |
| Yes | L5220 | Above knee, short prosthesis, no knee joint ("stubbies"), with articulated ankle/foot, dynamically aligned, each |
| Yes | L5230 | Above knee, for proximal femoral focal deficiency, constant friction knee, shin, each foot |
| Yes | L5250 | Hip disarticulation, canadian type; molded socket, hip joint, single-axis constant friction knee, shin, each foot |
| Yes | L5270 | Hip disarticulation, tilt table type; molded socket, locking hip joint, single-axis constant friction knee, shin, each foot |
| Yes | L5280 | Hemipelvectomy, canadian type; molded socket, hip joint, single-axis constant friction knee, shin, each foot |
| Yes | L5301 | Below knee, molded socket, shin, each foot, endoskeletal system |
| Yes | L5312 | Knee disarticulation (or through knee), molded socket, single-axis knee, pylon, each foot, endoskeletal system |
| Yes | L5321 | Above knee, molded socket, open end, each foot, endoskeletal system, single-axis knee |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L5331 | Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single-axis knee, sach foot |
| Yes | L5341 | Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single-axis knee, sach foot |
| Yes | L5400 | Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee |
| Yes | L5410 | Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment |
| Yes | L5420 | Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, and one cast change, "ak" or knee disarticulation |
| Yes | L5430 | Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, "ak" or knee disarticulation, each additional cast change and realignment |
| Yes | L5450 | Immediate post-surgical or early fitting, application of non-weight bearing rigid dressing, below knee |
| Yes | L5460 | Immediate post-surgical or early fitting, application of non-weight bearing rigid dressing, above knee |
| Yes | L5500 | Initial, below knee "ptb" type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed |
| Yes | L5505 | Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed |
| Yes | L5510 | Preparatory, below knee "ptb" type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model |
| Yes | L5520 | Preparatory, below knee "ptb" type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed |
| Yes | L5530 | Preparatory, below knee "ptb" type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model |
| Yes | L5535 | Preparatory, below knee "ptb" type socket, non-alignable system, no cover, sach foot, prefabricated, adjustable open end socket |
| Yes | L5540 | Preparatory, below knee "ptb" type socket, non-alignable system, pylon, no cover, sach foot, laminated socket, molded to model |
| Yes | L5560 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model |
| Yes | L5570 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed |
| Yes | L5580 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model |
| Yes | L5585 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, prefabricated adjustable open end socket |
| Yes | L5590 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, sach foot, laminated socket, molded to model |
| Yes | L5595 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, thermoplastic or equal, molded to patient model |
| Yes | L5600 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, laminated socket, molded to patient model |
| Yes | L5610 | Addition to lower extremity, endoskeletal system, above knee, hydracadece system |
| Yes | L5611 | Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4-bar linkage, with friction swing phase control |
| Yes | L5613 | Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4-bar linkage, with hydraulic swing phase control |
| Yes | L5614 | Addition to lower extremity, exoskeletal system, above knee - knee disarticulation, 4-bar linkage, with pneumatic swing phase control |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L5616 | Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control |
| Yes | L5617 | Addition to lower extremity, quick-change self-aligning unit, above knee or below knee, each |
| Yes | L5618 | Addition to lower extremity, test socket, symes |
| Yes | L5620 | Addition to lower extremity, test socket, below knee |
| Yes | L5622 | Addition to lower extremity, test socket, knee disarticulation |
| Yes | L5624 | Addition to lower extremity, test socket, above knee |
| Yes | L5626 | Addition to lower extremity, test socket, hip disarticulation |
| Yes | L5628 | Addition to lower extremity, test socket, hemipelvectomy |
| Yes | L5629 | Addition to lower extremity, below knee, acrylic socket |
| Yes | L5630 | Addition to lower extremity, symes type, expandable wall socket |
| Yes | L5631 | Addition to lower extremity, above knee or knee disarticulation, acrylic socket |
| Yes | L5632 | Addition to lower extremity, symes type, "ptb" brim design socket |
| Yes | L5634 | Addition to lower extremity, symes type, posterior opening (canadian) socket |
| Yes | L5636 | Addition to lower extremity, symes type, medial opening socket |
| Yes | L5637 | Addition to lower extremity, below knee, total contact |
| Yes | L5638 | Addition to lower extremity, below knee, leather socket |
| Yes | L5639 | Addition to lower extremity, below knee, wood socket |
| Yes | L5640 | Addition to lower extremity, knee disarticulation, leather socket |
| Yes | L5642 | Addition to lower extremity, above knee, leather socket |
| Yes | L5643 | Addition to lower extremity, hip disarticulation, flexible inner socket, external frame |
| Yes | L5644 | Addition to lower extremity, above knee, wood socket |
| Yes | L5645 | Addition to lower extremity, below knee, flexible inner socket, external frame |
| Yes | L5646 | Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket |
| Yes | L5647 | Addition to lower extremity, below knee suction socket |
| Yes | L5648 | Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket |
| Yes | L5649 | Addition to lower extremity, ischial containment/narrow m-l socket |
| Yes | L5650 | Additions to lower extremity, total contact, above knee or knee disarticulation socket |
| Yes | L5651 | Addition to lower extremity, above knee, flexible inner socket, external frame |
| Yes | L5652 | Addition to lower extremity, suction suspension, above knee or knee disarticulation socket |
| Yes | L5653 | Addition to lower extremity, knee disarticulation, expandable wall socket |
| Yes | L5654 | Addition to lower extremity, socket insert, symes (kemblo, pelite, aliplast, plastazote or equal) |
| Yes | L5655 | Addition to lower extremity, socket insert, below knee (kemblo, pelite, aliplast, plastazote or equal) |
| Yes | L5656 | Addition to lower extremity, socket insert, knee disarticulation (kemblo, pelite, aliplast, plastazote or equal) |
| Yes | L5658 | Addition to lower extremity, socket insert, above knee (kemblo, pelite, aliplast, plastazote or equal) |
| Yes | L5661 | Addition to lower extremity, socket insert, multi-durometer symes |
| Yes | L5665 | Addition to lower extremity, socket insert, multi-durometer, below knee |
| Yes | L5666 | Addition to lower extremity, below knee, cuff suspension |
| Yes | L5670 | Addition to lower extremity, below knee, molded supracondylar suspension ("pts" or similar) |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L5671 | Addition to lower extremity, below knee / above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert |
| Yes | L5672 | Addition to lower extremity, below knee, removable medial brim suspension |
| Yes | L5673 | Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |
| Yes | L5676 | Additions to lower extremity, below knee, knee joints, single axis, pair |
| Yes | L5677 | Additions to lower extremity, below knee, knee joints, polycentric, pair |
| Yes | L5678 | Additions to lower extremity, below knee, joint covers, pair |
| Yes | L5679 | Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism |
| Yes | L5680 | Addition to lower extremity, below knee, thigh lacer, nonmolded |
| Yes | L5681 | Addition to lower extremity, below knee/above knee, custom-fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679) |
| Yes | L5682 | Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded |
| Yes | L5683 | Addition to lower extremity, below knee/above knee, custom-fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679) |
| Yes | L5684 | Addition to lower extremity, below knee, fork strap |
| Yes | L5686 | Addition to lower extremity, below knee, back check (extension control) |
| Yes | L5688 | Addition to lower extremity, below knee, waist belt, webbing |
| Yes | L5690 | Addition to lower extremity, below knee, waist belt, padded and lined |
| Yes | L5692 | Addition to lower extremity, above knee, pelvic control belt, light |
| Yes | L5694 | Addition to lower extremity, above knee, pelvic control belt, padded and lined |
| Yes | L5695 | Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each |
| Yes | L5696 | Addition to lower extremity, above knee or knee disarticulation, pelvic joint |
| Yes | L5697 | Addition to lower extremity, above knee or knee disarticulation, pelvic band |
| Yes | L5699 | All lower extremity prostheses, shoulder harness |
| Yes | L5700 | Replacement, socket, below knee, molded to patient model |
| Yes | L5701 | Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model |
| Yes | L5702 | Replacement, socket, hip disarticulation, including hip joint, molded to patient model |
| Yes | L5703 | Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only |
| Yes | L5704 | Custom shaped protective cover, below knee |
| Yes | L5705 | Custom shaped protective cover, above knee |
| Yes | L5706 | Custom shaped protective cover, knee disarticulation |
| Yes | L5707 | Custom-shaped protective cover, hip disarticulation |
| Yes | L5710 | Addition, exoskeletal knee-shin system, single axis, manual lock |
| Yes | L5711 | Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material |
| Yes | L5712 | Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee) |
| Yes | L5714 | Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L5716 | Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| Yes | L5718 | Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control |
| Yes | L5722 | Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| Yes | L5724 | Addition, exoskeletal knee-shin system, single axis, fluid swing phase control |
| Yes | L5726 | Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control |
| Yes | L5728 | Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| Yes | L5780 | Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control |
| Yes | L5781 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system |
| Yes | L5782 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty |
| Yes | L5785 | Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5790 | Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5795 | Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5810 | Addition, endoskeletal knee-shin system, single axis, manual lock |
| Yes | L5811 | Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material |
| Yes | L5812 | Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee) |
| Yes | L5814 | Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock |
| Yes | L5816 | Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| Yes | L5818 | Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control |
| Yes | L5822 | Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| Yes | L5824 | Addition, endoskeletal knee-shin system, single axis, fluid swing phase control |
| Yes | L5826 | Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high-activity frame |
| Yes | L5828 | Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| Yes | L5830 | Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control |
| Yes | L5840 | Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control |
| Yes | L5845 | Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable |
| Yes | L5848 | Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability |
| Yes | L5855 | Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist |
| Yes | L5856 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type |
| Yes | L5857 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type |
| Yes | L5858 | Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type |
| Yes | L5910 | Addition, endoskeletal system, below knee, alignable system |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L5920 | Addition, endoskeletal system, above knee or hip disarticulation, alignable system |
| Yes | L5925 | Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock |
| Yes | L5930 | Addition, endoskeletal system, high-activity knee control frame |
| Yes | L5940 | Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5950 | Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5960 | Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| Yes | L5961 | Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control |
| Yes | L5962 | Addition, endoskeletal system, below knee, flexible protective outer surface covering system |
| Yes | L5964 | Addition, endoskeletal system, above knee, flexible protective outer surface covering system |
| Yes | L5966 | Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system |
| Yes | L5968 | Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature |
| Yes | L5970 | All lower extremity prostheses, foot, external keel, each foot |
| Yes | L5971 | All lower extremity prosthesis, solid ankle cushion heel (sach) foot, replacement only |
| Yes | L5972 | All lower extremity prostheses, foot, flexible keel |
| Yes | L5973 | Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source |
| Yes | L5975 | All lower extremity prosthesis, combination single-axis ankle and flexible keel foot |
| Yes | L5976 | All lower extremity prostheses, energy storing foot (seattle carbon copy ii or equal) |
| Yes | L5978 | All lower extremity prostheses, foot, multiaxial ankle/foot |
| Yes | L5979 | All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one-piece system |
| Yes | L5980 | All lower extremity prostheses, flex foot system |
| Yes | L5981 | All lower extremity prostheses, flex-walk system or equal |
| Yes | L5982 | All exoskeletal lower extremity prostheses, axial rotation unit |
| Yes | L5984 | All endoskeletal lower extremity prosthesis, axial rotation unit, with or without adjustability |
| Yes | L5985 | All endoskeletal lower extremity prostheses, dynamic prosthetic pylon |
| Yes | L5986 | All lower extremity prostheses, multi-axial rotation unit ("mcp" or equal) |
| Yes | L5987 | All lower extremity prosthesis, shank foot system with vertical loading pylon |
| Yes | L5988 | Addition to lower limb prosthesis, vertical shock-reducing pylon feature |
| Yes | L5990 | Addition to lower extremity prosthesis, user-adjustable heel height |
| Yes | L6000 | Partial hand, thumb remaining |
| Yes | L6010 | Partial hand, little and/or ring finger remaining |
| Yes | L6020 | Partial hand, no finger remaining |
| Yes | L6050 | Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad |
| Yes | L6055 | Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad |
| Yes | L6100 | Below elbow, molded socket, flexible elbow hinge, triceps pad |
| Yes | L6110 | Below elbow, molded socket, (muenster or northwestern suspension types) |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L6120 | Below elbow ,molded double-wall split socket, step-up hinges, half cuff |
| Yes | L6130 | Below elbow ,molded double-wall split socket, stump-activated locking hinge, half cuff |
| Yes | L6200 | Elbow disarticulation, molded socket, outside locking hinge, forearm |
| Yes | L6205 | Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm |
| Yes | L6250 | Above elbow ,molded double-wall socket, internal locking elbow , forearm |
| Yes | L6300 | Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow , forearm |
| Yes | L6310 | Shoulder disarticulation, passive restoration (complete prosthesis) |
| Yes | L6320 | Shoulder disarticulation, passive restoration (shoulder cap only) |
| Yes | L6350 | Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow , forearm |
| Yes | L6360 | Interscapular thoracic, passive restoration (complete prosthesis) |
| Yes | L6370 | Interscapular thoracic, passive restoration (shoulder cap only) |
| Yes | L6380 | Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow |
| Yes | L6382 | Immediate post-surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow |
| Yes | L6384 | Immediate post-surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic |
| Yes | L6386 | Immediate post-surgical or early fitting, each additional cast change and realignment |
| Yes | L6388 | Immediate post-surgical or early fitting, application of rigid dressing only |
| Yes | L6400 | Below elbow ,molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| Yes | L6450 | Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| Yes | L6500 | Above elbow ,molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| Yes | L6550 | Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| Yes | L6570 | Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| Yes | L6580 | Preparatory, wrist disarticulation or below elbow , single-wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bow den cable control, usmc or equal pylon, no cover, molded to patient model |
| Yes | L6582 | Preparatory, wrist disarticulation or below elbow , single-wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bow den cable control, usmc or equal pylon, no cover, direct formed |
| Yes | L6584 | Preparatory, elbow disarticulation or above elbow , single-wall plastic socket, friction wrist, locking elbow , figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, molded to patient model |
| Yes | L6586 | Preparatory, elbow disarticulation or above elbow , single-wall socket, friction wrist, locking elbow , figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, direct formed |
| Yes | L6588 | Preparatory, shoulder disarticulation or interscapular thoracic, single-wall plastic socket, shoulder joint, locking elbow , friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, molded to patient model |
| Yes | L6590 | Preparatory, shoulder disarticulation or interscapular thoracic, single-wall socket, shoulder joint, locking elbow , friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, direct formed |
| Yes | L6605 | Upper extremity additions, single pivot hinge, pair |
| Yes | L6610 | Upper extremity additions, flexible metal hinge, pair |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L6611 | Addition to upper extremity prosthesis, external powered, additional switch, any type |
| Yes | L6615 | Upper extremity addition, disconnect locking wrist unit |
| Yes | L6616 | Upper extremity addition, additional disconnect insert for locking wrist unit, each |
| Yes | L6620 | Upper extremity addition, flexion/extension wrist unit, with or without friction |
| Yes | L6621 | Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device |
| Yes | L6623 | Upper extremity addition, spring-assisted rotational wrist unit with latch release |
| Yes | L6624 | Upper extremity addition, flexion/extension and rotation wrist unit |
| Yes | L6625 | Upper extremity addition, rotation wrist unit with cable lock |
| Yes | L6628 | Upper extremity addition, quick disconnect hook adapter, otto bock or equal |
| Yes | L6629 | Upper extremity addition, quick disconnect lamination collar with coupling piece, otto bock or equal |
| Yes | L6630 | Upper extremity addition, stainless steel, any wrist |
| Yes | L6632 | Upper extremity addition, latex suspension sleeve, each |
| Yes | L6635 | Upper extremity addition, lift assist for elbow |
| Yes | L6637 | Upper extremity addition, nudge control elbow lock |
| Yes | L6638 | Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow |
| Yes | L6640 | Upper extremity additions, shoulder abduction joint, pair |
| Yes | L6641 | Upper extremity addition, excursion amplifier, pulley type |
| Yes | L6642 | Upper extremity addition, excursion amplifier, lever type |
| Yes | L6645 | Upper extremity addition, shoulder flexion-abduction joint, each |
| Yes | L6646 | Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system |
| Yes | L6647 | Upper extremity addition, shoulder lock mechanism, body powered actuator |
| Yes | L6648 | Upper extremity addition, shoulder lock mechanism, external powered actuator |
| Yes | L6650 | Upper extremity addition, shoulder universal joint, each |
| Yes | L6655 | Upper extremity addition, standard control cable, extra |
| Yes | L6660 | Upper extremity addition, heavy duty control cable |
| Yes | L6672 | Upper extremity addition, harness, chest or shoulder, saddle type |
| Yes | L6675 | Upper extremity addition, harness (e.g., figure of eight type), single-cable design |
| Yes | L6676 | Upper extremity addition, harness (e.g., figure of eight type), dual-cable design |
| Yes | L6677 | Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow |
| Yes | L6680 | Upper extremity addition, test socket, wrist disarticulation or below elbow |
| Yes | L6682 | Upper extremity addition, test socket, elbow disarticulation or above elbow |
| Yes | L6684 | Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic |
| Yes | L6686 | Upper extremity addition, suction socket |
| Yes | L6687 | Upper extremity addition, frame type socket, below elbow or wrist disarticulation |
| Yes | L6688 | Upper extremity addition, frame type socket, above elbow or elbow disarticulation |
| Yes | L6689 | Upper extremity addition, frame type socket, shoulder disarticulation |
| Yes | L6690 | Upper extremity addition, frame type socket, interscapular-thoracic |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L6691 | Upper extremity addition, removable insert, each |
| Yes | L6692 | Upper extremity addition, silicone gel insert or equal, each |
| Yes | L6693 | Upper extremity addition, locking elbow , forearm counterbalance |
| Yes | L6694 | Addition to upper extremity prosthesis, below elbow /above elbow , custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use w ith locking mechanism |
| Yes | L6695 | Addition to upper extremity prosthesis, below elbow /above elbow , custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use w ith locking mechanism |
| Yes | L6696 | Addition to upper extremity prosthesis, below elbow /above elbow , custom-fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use w ith or w ithout locking mechanism, initial only (for other than initial, use code l6694 or l6695) |
| Yes | L6697 | Addition to upper extremity prosthesis, below elbow /above elbow , custom-fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use w ith or w ithout locking mechanism, initial only (for other than initial, use code l6694 or l6695) |
| Yes | L6698 | Addition to upper extremity prosthesis, below elbow /above elbow , lock mechanism, excludes socket insert |
| Yes | L6703 | Terminal device, passive hand/mitt, any material, any size |
| Yes | L6704 | Terminal device, sport/recreational/w ork attachment, any material, any size |
| Yes | L6706 | Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined |
| Yes | L6707 | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined |
| Yes | L6708 | Terminal device, hand, mechanical, voluntary opening, any material, any size |
| Yes | L6709 | Terminal device, hand, mechanical, voluntary closing, any material, any size |
| Yes | L6715 | Terminal device, multiple articulating digit, includes motor(s), initial issue or replacement |
| Yes | L6805 | Addition to terminal device, modifier w rist unit |
| Yes | L6810 | Addition to terminal device, precision pinch device |
| Yes | L6880 | Electric hand, sw itch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s) |
| Yes | L6881 | Automatic grasp feature, addition to upper limb electric prosthetic terminal device |
| Yes | L6882 | Microprocessor control feature, addition to upper limb prosthetic terminal device |
| Yes | L6883 | Replacement socket, below elbow /w rist disarticulation, molded to patient model, for use w ith or w ithout external pow er |
| Yes | L6884 | Replacement socket, above elbow /elbow disarticulation, molded to patient model, for use w ith or w ithout external pow er |
| Yes | L6885 | Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use w ith or w ithout external pow er |
| Yes | L6890 | Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment |
| Yes | L6895 | Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated |
| Yes | L6900 | Hand restoration (casts, shading and measurements included), partial hand, w ith glove, thumb or one finger remaining |
| Yes | L6905 | Hand restoration (casts, shading and measurements included), partial hand, w ith glove, multiple fingers remaining |
| Yes | L6910 | Hand restoration (casts, shading and measurements included), partial hand, w ith glove, no fingers remaining |
| Yes | L6915 | Hand restoration (shading, and measurements included), replacement glove for above |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|--|
| Yes | L6920 | Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal, sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6925 | Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L6930 | Below elbow , external power, self-suspended inner socket, removable forearm shell, otto bock or equal sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6935 | Below elbow , external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L6940 | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6945 | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L6950 | Above elbow , external power, molded inner socket, removable humeral shell, internal locking elbow , forearm, otto bock or equal sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6955 | Above elbow , external power, molded inner socket, removable humeral shell, internal locking elbow , forearm, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L6960 | Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow , forearm, otto bock or equal sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6965 | Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow , forearm, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L6970 | Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow , forearm, otto bock or equal sw itch, cables, tw o batteries and one charger, sw itch control of terminal device |
| Yes | L6975 | Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow , forearm, otto bock or equal electrodes, cables, tw o batteries and one charger, myoelectronic control of terminal device |
| Yes | L7007 | Electric hand, sw itch or myoelectric controlled, adult |
| Yes | L7008 | Electric hand, sw itch or myoelectric, controlled, pediatric |
| Yes | L7009 | Electric hook, sw itch or myoelectric controlled, adult |
| Yes | L7040 | Prehensile actuator, sw itch controlled |
| Yes | L7045 | Electric hook, sw itch or myoelectric controlled, pediatric |
| Yes | L7170 | Electronic elbow , hosmer or equal, sw itch controlled |
| Yes | L7180 | Electronic elbow , microprocessor sequential control of elbow and terminal device |
| Yes | L7181 | Electronic elbow , microprocessor simultaneous control of elbow and terminal device |
| Yes | L7185 | Electronic elbow , adolescent, variety village or equal, sw itch controlled |
| Yes | L7186 | Electronic elbow , child, variety village or equal, sw itch controlled |
| Yes | L7190 | Electronic elbow , adolescent, variety village or equal, myoelectronically controlled |
| Yes | L7191 | Electronic elbow , child, variety village or equal, myoelectronically controlled |
| Yes | L7360 | Six-volt battery, each |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS

| | | |
|-----|-------|---|
| Yes | L7362 | Battery charger, six volt, each |
| Yes | L7364 | Twelve-volt battery, each |
| Yes | L7366 | Battery charger, twelve volt, each |
| Yes | L7367 | Lithium-ion battery, rechargeable, replacement |
| Yes | L7368 | Lithium-ion battery charger, replacement only |
| Yes | L7400 | Addition to upper extremity prosthesis, below elbow /w rist disarticulation, ultralight material (titanium, carbon fiber, or equal) |
| Yes | L7401 | Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber, or equal) |
| Yes | L7402 | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber, or equal) |
| Yes | L7403 | Addition to upper extremity prosthesis, below elbow /w rist disarticulation, acrylic material |
| Yes | L7404 | Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material |
| Yes | L7405 | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material |
| Yes | L8001 | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral, any size, any type |
| Yes | L8002 | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type |
| Yes | L8015 | External breast prosthesis garment, with mastectomy form, post mastectomy |
| Yes | L8020 | Breast prosthesis, mastectomy form |
| Yes | L8030 | Breast prosthesis, silicone or equal, without integral adhesive |
| Yes | L8031 | Breast prosthesis, silicone or equal, with integral adhesive |
| Yes | L8032 | Nipple prosthesis, reusable, any type, each |
| Yes | L8035 | Custom breast prosthesis, post mastectomy, molded to patient model |
| Yes | L8040 | Nasal prosthesis, provided by a non-physician |
| Yes | L8041 | Midfacial prosthesis, provided by a non-physician |
| Yes | L8042 | Orbital prosthesis, provided by a non-physician |
| Yes | L8043 | Upper facial prosthesis, provided by a non-physician |
| Yes | L8044 | Hemi-facial prosthesis, provided by a non-physician |
| Yes | L8045 | Auricular prosthesis, provided by a non-physician |
| Yes | L8046 | Partial facial prosthesis, provided by a non-physician |
| Yes | L8047 | Nasal septal prosthesis, provided by a non-physician |
| Yes | L8500 | Artificial larynx, any type |
| Yes | L8513 | Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal, replacement only, each |
| Yes | L8515 | Gelatin capsule, application device for use with tracheoesophageal voice prosthesis, each |
| Yes | K0554 | Receiver/monitor dedicated for use with continuous glucose monitor |
| Yes | K0553 | Supply allowance for continuous glucose monitor |
| Yes | V2623 | Prosthetic eye, plastic, custom |
| Yes | V2624 | Polishing/resurfacing of ocular prosthesis |
| Yes | V2625 | Enlargement of ocular prosthesis |
| Yes | V2626 | Reduction of ocular prosthesis |
| Yes | V2627 | Scleral cover shell |
| Yes | V2628 | Fabrication and fitting of ocular conformer |
| Yes | V2629 | Prosthetic eye, other type |

SECTION 4: PRIOR AUTHORIZATION REQUIREMENTS