



## Rhinoplasty and Septoplasty Medical Necessity Guideline

<b>Medical Necessity Guideline (MNG) Title: Rhinoplasty and Septoplasty</b>		
<b>MNG #: 119</b>	<input checked="" type="checkbox"/> <b>CCA Senior Care Options (HMO D-SNP) (MA)</b>  <input checked="" type="checkbox"/> <b>CCA One Care (Medicare-Medicaid) (MA)</b>	<b>Prior Authorization Needed?</b> <input checked="" type="checkbox"/> <b>Yes (always required)</b> <input type="checkbox"/> <b>Yes (only in certain situations. See this MNG for details)</b> <input type="checkbox"/> <b>No</b>
<b>Benefit Type:</b> <input checked="" type="checkbox"/> <b>Medicare</b> <input checked="" type="checkbox"/> <b>Medicaid</b>	<b>Approval Date:</b> 03/07/2023;	<b>Effective Date:</b> 1/1/25; 12/29/2025
<b>Last Revised Date:</b> 11/14/24; 1/1/25; 12/29/2025	<b>Next Annual Review Date:</b> 03/07/2024; 11/14/25; 12/29/2026	<b>Retire Date:</b>

**OVERVIEW:**

Nasal surgeries are procedures that are performed on the external or internal structures of the nose, septum, or turbinate. Nasal surgeries include but are not limited to rhinoplasties, septoplasties, and vestibular stenosis repairs. These procedures may involve the rearrangement or excision of the supporting bony and cartilaginous structures and overlying skin of the nose. Specifically, reconstructive rhinoplasty is a surgical procedure to correct a nasal deformity, to repair damaged nasal structures, and/or to replace lost tissue. Reconstructive septoplasty is the surgical procedure to correct the nasal septal deformity or deviation by altering, splinting, or removing the obstructive tissue. Nasal deformities or damage may be acquired from disease and trauma or arise from congenital anomalies. The nasal surgeries are intended to treat these physiological conditions and address the functional impairments, such as nasal obstruction, so that it allows for optimal nasal airflow. The goal of reconstructive rhinoplasty and septoplasty is to maintain or improve the physiological function of the nose. Any cosmetic improvement in the overall nasal shape and aesthetics is incidental.

**DEFINITIONS:**

**Rhinoplasty** is a procedure that changes the shape or appearance of the nose while improving or preserving the nasal airway. The primary purpose for Rhinoplasty can be functional, aesthetic, or both and may include other procedures on the paranasal sinuses, septum, or turbinates.

**Septoplasty** is a procedure used to correct deformities of the nasal septum which can often cause issues with airflow and difficulty breathing.



## Rhinoplasty and Septoplasty Medical Necessity Guideline

### DECISION GUIDELINES:

Commonwealth Care Alliance (CCA) does not cover cosmetic rhinoplasty and/or septoplasty performed solely to enhance appearance.

### Clinical Coverage Criteria:

1. Commonwealth Care Alliance may cover **reconstructive rhinoplasty** for the correction and repair of **any** of the following conditions listed in criteria a-d:
  - a. Nasal deformity that is secondary to congenital cleft lip and/or palate **and/or** for the removal of a nasal dermoid; and
    - i. Photographic evidence of the anatomical abnormality is submitted; **OR**
  - b. Severe deformity related to an underlying inflammatory disease (e.g., pleomorphic granulomatosis, granulomatosis with polyangiitis), abscess, osteomyelitis that is causing difficulty breathing, **or** following the removal of nasal malignancy that has caused difficulty breathing and severe deformity; **OR**
  - c. Chronic non-septal nasal airway obstruction from vestibular stenosis due to congenital defect, trauma, or disease, and **all** the following criteria are met:
    - i. There is persistent and prolonged obstructed nasal breathing; and
    - ii. The physical examination confirms moderate to severe vestibular obstruction; and
    - iii. The photographs demonstrate an external nasal deformity; and
    - iv. The CT scan, nasal endoscopy, or other appropriate imaging modality has demonstrated/documented the presence of significant obstruction in one or both nares; and
    - v. Nasal airway obstruction will not or has not responded to turbinectomy and septoplasty alone; and
    - vi. Nasal airway obstruction is causing significant symptoms (e.g., difficulty breathing, chronic rhinosinusitis); and
    - vii. Nasal airway obstruction symptoms persist despite conservative management for at least four (4) weeks or more; and
      - a) Conservative management includes nasal steroids and/or immunotherapy; and
    - viii. Nasal airway obstruction/functional impairment is expected to be resolved by rhinoplasty; **OR**
  - d. Nasal airway obstruction when rhinoplasty is performed as a component of medically necessary septoplasty and there is documentation of gross nasal obstruction on the same side as the septal deviation;  
**AND**
- e. Documentation must be submitted for consideration of coverage of **conditions listed in c. and d.** and must include **all** of the following:
  - i. The duration and degree of symptoms related to nasal obstruction such as chronic rhinosinusitis, mouth breathing, etc.; and
  - ii. The response to conservative management of symptoms; and



## Rhinoplasty and Septoplasty Medical Necessity Guideline

- iii. Results of nasal endoscopy, CT, or other appropriate imaging modality documenting the degree of nasal obstruction; and
  - iv. If there is an external nasal deformity, pre-operative photographs showing the standard 4way view or worm's eye view; and
  - v. Relevant history of accidental or surgical trauma, congenital defect, or disease (e.g., Wegener's granulomatosis, choanal atresia, nasal malignancy, abscess, septal infection with saddle deformity, or congenital deformity).
2. Commonwealth Care Alliance may cover **reconstructive intranasal septoplasty** for the correction and repair of **any** of the following conditions:
- a. Nasal septum trauma resulting in significant functional deformity that was not present before; or
  - b. Need for reconstruction after the removal of a tumor, nasal polyp(s), or surgical removal of part of the ethmoid bone; or
  - c. Asymptomatic septal deformity that prevents access to other intranasal areas when such access is required to perform medically necessary surgical procedures (e.g., ethmoidectomy); or
  - d. Recurrent sinusitis when **all** the following criteria are met:
    - i. Documentation of a minimum of three (3) episodes of sinusitis over a 12-month period; and
    - ii. The condition is thought to be due to a deviated septum; and
    - iii. The condition has not been relieved by appropriate medical and antibiotic therapy; or
  - e. Recurrent epistaxis when all of the following criteria are met:
    - i. Documentation of a minimum of four (4) episodes of epistaxis over a 12-month period; and
    - ii. The condition is thought to be related to an underlying septal deformity; or
  - f. Septal deviation when **all** the following criteria are met:
    - i. The member has tried four (4) or more weeks of appropriate medical therapy; and
    - ii. The condition continues to cause continuous nasal airway obstruction resulting in difficulty breathing; or
  - g. When reconstructive septoplasty is performed in association with cleft lip or palate repair; or
  - h. Obstructive sleep apnea when **all** the following criteria are met:
    - i. The member is having difficulty tolerating continuous positive airway pressure (CPAP) due to significant nasal obstruction; and
    - ii. The member's condition is not responding to conservative management; and
    - iii. Septoplasty is being performed to enhance CPAP or bilevel positive airway pressure (BiPAP) effectiveness.
3. Commonwealth Care Alliance may cover **extracorporeal septoplasty** for initial correction of an extremely deviated nasal septum that cannot be adequately corrected with an intranasal approach **and** criteria 2 for reconstructive septoplasty is met.

### LIMITATIONS/EXCLUSIONS:

- 1. Commonwealth Care Alliance will limit the following:



## Rhinoplasty and Septoplasty Medical Necessity Guideline

- a. If a non-covered cosmetic surgery is performed in the same operative period as a covered surgical procedure, Commonwealth Care Alliance will only provide reimbursement for the covered surgical procedure after receiving prior authorization only; and
  - b. Upon individual case review by a Medical Director, Commonwealth Care Alliance may cover exceptions to the cosmetic surgery exclusion. This may include, but not limited to:
    - i. Surgery in connection with the treatment of severe burns; or
    - ii. Severe repair of the face following a serious automobile accident; or
    - iii. Surgery for therapeutic purposes which coincidentally serves some cosmetic purpose.
2. Commonwealth Care Alliance will not cover **any** of the following:
- a. Septoplasty for all other indications not listed in the clinical coverage criteria above due to the lack of authoritative evidence to establish its clinical efficacy at this time.
    - i. This includes but is not limited to allergic rhinitis
  - b. Extracorporeal septoplasty for the revision of deviated septum is considered experimental and investigational for SCO and ICO members, except as stated above (criterion 3)
  - c. Rhinoplasty for all other indications not listed in the clinical coverage criteria above due to the lack of authoritative evidence to establish its clinical efficacy at this time
    - i. This includes but is not limited to repair of nasal valve collapse, chronic sinusitis
  - d. The use of absorbable nasal implant (e.g., Spirox latera absorbable nasal implant) for rhinoplasty
  - e. The use of septal swell bodies for the treatment of chronic rhinitis
  - f. The use of nasal pyriform aperture reduction for the treatment of nasal obstruction
  - g. The use of concentrated growth factor extracted from blood plasma for the repair of nasal septal mucosal defect following rhinoplasty
  - h. Rhinoplasty or septoplasty solely for the purpose of changing appearance or improving self-image in the absence of any signs or symptoms of functional abnormalities.

**CODING:**

When applicable, a list(s) of codes requiring prior authorization is provided. This list is for reference purposes only and may not be all inclusive. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment.

CPT/HCPCS CODE	CODE DESCRIPTION
30400	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip
30410	Rhinoplasty, primary; complete, external parts including bony pyramid, lateral and alar cartilages, and/or elevation of nasal tip
30420	Rhinoplasty, primary; including major septal repair
30430	Rhinoplasty, secondary; minor revision (small amount of nasal tip work)
30435	Rhinoplasty, secondary; intermediate revision (bony work with osteotomies)
30450	Rhinoplasty, secondary; major revision (nasal tip work and osteotomies)



## Rhinoplasty and Septoplasty Medical Necessity Guideline

30460	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip o
30462	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip, septum, osteotomies
30520	Septoplasty or submucous resection, with or without cartilage scoring, contouring or replacement with graft

### Disclaimer

Commonwealth Care Alliance (CCA) follows applicable Medicare and Medicaid regulations and uses evidence based InterQual® criteria, when available, to review prior authorization requests for medical necessity. This Medical Necessity Guideline (MNG) applies to all CCA Products unless a more expansive and applicable CMS National Coverage Determinations (NCDs), Local Coverage Determinations (LCDs), or state-specific medical necessity guideline exists. Medical Necessity Guidelines are published to provide a better understanding of the basis upon which coverage decisions are made. CCA makes coverage decisions on a case-by-case basis by considering the individual member's health care needs. If at any time an applicable CMS LCD or NCD or state-specific MNG is more expansive than the criteria set forth herein, the NCD, LCD, or state-specific MNG criteria shall supersede these criteria.

Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. This Medical Necessity Guideline is subject to all applicable Plan Policies and Guidelines, including requirements for prior authorization and other requirements in Provider's agreement with the Plan (including complying with Plan's Provider Manual specifications).

This Medical Necessity Guideline is not a rigid rule. As with all CCA's criteria, the fact that a member does not meet these criteria does not, in and of itself, indicate that no coverage can be issued for these services. Providers are advised, however, that if they request services for any member who they know does not meet our criteria, the request should be accompanied by clear and convincing documentation of medical necessity. The preferred type of documentation is the letter of medical necessity, indicating that a request should be covered either because there is supporting science indicating medical necessity [supporting literature (full text preferred) should be attached to the request], or describing the member's unique clinical circumstances, and describing why this service or supply will be more effective and/or less costly than another service which would otherwise be covered. Note that both supporting scientific evidence and a description of the member's unique clinical circumstances will generally be required.

### RELATED REFERENCES:

1. Acevedo, J., Qaseem, A. & Rae-Grant, A. (2021). Nasal obstruction – approach to the patient. Retrieved from <https://www-dynamed-com.ahs.idm.oclc.org/approach-to/nasal-obstruction-approach-to-the-patient#GUIDD1481A23-B98F-4FF7-ACE4-DA8850EB13FA>
2. American Academy of Otolaryngology – Head and Neck Surgery. (2021). Clinical indicators: Rhinoplasty. Retrieved from <https://www.entnet.org/resource/clinical-indicators-rhinoplasty/>
3. American Academy of Otolaryngology – Head and Neck Surgery. (2021). Clinical indicators: Septoplasty. Retrieved from <https://www.entnet.org/resource/clinical-indicators-septoplasty/>

## Rhinoplasty and Septoplasty Medical Necessity Guideline

4. Aoki, T. & Trow, T. (2023). Surgical management of obstructive sleep apnea (OSA) in adults. Retrieved from <https://www-dynamed-com.ahs.idm.oclc.org/management/surgical-management-of-obstructive-sleep-apnea-osain-adults#GUID-98075E62-E7CC-45A0-9852-24974064CA97>
5. Aydogdu, I., tar, Y., Salturk, Z., Atac, E., Dogan, O., Ustun, O. & Uyar, Y. (2019). Comparison of olfactory function and quality of life with different surgical techniques for nasal septum deviation. *The Journal of Craniofacial Surgery*, 30(2): 433-436.
6. Bhattacharyya, N., Deschler, D. & Givens, J. (2022). Nasal obstruction: Diagnosis and management. Retrieved from [https://www.uptodate.com/contents/nasal-obstruction-diagnosis-andmanagement?search=nasal%20surgery&source=search\\_result&selectedTitle=2~150&usage\\_type=default&display\\_rank=2](https://www.uptodate.com/contents/nasal-obstruction-diagnosis-andmanagement?search=nasal%20surgery&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2)
7. Carlson, A., Kosyk, M., Zapatero, Z., Kalmarm C., Swanson, J., Jackson, O., Low, D., Bartlett, S. & Taylor, J. (2023). A longitudinal study of improvement in nasal airway obstruction after secondary cleft rhinoplasty. *Plastic & Reconstructive Surgery*, 151, 385-394.
8. Centers for Medicare & Medicaid Services. Local coverage article A58774: Cosmetic and reconstructive surgery. Accessed March 3, 2024. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=58774&ver=11&bc=0>
9. Centers for Medicare & Medicaid Services. Local coverage article A57221: Plastic surgery. Accessed March 3, 2024. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=57221&ver=21&bc=0>
10. Centers for Medicare & Medicaid Services. Local coverage determination L35163: Plastic surgery. Accessed March 3, 2024. <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=35163&ver=26&bc=0>
11. Centers for Medicare & Medicaid Services. Local coverage determination L39051: Cosmetic and reconstructive surgery. Accessed March 3, 2024. <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=39051&ver=10&bc=0>
12. Centers for Medicare & Medicaid Services. Medicare benefit policy manual: Chapter 16- General exclusions from coverage. Accessed March 3, 2024. <https://www.cms.gov/regulations-and-guidance/guidance/manuals/downloads/bp102c16.pdf>
13. Centers for Medicare & Medicaid Services. National Coverage Determination 140.1: Plastic surgery to correct moon face. Accessed March 3, 2024. <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=14&ncdver=1&keywordtype=starts&keyword=plastic&bc=0>
14. Commonwealth of Massachusetts. Acute outpatient hospital manual. Accessed March 3, 2024. <https://www.mass.gov/lists/acute-outpatient-hospital-manual-for-masshealth-providers>
15. Commonwealth of Massachusetts. MassHealth guidelines for medical necessity determination for rhinoplasty and septoplasty. Accessed March 3, 2024. <https://www.mass.gov/doc/guidelines-for-medical-necessity-determination-for-rhinoplasty-and-septoplasty/download>
16. Commonwealth of Massachusetts. Physician manual. Accessed March 3, 2024. <https://www.mass.gov/lists/physician-manual-for-masshealth-providers>
17. D'Ambrosio, C., Fedorowicz, Z. & Trow, T. (2023). Obstructive sleep apnea (OSA) in adults. Retrieved from <https://www-dynamed-com.ahs.idm.oclc.org/condition/obstructive-sleep-apnea-osa-in-adults#GUID-402EB0A425B2-49DB-AD41-B32592FFC845>

## Rhinoplasty and Septoplasty Medical Necessity Guideline

18. Firth, H., Weisman, L. & TePas, E. (2019). Overview of craniofacial clefts and holoprosencephaly. Retrieved from [https://www.uptodate.com/contents/overview-of-craniofacial-clefts-and-holoprosencephaly?search=rhinoplasty&source=search\\_result&selectedTitle=13~18&usage\\_type=default&display\\_rank=13](https://www.uptodate.com/contents/overview-of-craniofacial-clefts-and-holoprosencephaly?search=rhinoplasty&source=search_result&selectedTitle=13~18&usage_type=default&display_rank=13)
19. Gillman, G., Staltari, G., Chang, Y. & Mattos, J. (2019). A prospective study of outcomes of septoplasty with turbinate reductions in patients with allergic rhinitis. *Otolaryngology-Head and Neck Surgery*, 160(6): 1118-1123.
20. Han, J, Stringer, S, Rosenfeld, R, et al. (2015). Clinical Consensus Statement: Septoplasty with or without Inferior Turbinate Reduction. *Otolaryngol Head Neck Surg*. 2015; 153(5):708-720
21. Hanna, B., Jolanda van Zuuren, E. & Ehrlich, A. (2022). Cleft lip and palate. Retrieved from [https://www-dynamedcom.ahs.idm.oclc.org/condition/cleft-lip-and-palate#SECONDARY\\_CORRECTION\\_ANC\\_1752595089](https://www-dynamedcom.ahs.idm.oclc.org/condition/cleft-lip-and-palate#SECONDARY_CORRECTION_ANC_1752595089)
22. Isaacson, G., Messner, A. & Wilkie, L. (2022). Congenital anomalies of the nose. Retrieved from [https://www.uptodate.com/contents/congenital-anomalies-of-the-nose?search=rhinoplasty&source=search\\_result&selectedTitle=4~18&usage\\_type=default&display\\_rank=4](https://www.uptodate.com/contents/congenital-anomalies-of-the-nose?search=rhinoplasty&source=search_result&selectedTitle=4~18&usage_type=default&display_rank=4)
23. Lin, M., Fedorowicz, Z. & Ehrlich, A. (2020). Facial trauma in adults. Retrieved from <https://www-dynamedcom.ahs.idm.oclc.org/condition/facial-trauma-in-adults#GUID-85E48BCF-487F-4EC0-A291-D55E2621C668>
24. McGrath, M., Bell, E., Locketz, G. & Becker, D. (2019). Review and update on extracorporeal septoplasty. *Current Opinion in Otolaryngology & Head & Neck Surgery*, 27(1): 1-6.
25. Miner, D., Lang, E. & Ehrlich, A. (2023). Acute rhinosinusitis in adults. Retrieved from <https://www-dynamedcom.ahs.idm.oclc.org/condition/acute-rhinosinusitis-in-adults#GUID-DF218CE3-BEA5-4115-BOBO-9862732E0554>
26. Sharma, G., Lofgren, D. & Taliaferro, H. (2021). Recurrent acute rhinosinusitis StatPearls [Internet]. Retrieved from [https://www.ncbi.nlm.nih.gov/books/NBK459372/#\\_NBK459372\\_pubdet\\_](https://www.ncbi.nlm.nih.gov/books/NBK459372/#_NBK459372_pubdet_)
27. Social Security Administration. (2023). Exclusions from coverage and medicare as secondary payer. Retrieved from [https://www.ssa.gov/OP\\_Home/ssact/title18/1862.htm](https://www.ssa.gov/OP_Home/ssact/title18/1862.htm)
28. Social Security Administration. (2023). Title XVIII – Health insurance for the aged and disabled. Retrieved from [https://www.ssa.gov/OP\\_Home/ssact/title18/1800.htm](https://www.ssa.gov/OP_Home/ssact/title18/1800.htm)
29. Ustun, G., Ozturk, S., Gursoy, K., Ergun, E., Dag, O. & Kocer, U. (2019). Major structural airway pathologies of patient complaining nasal obstruction: Analysis of frequency, preoperative complains and benefit from surgery. *Journal of Craniofacial Surgery*, 30, 1479-1483.
30. Van Egmond, M., Rovers, M., Hannink, G., Hendricks, C. & Van Neerbeek, N. (2019). Septoplasty with or without concurrent turbinate surgery versus non-surgical management for nasal obstruction in adults with a deviated septum: A pragmatic, randomized controlled trial. *Lancet*, 394(10195): 314-321
31. Weaver, E. & Kapur, V. (2021). Surgical treatment of obstructive sleep apnea in adults. Retrieved from [https://www.uptodate.com/contents/surgical-treatment-of-obstructive-sleep-apnea-in-adults?search=septoplasty&source=search\\_result&selectedTitle=2~11&usage\\_type=default&display\\_rank=2](https://www.uptodate.com/contents/surgical-treatment-of-obstructive-sleep-apnea-in-adults?search=septoplasty&source=search_result&selectedTitle=2~11&usage_type=default&display_rank=2)

### REVISION LOG:



## Rhinoplasty and Septoplasty Medical Necessity Guideline

REVISION DATE	DESCRIPTION
1/1/25	CCA products updated. Medicare Advantage Clinical Coverage Criteria removed.
11/14/24	Template update. Definitions and overview section updated. Formatting updated.
12/31/23	Utilization Management Committee approval

**APPROVALS:**

Jeffrey Sedlack	Senior Medical Director Utilization Review and Medical Policy
<b>CCA Clinical Lead</b>	<b>Title</b>
	12/29/2025
<b>Signature</b>	<b>Date</b>
<b>CCA Senior Operational Lead</b>	<b>Title</b>
<b>Signature</b>	<b>Date</b>
<b>CCA CMO or Designee</b>	<b>Title</b>