

## SECTION 4: Prior Authorization Requirements

### Durable Medical Equipment (DME)

Code-specific list of durable medical equipment (DME) and other services requiring prior authorization (PA):

Prior Authorization Required	Code	Description
Yes	A4239	Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (CGM), includes all supplies and accessories, 1 month supply = 1 unit of service
Yes	A7025	High-frequency chest wall oscillating system vest
Yes	A7026	High-frequency chest wall oscillating system hose
Yes	A8002	Helmet, protective, soft, custom fabricated, includes all components and accessories
Yes	A8003	Helmet, protective, hard, custom fabricated, includes all components and accessories
Yes	A8004	Soft interface for helmet, replacement only
Yes	E0193	Powered air flotation bed (low air loss therapy)
Yes	E0194	Air-fluidized bed
Yes	E0202	Phototherapy light with photon
Yes	E2103	Non-adjunctive, non-implanted continuous glucose monitor or receiver
Yes	E0236	Pump for water-circulating pad
Yes	E0239	Hydrocollator unit, portable
Yes	E0277	Powered pressure-reducing air mattress
Yes	E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress
Yes	E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress
Yes	E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress
Yes	E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress
Yes	E0373	Nonpowered advanced pressure-reducing mattress
Yes	E0424	Stationary compressed gas O <sub>2</sub>
Yes	E0431	Portable gaseous O <sub>2</sub>
Yes	E0433	Portable liquid oxygen system
Yes	E0434	Portable liquid O <sub>2</sub>
Yes	E0439	Stationary liquid O <sub>2</sub>
Yes	E0462	Rocking bed with or without side rail
Yes	E0465	Pressure support ventilator with volume control mode, may include pressure control mode, used with invasive interface (e.g., tracheostomy tube)
Yes	E0466	Pressure support ventilator with volume control mode, may include pressure control mode, used with non-invasive interface (e.g., mask)
Yes	E0467	Home ventilator, multifunction respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components, and supplies for all functions
Yes	E0470	RAD without backup non-invasive interface

## SECTION 4: Prior Authorization Requirements

Yes	E0471	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with non-invasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)
Yes	E0472	RAD with backup invasive interface
Yes	E0482	Cough-stimulating device, alternating positive and negative airway pressure
Yes	E0483	High-frequency chest wall oscillation air-pulse generator system (includes hoses and vest), each
Yes	E0486	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, custom fabricated, include fitting and adjustment
Yes	E0562	Humidifier, heated, used with PAP
Yes	E0601	Continuous airway pressure device
Yes	E0627	Seat lift mechanism incorporated into a combination lift-chair mechanism
Yes	E0635	Patient lift, electric with seat or sling
Yes	E0636	Multipositional patient support system, with integrated lift, patient-accessible controls
Yes	E0639	Patient lift, movable from room to room with disassembly and reassembly, includes all components/accessories
Yes	E0640	Patient lift fixed system, includes all components/accessories
Yes	E0650	Pneumatic compressor, non-segmental (all rentals)
Yes	E0651	Pneumatic compressor, segmental home model without calibrated gradient pressure
Yes	E0652	Pneumatic compressor, segmental home model with calibrated gradient pressure
Yes	E0655	Pneumatic appliance, half arm
Yes	E0656	Segmental pneumatic appliance for use with pneumatic compressor, trunk
Yes	E0657	Segmental pneumatic appliance for use with pneumatic compressor, chest
Yes	E0660	Pneumatic appliance, full leg
Yes	E0665	Pneumatic appliance, full arm
Yes	E0666	Non-segmental pneumatic appliance for use with pneumatic compressor, half leg
Yes	E0667	Segmental pneumatic appliance for use with pneumatic compressor, full leg
Yes	E0668	Segmental pneumatic appliance, full arm
Yes	E0669	Segmental pneumatic appliance, half leg
Yes	E0670	Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk
Yes	E0671	Pressure pneumatic appliance, full leg
Yes	E0672	Pressure pneumatic appliance, full arm
Yes	E0673	Segmental gradient pressure pneumatic appliance, half leg
Yes	E0675	Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral or bilateral system)
Yes	E0691	Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area 2 square feet or less
Yes	E0692	Ultraviolet light therapy system panel, includes bulbs/lamps, timer, and eye protection, 4-foot panel
Yes	E0693	Ultraviolet light therapy system panel, includes bulbs/lamps, timer, and eye protection, 6-foot panel
Yes	E0694	Ultraviolet multidirectional light therapy system in 6-foot cabinet, includes bulbs/lamps, timer, and eye protection
Yes	E0740	Incontinence treatment system
Yes	E0744	Neuromuscular stimulator for scoliosis
Yes	E0745	Neuromuscular stimulator, electronic shock unit
Yes	E0748	Osteogenesis stimulator, electrical, non-invasive, spinal applications
Yes	E0760	Osteogenesis stimulator, low-intensity ultrasound, non-invasive

## SECTION 4: Prior Authorization Requirements

Yes	E0762	Transcutaneous electrical joint stimulation device, includes all accessories
Yes	E0764	Functional neuromuscular stimulator, transcutaneous stimulation of muscles of ambulation with computer control, used for walking
Yes	E0765	FDA-approved nerve stimulator, with replaceable batteries, for treatment of nausea and vomiting
Yes	E0784	External ambulatory infusion pump, insulin
Yes	E0983	Manual WC power add-on to convert to motorized, joystick control
Yes	E0984	Manual WC power add-on to convert to motorized, tiller control
Yes	E0986	Manual wheelchair accessory, push-rim activated power assist system
Yes	E0988	Manual WC accessory, lever-activated wheel drive, pair
Yes	E1002	Wheelchair accessory, power seating system, tilt only
Yes	E1003	Wheelchair accessory, power seating system, recline only, without shear reduction
Yes	E1004	Wheelchair accessory, power seating system, recline only with mechanical shear reduction
Yes	E1005	Wheelchair accessory, power seating system, recline only with power shear reduction
Yes	E1006	Wheelchair accessory, power seating system, recline/tilt without shear reduction
Yes	E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction
Yes	E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction
Yes	E1009	Wheelchair accessory, addition to power seating, mechanical leg rests
Yes	E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair
Yes	E1012	Wheelchair accessory, addition to power seating system, center-mount power elevating leg rest/platform, complete system, any type, each
Yes	E1035	Patient transfer system
Yes	E1036	Multipositional patient transfer system, extra wide with integrated seat
Yes	E1161	Manual adult-size wheelchair, includes tilt in space
Yes	E1230	Power-operated vehicle (three- or four-wheel non-highway), specify brand name and model number
Yes	E1390	Oxygen concentrator
Yes	E1391	Oxygen concentrator, dual
Yes	E1392	Portable oxygen concentrator
Yes	E1810	Dynamic adjustable knee extension/flexion device, includes soft interface material
Yes	E1811	Static progressive stretch knee device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories
Yes	E1816	Static progressive stretch ankle device, flexion and/or extension, with or without range of motion adjustment, includes all components and accessories
Yes	E1825	Dynamic adjustable finger extension/flexion device, includes soft interface material
Yes	E1830	Dynamic adjustable toe extension/flexion device, includes soft interface material
Yes	E1841	Static progressive stretch shoulder device, with or without range of motion adjustment, includes all components and accessories
Yes	E2203	Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches
Yes	E2227	Manual WC accessory, gear reduction drive wheel, each
Yes	E2228	Manual WC accessory, wheel braking system and lock, complete

## SECTION 4: Prior Authorization Requirements

Yes	E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
Yes	E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
Yes	E2312	Remote joystick proportional, including fixed mounting hardware
Yes	E2313	Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors, and mounting hardware, each
Yes	E2321	Power WC accessory, hand-control joystick
Yes	E2322	Power WC accessory, hand-control multiple mechanical switch
Yes	E2325	Power WC accessory, sip-and-puff interface
Yes	E2327	Power WC accessory, head-control interface, mechanical
Yes	E2328	Power WC accessory, head- or extremity-control interface
Yes	E2329	Power WC accessory, head-control interface contact switch mechanism
Yes	E2330	Power wheelchair accessory, head-control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware
Yes	E2340	Power WC accessory, nonstandard seat frame width 20–23 inches
Yes	E2341	Power WC accessory, nonstandard seat frame width 24–27 inches
Yes	E2342	Power WC accessory, nonstandard seat frame depth 20–21
Yes	E2343	Power WC accessory, nonstandard seat frame depth 22–25
Yes	E2351	Power WC accessory, electronic interface to operate speech-generating device
Yes	E2368	Power wheelchair component, drive wheel motor, replacement only
Yes	E2370	Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only
Yes	E2373	Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware
Yes	E2374	Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only
Yes	E2375	Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only
Yes	E2376	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only
Yes	E2377	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue
Yes	E2378	Power wheelchair component, actuator, replacement only
Yes	E2402	Negative pressure wound therapy electrical pump, stationary or portable
Yes	E2500	Speech-generating device, digitized speech, using prerecorded messages greater than or equal to 8 minutes recording time
Yes	E2502	Speech-generating device, digitized speech, using prerecorded messages greater than 8 minutes but less than or equal to 20 minutes recording time
Yes	E2504	Speech-generating device, digitized speech, using prerecorded messages greater than 20 minutes but less than or equal to 40 min recording time
Yes	E2508	Speech-generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device
Yes	E2510	Speech-generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access

## SECTION 4: Prior Authorization Requirements

Yes	E2511	Speech-generating software program, for personal computer or personal digital assistant
Yes	E2512	Accessory for speech-generating device, mounting system
Yes	E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware
Yes	E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware
Yes	E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware
Yes	E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware
Yes	E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware
Yes	K0004	High-strength, lightweight wheelchair
Yes	K0005	Ultralightweight wheelchair
Yes	K0006	Heavy-duty wheelchair
Yes	K0009	Other manual wheelchair/base
Yes	K0010	Standard-weight frame motorized/power wheelchair
Yes	K0108	Wheelchair component or accessory, not otherwise specified
Yes	K0606	Automatic external defibrillator, with integrated electrocardiogram analysis, garment type
Yes	K0672	Addition to lower extremity orthosis, removable soft interface, all components, replacement only, each
Yes	K0738	Portable gas oxygen system
Yes	K0800	Power-operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds
Yes	K0801	Power-operated vehicle, group 1 heavy duty, patient weight capacity 301 to 450 pounds
Yes	K0802	Power-operated vehicle, group 1 very heavy duty, patient weight capacity 451 to 600 pounds
Yes	K0806	Power-operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds
Yes	K0807	Power-operated vehicle, group 2 heavy duty, patient weight capacity 301 to 450 pounds
Yes	K0808	Power-operated vehicle, group 2 very heavy duty, patient weight capacity 451 to 600 pounds
Yes	K0813	Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds
Yes	K0814	Power wheelchair, group 1 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0815	Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds
Yes	K0816	Power wheelchair, group 1 standard, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0820	Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0821	Power wheelchair, group 2 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0822	Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds

## SECTION 4: Prior Authorization Requirements

Yes	K0823	Power wheelchair, group 2 standard, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0824	Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0825	Power wheelchair, group 2 heavy duty, captain's chair, patient weight capacity 301 to 450 pounds
Yes	K0826	Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
Yes	K0827	Power wheelchair, group 2 very heavy duty, captain's chair, patient weight capacity 451 to 600 pounds
Yes	K0828	Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more
Yes	K0829	Powered wheelchair, group 2 extra heavy-duty, captain's chair, capacity 601 pounds or more
Yes	K0835	Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0836	Power wheelchair, group 2 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0837	Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0838	Power wheelchair, group 2 heavy duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds
Yes	K0839	Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
Yes	K0840	Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more
Yes	K0841	Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0842	Power wheelchair, group 2 standard, multiple power option, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0843	Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0848	Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0849	Power wheelchair, group 3 standard, captain's chair, patient weight capacity up to and including 300 pounds
Yes	K0850	Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0851	Power wheelchair, group 3 heavy duty, captain's chair, patient weight capacity 301 to 450 pounds
Yes	K0852	Power wheelchair, group 3 heavy duty, captain's chair, patient weight capacity 451 to 600 pounds
Yes	K0853	Power wheelchair, group 3 very heavy duty, captain's chair, patient weight capacity 451 to 600 pounds
Yes	K0854	Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more
Yes	K0855	Power wheelchair, group 3 extra heavy duty, captain's chair, patient weight capacity 601 pounds or more
Yes	K0856	Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0857	Power wheelchair, group 3 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds



## SECTION 4: Prior Authorization Requirements

Yes	K0858	Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0859	Power wheelchair, group 3 heavy duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds
Yes	K0860	Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
Yes	K0861	Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
Yes	K0862	Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
Yes	K0863	Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
Yes	K0864	Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more
Yes	L0112	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated
Yes	L0113	Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment
Yes	L0130	Cervical, flexible, thermoplastic collar, molded to patient
Yes	L0140	Cervical, semi-rigid, adjustable plastic collar
Yes	L0150	Cervical, semi-rigid, adjustable molded chin cup plastic collar with mandibular/occipital piece
Yes	L0160	Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf
Yes	L0170	Cervical collar, molded to patient model
Yes	L0172	Cervical collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf
Yes	L0174	Cervical collar, semi-rigid, thermoplastic foam, two-piece with thoracic extension, prefabricated, off-the-shelf
Yes	L0180	Cervical, multiple-post collar, occipital/mandibular supports, adjustable
Yes	L0190	Cervical, multiple-post collar, occipital/mandibular supports, adjustable cervical bars (Somi, Guilford, Taylor types)
Yes	L0200	Cervical, multiple-post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension
Yes	L0220	Thoracic, rib belt, custom fabricated
Yes	L0450	TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf
Yes	L0452	TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated
Yes	L0454	TLSO, flexible, provides trunk support, extends from sacrococcygeal junction to above T9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0455	TLSO, flexible, provides trunk support, extends from sacrococcygeal junction to above T9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf

## SECTION 4: Prior Authorization Requirements

Yes	L0456	TLSO, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0457	TLSO, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf
Yes	L0458	TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
Yes	L0460	TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0462	TLSO, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
Yes	L0464	TLSO, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
Yes	L0466	TLSO, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0467	TLSO, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf
Yes	L0468	TLSO, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces



## SECTION 4: Prior Authorization Requirements

		intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0469	TLSO, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf
Yes	L0470	TLSO, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
Yes	L0472	TLSO, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
Yes	L0480	TLSO, triplanar control, one-piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
Yes	L0482	TLSO, triplanar control, one-piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
Yes	L0484	TLSO, triplanar control, two-piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
Yes	L0486	TLSO, triplanar control, two-piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
Yes	L0488	TLSO, triplanar control, one-piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment

## SECTION 4: Prior Authorization Requirements

Yes	L0490	TLSO, sagittal-coronal control, one-piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the T9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment
Yes	L0491	TLSO, sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
Yes	L0492	TLSO, sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
Yes	L0622	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
Yes	L0623	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0624	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
Yes	L0627	Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L1 to below L5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0628	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0629	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated
Yes	L0630	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0631	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps,

## SECTION 4: Prior Authorization Requirements

		closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0632	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
Yes	L0633	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0634	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated
Yes	L0635	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment
Yes	L0636	Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated
Yes	L0637	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0638	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
Yes	L0639	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent,

## SECTION 4: Prior Authorization Requirements

		molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L0640	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated
Yes	L0641	Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from L1 to below L5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0642	Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L1 to below L5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0643	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0648	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0649	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0650	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0651	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf
Yes	L0700	Cervical-thoracic-lumbar-sacral-orthoses (CTLSO), anterior-posterior-lateral control, molded to patient model (Minerva type)
Yes	L0710	CTLSO, anterior-posterior-lateral-control, molded to patient model, with interface material (Minerva type)
Yes	L0810	Halo procedure, cervical halo incorporated into jacket vest
Yes	L0820	Halo procedure, cervical halo incorporated into plaster body jacket
Yes	L0830	Halo procedure, cervical halo incorporated into Milwaukee type orthosis

## SECTION 4: Prior Authorization Requirements

Yes	L0859	Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material
Yes	L0861	Addition to halo procedure, replacement liner/interface material
Yes	L0970	TLSO, corset front
Yes	L0972	LSO, corset front
Yes	L0974	TLSO, full corset
Yes	L0976	LSO, full corset
Yes	L0978	Axillary crutch extension
Yes	L0980	Peroneal straps, prefabricated, off-the-shelf, pair
Yes	L0984	Protective body sock, prefabricated, off-the-shelf, each
Yes	L1000	Cervical-thoracic-lumbar-sacral orthosis (CTLSO) (Milwaukee), inclusive of furnishing initial orthosis, including model
Yes	L1001	Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment
Yes	L1005	Tension-based scoliosis orthosis and accessory pads, includes fitting and adjustment
Yes	L1010	Addition to cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, axilla sling
Yes	L1020	Addition to CTLSO or scoliosis orthosis, kyphosis pad
Yes	L1025	Addition to CTLSO or scoliosis orthosis, kyphosis pad, floating
Yes	L1030	Addition to CTLSO or scoliosis orthosis, lumbar bolster pad
Yes	L1050	Addition to CTLSO or scoliosis orthosis, sternal pad
Yes	L1060	Addition to CTLSO or scoliosis orthosis, thoracic pad
Yes	L1070	Addition to CTLSO or scoliosis orthosis, trapezius sling
Yes	L1080	Addition to CTLSO or scoliosis orthosis, outrigger
Yes	L1085	Addition to CTLSO or scoliosis orthosis, outrigger, bilateral with vertical extensions
Yes	L1090	Addition to CTLSO or scoliosis orthosis, lumbar sling
Yes	L1110	Addition to CTLSO or scoliosis orthosis, ring flange, plastic or leather, molded to patient model
Yes	L1200	Thoracic-lumbar-sacral-orthosis (TLSO), inclusive of furnishing initial orthosis only
Yes	L1210	Addition to TLSO (low profile), lateral thoracic extension
Yes	L1220	Addition to TLSO (low profile), anterior thoracic extension
Yes	L1230	Addition to TLSO (low profile), Milwaukee type superstructure
Yes	L1240	Addition to TLSO (low profile), lumbar derotation pad
Yes	L1250	Addition to TLSO (low profile), anterior ASIS pad
Yes	L1260	Addition to TLSO (low profile), anterior thoracic derotation pad
Yes	L1270	Addition to TLSO (low profile), abdominal pad
Yes	L1280	Addition to TLSO (low profile), rib gusset (elastic), each
Yes	L1290	Addition to TLSO (low profile), lateral trochanteric pad
Yes	L1300	Other scoliosis procedure, body jacket molded to patient model
Yes	L1310	Other scoliosis procedure, post-operative body jacket
Yes	L1600	Hip orthosis, abduction control of hip joints, flexible, Frejka type with cover, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1610	Hip orthosis, abduction control of hip joints, flexible (Frejka cover only), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1620	Hip orthosis, abduction control of hip joints, flexible (Pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise

## SECTION 4: Prior Authorization Requirements

Yes	L1630	Hip orthosis, abduction control of hip joints, semi-flexible (von Rosen type), custom fabricated
Yes	L1640	Hip orthosis, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated
Yes	L1650	Hip orthosis, abduction control of hip joints, static, adjustable (Ilfeld type), prefabricated, includes fitting and adjustment
Yes	L1660	Hip orthosis, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment
Yes	L1680	Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated
Yes	L1685	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated
Yes	L1686	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment
Yes	L1690	Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment
Yes	L1700	Legg Perthes orthosis (Toronto type), custom fabricated
Yes	L1710	Legg Perthes orthosis (Newington type), custom fabricated
Yes	L1720	Legg Perthes orthosis trilateral (Tachdjian type), custom fabricated
Yes	L1730	Legg Perthes orthosis (Scottish rite type), custom fabricated
Yes	L1755	Legg Perthes orthosis (patten-bottom type), custom fabricated
Yes	L1812	Knee orthosis, elastic with joints, prefabricated, off-the-shelf
Yes	L1832	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1833	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the-shelf
Yes	L1834	Knee orthosis, without knee joint, rigid, custom fabricated
Yes	L1840	Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated
Yes	L1843	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1844	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
Yes	L1845	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1846	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
Yes	L1847	Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
Yes	L1848	Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, off-the-shelf



## SECTION 4: Prior Authorization Requirements

Yes	L1860	Knee orthosis, modification of supracondylar prosthetic socket, custom fabricated (SK)
Yes	L1904	Ankle orthosis, ankle gauntlet, custom fabricated
Yes	L1907	Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated
Yes	L1920	Ankle foot orthosis, single upright with static or adjustable stop (Phelps or Perlstein type), custom fabricated
Yes	L1932	Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment
Yes	L1940	Ankle foot orthosis, plastic or other material, custom fabricated
Yes	L1945	Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated
Yes	L1950	Ankle foot orthosis, spiral (Institute of Rehabilitative Medicine type), plastic, custom fabricated
Yes	L1951	Ankle foot orthosis, spiral (Institute of Rehabilitative Medicine type), plastic or other material, prefabricated, includes fitting and adjustment
Yes	L1960	Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated
Yes	L1970	Ankle foot orthosis, plastic with ankle joint, custom fabricated
Yes	L1980	Ankle foot orthosis, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single-bar BK orthosis), custom fabricated
Yes	L1990	Ankle foot orthosis, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double-bar BK orthosis), custom fabricated
Yes	L2000	Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single-bar AK orthosis), custom fabricated
Yes	L2005	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated
Yes	L2010	Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single-bar AK orthosis), without knee joint, custom fabricated
Yes	L2020	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double-bar AK orthosis), custom fabricated
Yes	L2030	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double-bar AK orthosis), without knee joint, custom fabricated
Yes	L2034	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated
Yes	L2036	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated
Yes	L2037	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated
Yes	L2038	Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated
Yes	L2040	Hip knee ankle foot orthosis, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated
Yes	L2050	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated
Yes	L2060	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball-bearing hip joint, pelvic band/ belt, custom fabricated
Yes	L2070	Hip knee ankle foot orthosis, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated
Yes	L2080	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom fabricated

## SECTION 4: Prior Authorization Requirements

Yes	L2090	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, ball-bearing hip joint, pelvic band/belt, custom fabricated
Yes	L2106	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated
Yes	L2108	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated
Yes	L2112	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment
Yes	L2114	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment
Yes	L2116	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment
Yes	L2126	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated
Yes	L2128	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated
Yes	L2132	KAFO, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment
Yes	L2134	KAFO, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment
Yes	L2136	KAFO, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment
Yes	L2320	Addition to lower extremity, non-molded lacer, for custom-fabricated orthosis only
Yes	L2330	Addition to lower extremity lacer molded to patient model, for custom-fabricated orthosis only
Yes	L2340	Addition to lower extremity, pre-tibial shell, molded to patient model
Yes	L2350	Addition to lower extremity, prosthetic type (BK) socket, molded to patient model (used for PTB/AFO orthoses)
Yes	L2387	Addition to lower extremity, polycentric knee joint, for custom-fabricated knee ankle foot orthosis, each joint
Yes	L2510	Addition to lower extremity, thigh/weight bearing, quadrilateral brim, molded to patient model
Yes	L2520	Addition to lower extremity, thigh/weight bearing, quadrilateral brim, custom fitted
Yes	L2525	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, molded to patient model
Yes	L2526	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted
Yes	L2540	Addition to lower extremity, thigh/weight bearing lacer, molded to patient model
Yes	L2627	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables
Yes	L2628	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables
Yes	L2755	Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom-fabricated orthosis only
Yes	L2800	Addition to lower extremity orthosis, knee control, kneecap, medial or lateral pull, for use with custom-fabricated orthosis only
Yes	L3002	Foot, insert, removable, molded to patient model, plastazote or equal, each
Yes	L3003	Foot, insert, removable, molded to patient model, silicone gel, each
Yes	L3020	Foot, insert, removable, molded to patient model, longitudinal/metatarsal support, each
Yes	L3330	Lift, elevation, metal extension (skate)

## SECTION 4: Prior Authorization Requirements

Yes	L3671	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3674	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3675	Shoulder orthosis, vest type abduction restrainer, canvas webbing type or equal, prefabricated, off-the-shelf
Yes	L3702	Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3720	Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated
Yes	L3730	Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom fabricated
Yes	L3740	Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated
Yes	L3763	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3764	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3765	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3766	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3806	Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, custom fabricated, includes fitting and adjustment
Yes	L3900	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, wrist or finger driven, custom fabricated
Yes	L3901	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, cable driven, custom fabricated
Yes	L3904	Wrist hand finger orthosis, external powered, electric, custom fabricated
Yes	L3905	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3913	Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3919	Hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3921	Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3933	Finger orthosis, without joints, may include soft interface, custom fabricated, includes fitting and adjustment
Yes	L3935	Finger orthosis, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment
Yes	L3956	Addition of joint to upper extremity orthosis, any material, per joint
Yes	L3960	Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment
Yes	L3961	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

## SECTION 4: Prior Authorization Requirements

Yes	L3962	Shoulder elbow wrist hand orthosis, abduction positioning, Erb's palsy design, prefabricated, includes fitting and adjustment
Yes	L3967	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3971	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3973	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
Yes	L4000	Replacement girdle for spinal orthosis (CTLSO or SO)
Yes	L4010	Replacement trilateral socket brim
Yes	L4020	Replacement quadrilateral socket brim, molded to patient model
Yes	L4030	Replacement quadrilateral socket brim, custom fitted
Yes	L4040	Replacement molded thigh lacer, for custom-fabricated orthosis only
Yes	L4045	Replacement non-molded thigh lacer, for custom-fabricated orthosis only
Yes	L4050	Replacement molded calf lacer, for custom fabricated orthosis only
Yes	L4055	Replacement non-molded calf lacer, for custom-fabricated orthosis only
Yes	L4361	Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated, off-the-shelf
Yes	L4631	Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated
Yes	L5000	Partial foot, shoe insert with longitudinal arch, toe filler
Yes	L5010	Partial foot, molded socket, ankle height, with toe filler
Yes	L5020	Partial foot, molded socket, tibial tubercle height, with toe filler
Yes	L5050	Ankle, Symes, molded socket, SACH foot
Yes	L5060	Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot
Yes	L5100	Below knee, molded socket, shin, SACH foot
Yes	L5105	Below knee, plastic socket, joints and thigh lacer, SACH foot
Yes	L5150	Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot
Yes	L5160	Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, SACH foot
Yes	L5200	Above knee, molded socket, single-axis constant friction knee, shin, SACH foot
Yes	L5210	Above knee, short prosthesis, no knee joint ("stubbies"), with foot blocks, no ankle joints, each

## SECTION 4: Prior Authorization Requirements

Yes	L5220	Above knee, short prosthesis, no knee joint (“stubbies”), with articulated ankle/foot, dynamically aligned, each
Yes	L5230	Above knee, for proximal femoral focal deficiency, constant friction knee, shin, SACH foot
Yes	L5250	Hip disarticulation, Canadian type; molded socket, hip joint, single-axis constant friction knee, shin, SACH foot
Yes	L5270	Hip disarticulation, tilt table type; molded socket, locking hip joint, single-axis constant friction knee, shin, SACH foot
Yes	L5280	Hemipelvectomy, Canadian type; molded socket, hip joint, single-axis constant friction knee, shin, SACH foot
Yes	L5301	Below knee, molded socket, shin, SACH foot, endoskeletal system
Yes	L5312	Knee disarticulation (or through knee), molded socket, single-axis knee, pylon, SACH foot, endoskeletal system
Yes	L5321	Above knee, molded socket, open end, SACH foot, endoskeletal system, single-axis knee
Yes	L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single-axis knee, SACH foot
Yes	L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single-axis knee, SACH foot
Yes	L5400	Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee
Yes	L5410	Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment, and suspension, below knee, each additional cast change and realignment
Yes	L5420	Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, and one cast change, AK or knee disarticulation
Yes	L5430	Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, AK or knee disarticulation, each additional cast change and realignment
Yes	L5450	Immediate post-surgical or early fitting, application of non-weight-bearing rigid dressing, below knee
Yes	L5460	Immediate post-surgical or early fitting, application of non-weight bearing rigid dressing, above knee
Yes	L5500	Initial, below-knee PTB-type socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, direct formed
Yes	L5505	Initial, above knee/knee disarticulation, ischial-level socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, direct formed
Yes	L5510	Preparatory, below-knee PTB-type socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, molded to model
Yes	L5520	Preparatory, below-knee PTB-type socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed
Yes	L5530	Preparatory, below-knee PTB-type socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model
Yes	L5535	Preparatory, below-knee PTB-type socket, non-alignable system, no cover, SACH foot, prefabricated, adjustable open-end socket
Yes	L5540	Preparatory, below knee PTB-type socket, non-alignable system, pylon, no cover, SACH foot, laminated socket, molded to model
Yes	L5560	Preparatory, above knee/knee disarticulation, ischial-level socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, molded to model
Yes	L5570	Preparatory, above knee/knee disarticulation, ischial-level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed

## SECTION 4: Prior Authorization Requirements

Yes	L5580	Preparatory, above knee/knee disarticulation ischial-level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model
Yes	L5585	Preparatory, above knee/knee disarticulation, ischial-level socket, non-alignable system, pylon, no cover, SACH foot, prefabricated adjustable open-end socket
Yes	L5590	Preparatory, above knee/knee disarticulation ischial-level socket, non-alignable system, pylon no cover, SACH foot, laminated socket, molded to model
Yes	L5595	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model
Yes	L5600	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model
Yes	L5610	Addition to lower extremity, endoskeletal system, above knee, hydracadence system
Yes	L5611	Addition to lower extremity, endoskeletal system, above knee/knee disarticulation, 4-bar linkage, with friction swing phase control
Yes	L5613	Addition to lower extremity, endoskeletal system, above knee/knee disarticulation, 4-bar linkage, with hydraulic swing phase control
Yes	L5614	Addition to lower extremity, exoskeletal system, above knee/knee disarticulation, 4-bar linkage, with pneumatic swing phase control
Yes	L5616	Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control
Yes	L5617	Addition to lower extremity, quick-change self-aligning unit, above knee or below knee, each
Yes	L5618	Addition to lower extremity, test socket, Symes
Yes	L5620	Addition to lower extremity, test socket, below knee
Yes	L5622	Addition to lower extremity, test socket, knee disarticulation
Yes	L5624	Addition to lower extremity, test socket, above knee
Yes	L5626	Addition to lower extremity, test socket, hip disarticulation
Yes	L5628	Addition to lower extremity, test socket, hemipelvectomy
Yes	L5629	Addition to lower extremity, below knee, acrylic socket
Yes	L5630	Addition to lower extremity, Symes type, expandable wall socket
Yes	L5631	Addition to lower extremity, above knee or knee disarticulation, acrylic socket
Yes	L5632	Addition to lower extremity, Symes type, PTB brim design socket
Yes	L5634	Addition to lower extremity, Symes type, posterior opening (Canadian) socket
Yes	L5636	Addition to lower extremity, Symes type, medial opening socket
Yes	L5637	Addition to lower extremity, below knee, total contact
Yes	L5638	Addition to lower extremity, below knee, leather socket
Yes	L5639	Addition to lower extremity, below knee, wood socket
Yes	L5640	Addition to lower extremity, knee disarticulation, leather socket
Yes	L5642	Addition to lower extremity, above knee, leather socket
Yes	L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
Yes	L5644	Addition to lower extremity, above knee, wood socket
Yes	L5645	Addition to lower extremity, below knee, flexible inner socket, external frame
Yes	L5646	Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket
Yes	L5647	Addition to lower extremity, below-knee suction socket
Yes	L5648	Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket
Yes	L5649	Addition to lower extremity, ischial containment/narrow m-l socket
Yes	L5650	Additions to lower extremity, total contact, above-knee or knee disarticulation socket
Yes	L5651	Addition to lower extremity, above knee, flexible inner socket, external frame
Yes	L5652	Addition to lower extremity, suction suspension, above knee or knee disarticulation socket



## SECTION 4: Prior Authorization Requirements

Yes	L5653	Addition to lower extremity, knee disarticulation, expandable wall socket
Yes	L5654	Addition to lower extremity, socket insert, Symes (kemblo, pelite, aliplast, plastazote, or equal)
Yes	L5655	Addition to lower extremity, socket insert, below knee (kemblo, pelite, aliplast, plastazote, or equal)
Yes	L5656	Addition to lower extremity, socket insert, knee disarticulation (kemblo, pelite, aliplast, plastazote, or equal)
Yes	L5658	Addition to lower extremity, socket insert, above knee (kemblo, pelite, aliplast, plastazote, or equal)
Yes	L5661	Addition to lower extremity, socket insert, multi-durometer Symes
Yes	L5665	Addition to lower extremity, socket insert, multi-durometer, below knee
Yes	L5666	Addition to lower extremity, below knee, cuff suspension
Yes	L5670	Addition to lower extremity, below knee, molded supracondylar suspension (PTS or similar)
Yes	L5671	Addition to lower extremity, below-knee/above-knee suspension locking mechanism (shuttle, lanyard, or equal), excludes socket insert
Yes	L5672	Addition to lower extremity, below knee, removable medial brim suspension
Yes	L5673	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
Yes	L5676	Additions to lower extremity, below knee, knee joints, single axis, pair
Yes	L5677	Additions to lower extremity, below knee, knee joints, polycentric, pair
Yes	L5678	Additions to lower extremity, below knee, joint covers, pair
Yes	L5679	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
Yes	L5680	Addition to lower extremity, below knee, thigh lacer, nonmolded
Yes	L5681	Addition to lower extremity, below knee/above knee, custom-fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
Yes	L5682	Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded
Yes	L5683	Addition to lower extremity, below knee/above knee, custom-fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
Yes	L5684	Addition to lower extremity, below knee, fork strap
Yes	L5686	Addition to lower extremity, below knee, back check (extension control)
Yes	L5688	Addition to lower extremity, below knee, waist belt, webbing
Yes	L5690	Addition to lower extremity, below knee, waist belt, padded and lined
Yes	L5692	Addition to lower extremity, above knee, pelvic control belt, light
Yes	L5694	Addition to lower extremity, above knee, pelvic control belt, padded and lined
Yes	L5695	Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each
Yes	L5696	Addition to lower extremity, above knee or knee disarticulation, pelvic joint
Yes	L5697	Addition to lower extremity, above knee or knee disarticulation, pelvic band
Yes	L5699	All lower-extremity prostheses, shoulder harness
Yes	L5700	Replacement, socket, below knee, molded to patient model
Yes	L5701	Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model

## SECTION 4: Prior Authorization Requirements

Yes	L5702	Replacement, socket, hip disarticulation, including hip joint, molded to patient model
Yes	L5703	Ankle, Symes, molded to patient model, socket without solid ankle cushion heel (SACH) foot, replacement only
Yes	L5704	Custom-shaped protective cover, below knee
Yes	L5705	Custom-shaped protective cover, above knee
Yes	L5706	Custom-shaped protective cover, knee disarticulation
Yes	L5707	Custom-shaped protective cover, hip disarticulation
Yes	L5710	Addition, exoskeletal knee-shin system, single axis, manual lock
Yes	L5711	Addition, exoskeletal knee-shin system, single axis, manual lock, ultra-light material
Yes	L5712	Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
Yes	L5714	Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control
Yes	L5716	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock
Yes	L5718	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control
Yes	L5722	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
Yes	L5724	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control
Yes	L5726	Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control
Yes	L5728	Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control
Yes	L5780	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control
Yes	L5781	Addition to lower-limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system
Yes	L5782	Addition to lower-limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty
Yes	L5785	Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5790	Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5795	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5810	Addition, endoskeletal knee-shin system, single axis, manual lock
Yes	L5811	Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material
Yes	L5812	Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
Yes	L5814	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock
Yes	L5816	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock
Yes	L5818	Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control
Yes	L5822	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control

## SECTION 4: Prior Authorization Requirements

Yes	L5824	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control
Yes	L5826	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high-activity frame
Yes	L5828	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control
Yes	L5830	Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control
Yes	L5840	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control
Yes	L5845	Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable
Yes	L5848	Addition, endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability
Yes	L5855	Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist
Yes	L5856	Addition to lower-extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type
Yes	L5857	Addition to lower-extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type
Yes	L5858	Addition to lower-extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type
Yes	L5910	Addition, endoskeletal system, below knee, alignable system
Yes	L5920	Addition, endoskeletal system, above knee or hip disarticulation, alignable system
Yes	L5925	Addition, endoskeletal system, above knee, knee disarticulation, or hip disarticulation, manual lock
Yes	L5930	Addition, endoskeletal system, high-activity knee-control frame
Yes	L5940	Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5950	Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5960	Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber, or equal)
Yes	L5961	Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control
Yes	L5962	Addition, endoskeletal system, below knee, flexible protective outer surface covering system
Yes	L5964	Addition, endoskeletal system, above knee, flexible protective outer surface covering system
Yes	L5966	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system
Yes	L5968	Addition to lower-limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature
Yes	L5970	All lower-extremity prostheses, foot, external keel, SACH foot
Yes	L5971	All lower-extremity prosthesis, solid ankle cushion heel (SACH) foot, replacement only
Yes	L5972	All lower-extremity prostheses, foot, flexible keel
Yes	L5973	Endoskeletal ankle foot system, microprocessor-controlled feature, dorsiflexion and/or plantar flexion control, includes power source
Yes	L5975	All lower-extremity prosthesis, combination single-axis ankle and flexible keel foot
Yes	L5976	All lower-extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)

## SECTION 4: Prior Authorization Requirements

Yes	L5978	All lower-extremity prostheses, foot, multiaxial ankle/foot
Yes	L5979	All lower-extremity prosthesis, multi-axial ankle, dynamic response foot, one-piece system
Yes	L5980	All lower-extremity prostheses, flex foot system
Yes	L5981	All lower-extremity prostheses, flex-walk system or equal
Yes	L5982	All exoskeletal lower extremity prostheses, axial rotation unit
Yes	L5984	All endoskeletal lower-extremity prosthesis, axial rotation unit, with or without adjustability
Yes	L5985	All endoskeletal lower-extremity prostheses, dynamic prosthetic pylon
Yes	L5986	All lower-extremity prostheses, multi-axial rotation unit (MCP or equal)
Yes	L5987	All lower-extremity prosthesis, shank foot system with vertical loading pylon
Yes	L5988	Addition to lower-limb prosthesis, vertical shock-reducing pylon feature
Yes	L5990	Addition to lower-extremity prosthesis, user-adjustable heel height
Yes	L6000	Partial hand, thumb remaining
Yes	L6010	Partial hand, little and/or ring finger remaining
Yes	L6020	Partial hand, no finger remaining
Yes	L6050	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad
Yes	L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad
Yes	L6100	Below-elbow, molded socket, flexible elbow hinge, triceps pad
Yes	L6110	Below-elbow, molded socket (Muenster or Northwestern suspension types)
Yes	L6120	Below-elbow, molded double-wall split socket, step-up hinges, half cuff
Yes	L6130	Below-elbow, molded double-wall split socket, stump-activated locking hinge, half cuff
Yes	L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm
Yes	L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm
Yes	L6250	Above-elbow, molded double-wall socket, internal locking elbow, forearm
Yes	L6300	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
Yes	L6310	Shoulder disarticulation, passive restoration (complete prosthesis)
Yes	L6320	Shoulder disarticulation, passive restoration (shoulder cap only)
Yes	L6350	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
Yes	L6360	Interscapular thoracic, passive restoration (complete prosthesis)
Yes	L6370	Interscapular thoracic, passive restoration (shoulder cap only)
Yes	L6380	Immediate post-surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow
Yes	L6382	Immediate post-surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow
Yes	L6384	Immediate post-surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
Yes	L6386	Immediate post-surgical or early fitting, each additional cast change and realignment
Yes	L6388	Immediate post-surgical or early fitting, application of rigid dressing only
Yes	L6400	Below-elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping

## SECTION 4: Prior Authorization Requirements

Yes	L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
Yes	L6500	Above-elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
Yes	L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
Yes	L6570	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping
Yes	L6580	Preparatory, wrist disarticulation or below elbow, single-wall plastic socket, friction wrist, flexible elbow hinges, figure-of-eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, molded to patient model
Yes	L6582	Preparatory, wrist disarticulation or below elbow, single-wall socket, friction wrist, flexible elbow hinges, figure-of-eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, direct formed
Yes	L6584	Preparatory, elbow disarticulation or above elbow, single-wall plastic socket, friction wrist, locking elbow, figure-of-eight harness, fairlead cable control, USMC or equal pylon, no cover, molded to patient model
Yes	L6586	Preparatory, elbow disarticulation or above elbow, single-wall socket, friction wrist, locking elbow, figure-of-eight harness, fairlead cable control, USMC or equal pylon, no cover, direct formed
Yes	L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single-wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fairlead cable control, USMC or equal pylon, no cover, molded to patient model
Yes	L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single-wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fairlead cable control, USMC or equal pylon, no cover, direct formed
Yes	L6605	Upper-extremity additions, single pivot hinge, pair
Yes	L6610	Upper-extremity additions, flexible metal hinge, pair
Yes	L6611	Addition to upper-extremity prosthesis, external powered, additional switch, any type
Yes	L6615	Upper-extremity addition, disconnect locking wrist unit
Yes	L6616	Upper-extremity addition, additional disconnect insert for locking wrist unit, each
Yes	L6620	Upper-extremity addition, flexion/extension wrist unit, with or without friction
Yes	L6621	Upper-extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external-powered terminal device
Yes	L6623	Upper-extremity addition, spring-assisted rotational wrist unit with latch release
Yes	L6624	Upper-extremity addition, flexion/extension and rotation wrist unit
Yes	L6625	Upper-extremity addition, rotation wrist unit with cable lock
Yes	L6628	Upper-extremity addition, quick-disconnect hook adapter, Ottobock or equal
Yes	L6629	Upper-extremity addition, quick-disconnect lamination collar with coupling piece, Ottobock or equal
Yes	L6630	Upper-extremity addition, stainless steel, any wrist
Yes	L6632	Upper-extremity addition, latex suspension sleeve, each
Yes	L6635	Upper-extremity addition, lift assist for elbow
Yes	L6637	Upper-extremity addition, nudge control elbow lock
Yes	L6638	Upper-extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow
Yes	L6640	Upper-extremity additions, shoulder abduction joint, pair
Yes	L6641	Upper-extremity addition, excursion amplifier, pulley type
Yes	L6642	Upper-extremity addition, excursion amplifier, lever type
Yes	L6645	Upper-extremity addition, shoulder flexion-abduction joint, each

## SECTION 4: Prior Authorization Requirements

Yes	L6646	Upper-extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body-powered or external-powered system
Yes	L6647	Upper-extremity addition, shoulder lock mechanism, body-powered actuator
Yes	L6648	Upper-extremity addition, shoulder lock mechanism, external-powered actuator
Yes	L6650	Upper-extremity addition, shoulder universal joint, each
Yes	L6655	Upper-extremity addition, standard control cable, extra
Yes	L6660	Upper-extremity addition, heavy-duty control cable
Yes	L6672	Upper-extremity addition, harness, chest or shoulder, saddle type
Yes	L6675	Upper-extremity addition, harness (e.g., figure-of-eight type), single-cable design
Yes	L6676	Upper-extremity addition, harness (e.g., figure-of-eight type), dual-cable design
Yes	L6677	Upper-extremity addition, harness, triple control, simultaneous operation of terminal device and elbow
Yes	L6680	Upper-extremity addition, test socket, wrist disarticulation or below elbow
Yes	L6682	Upper-extremity addition, test socket, elbow disarticulation or above elbow
Yes	L6684	Upper-extremity addition, test socket, shoulder disarticulation or interscapular thoracic
Yes	L6686	Upper-extremity addition, suction socket
Yes	L6687	Upper-extremity addition, frame type socket, below elbow or wrist disarticulation
Yes	L6688	Upper-extremity addition, frame type socket, above elbow or elbow disarticulation
Yes	L6689	Upper-extremity addition, frame type socket, shoulder disarticulation
Yes	L6690	Upper-extremity addition, frame type socket, interscapular-thoracic
Yes	L6691	Upper-extremity addition, removable insert, each
Yes	L6692	Upper-extremity addition, silicone gel insert or equal, each
Yes	L6693	Upper-extremity addition, locking elbow, forearm counterbalance
Yes	L6694	Addition to upper-extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
Yes	L6695	Addition to upper-extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
Yes	L6696	Addition to upper-extremity prosthesis, below elbow/above elbow, custom-fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
Yes	L6697	Addition to upper-extremity prosthesis, below elbow/above elbow, custom-fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
Yes	L6698	Addition to upper-extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert
Yes	L6703	Terminal device, passive hand/mitt, any material, any size
Yes	L6704	Terminal device, sport/recreational/work attachment, any material, any size
Yes	L6706	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined
Yes	L6707	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined
Yes	L6708	Terminal device, hand, mechanical, voluntary opening, any material, any size
Yes	L6709	Terminal device, hand, mechanical, voluntary closing, any material, any size
Yes	L6715	Terminal device, multiple articulating digit, includes motor(s), initial issue or replacement
Yes	L6805	Addition to terminal device, modifier wrist unit



## SECTION 4: Prior Authorization Requirements

Yes	L6810	Addition to terminal device, precision pinch device
Yes	L6880	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)
Yes	L6881	Automatic grasp feature, addition to upper-limb electric prosthetic terminal device
Yes	L6882	Microprocessor control feature, addition to upper-limb prosthetic terminal device
Yes	L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power
Yes	L6884	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power
Yes	L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power
Yes	L6890	Addition to upper-extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment
Yes	L6895	Addition to upper-extremity prosthesis, glove for terminal device, any material, custom fabricated
Yes	L6900	Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining
Yes	L6905	Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining
Yes	L6910	Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining
Yes	L6915	Hand restoration (shading, and measurements included), replacement glove for above
Yes	L6920	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Ottobock or equal, switch, cables, two batteries and one charger, switch control of terminal device
Yes	L6925	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L6930	Below-elbow, external power, self-suspended inner socket, removable forearm shell, Ottobock or equal switch, cables, two batteries and one charger, switch control of terminal device
Yes	L6935	Below-elbow, external power, self-suspended inner socket, removable forearm shell, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L6940	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Ottobock or equal switch, cables, two batteries and one charger, switch control of terminal device
Yes	L6945	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L6950	Above-elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Ottobock or equal switch, cables, two batteries and one charger, switch control of terminal device
Yes	L6955	Above-elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L6960	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Ottobock or equal switch, cables, two batteries and one charger, switch control of terminal device

## SECTION 4: Prior Authorization Requirements

Yes	L6965	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L6970	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Ottobock or equal switch, cables, two batteries and one charger, switch control of terminal device
Yes	L6975	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Ottobock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
Yes	L7007	Electric hand, switch or myoelectric controlled, adult
Yes	L7008	Electric hand, switch or myoelectric, controlled, pediatric
Yes	L7009	Electric hook, switch or myoelectric controlled, adult
Yes	L7040	Prehensile actuator, switch controlled
Yes	L7045	Electric hook, switch or myoelectric controlled, pediatric
Yes	L7170	Electronic elbow, Hosmer or equal, switch controlled
Yes	L7180	Electronic elbow, microprocessor sequential control of elbow and terminal device
Yes	L7181	Electronic elbow, microprocessor simultaneous control of elbow and terminal device
Yes	L7185	Electronic elbow, adolescent, Variety Village or equal, switch controlled
Yes	L7186	Electronic elbow, child, Variety Village or equal, switch controlled
Yes	L7190	Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled
Yes	L7191	Electronic elbow, child, Variety Village or equal, myoelectronically controlled
Yes	L7360	Six-volt battery, each
Yes	L7362	Battery charger, six volt, each
Yes	L7364	Twelve-volt battery, each
Yes	L7366	Battery charger, twelve volt, each
Yes	L7367	Lithium-ion battery, rechargeable, replacement
Yes	L7368	Lithium-ion battery charger, replacement only
Yes	L7400	Addition to upper-extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber, or equal)
Yes	L7401	Addition to upper-extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber, or equal)
Yes	L7402	Addition to upper-extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber, or equal)
Yes	L7403	Addition to upper-extremity prosthesis, below elbow/wrist disarticulation, acrylic material
Yes	L7404	Addition to upper-extremity prosthesis, above elbow disarticulation, acrylic material
Yes	L7405	Addition to upper-extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
Yes	L8001	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral, any size, any type
Yes	L8002	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type
Yes	L8015	External breast prosthesis garment, with mastectomy form, post mastectomy
Yes	L8020	Breast prosthesis, mastectomy form
Yes	L8030	Breast prosthesis, silicone or equal, without integral adhesive

## SECTION 4: Prior Authorization Requirements

Yes	L8031	Breast prosthesis, silicone or equal, with integral adhesive
Yes	L8032	Nipple prosthesis, reusable, any type, each
Yes	L8035	Custom breast prosthesis, post mastectomy, molded to patient model
Yes	L8040	Nasal prosthesis, provided by a non-physician
Yes	L8041	Midfacial prosthesis, provided by a non-physician
Yes	L8042	Orbital prosthesis, provided by a non-physician
Yes	L8043	Upper facial prosthesis, provided by a non-physician
Yes	L8044	Hemi-facial prosthesis, provided by a non-physician
Yes	L8045	Auricular prosthesis, provided by a non-physician
Yes	L8046	Partial facial prosthesis, provided by a non-physician
Yes	L8047	Nasal septal prosthesis, provided by a non-physician
Yes	L8500	Artificial larynx, any type
Yes	L8513	Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal, replacement only, each
Yes	L8515	Gelatin capsule, application device for use with tracheoesophageal voice prosthesis, each
Yes	V2623	Prosthetic eye, plastic, custom
Yes	V2624	Polishing/resurfacing of ocular prosthesis
Yes	V2625	Enlargement of ocular prosthesis
Yes	V2626	Reduction of ocular prosthesis
Yes	V2627	Scleral cover shell
Yes	V2628	Fabrication and fitting of ocular conformer
Yes	V2629	Prosthetic eye, other type